

**Exam : 310-016**

**Title : SUN Certified SYSTEM  
ADMINISTRATOR FOR  
SOLARIS 9,UPGRADE**

**Version : DEMO**

www.Pass4itSure.com

1. Click the Exhibit button. Which type of JumpStart configuration file is shown in the exhibit?

```
install_type      initial_install
system_type       standalone
partitioning      explicit
usedisk           c0t0d0
filesystems       c0t0d0s1      128      swap
filesystems       c0t0d0s0      free      /
cluster           SUNWCall
```

- A. rules file
- B. class file
- C. finish script
- D. sysidcfg file
- E. bootparams file

**Correct: B**

2. You believe that you have a correctly configured boot server on the local network for the JumpStart client you are currently attempting to install. Your JumpStart configuration is based on files only and does not use a naming service at any stage. Upon running the command: boot net - install the client repeatedly displays the message: Timeout waiting for ARP/RARP packet What are two possible causes for this? (Choose two.)

- A. The in.rarpd daemon is not running on the boot server.
- B. The sysidcfg file for the client is missing an ether entry.
- C. The client does not exist in the rules.ok file on the boot server.
- D. The /etc/ethers file on the boot server does not have an entry for the client.
- E. The /etc/bootparams file on the boot server has duplicate entries for the client.

**Correct: A D**

3. Which four JumpStart client items can be configured using the sysidcfg file? (Choose four.)

- A. locale
- B. name service
- C. root password
- D. client host name
- E. patch information
- F. file system layout
- G. software configuration cluster

**Correct: A B C D**

4. Both NIS and the sysidcfg file are configured to provide JumpStart identification services. Which statement is true?

- A. Only NIS can be used.
- B. Only the sysidcfg file can be used.
- C. Both can be used. NIS takes precedence over the sysidcfg file.
- D. Both can be used. The sysidcfg file takes precedence over NIS.

**Correct: D**

5. You believe that you have a correctly configured boot server on the local network for the JumpStart client currently being installed. Your JumpStart configuration is based on files only and does not use a naming service at any stage. Upon running the command: boot net - install the

client displays the output: 24000 and subsequently outputs the following text to the console:  
panic - boot: Could not mount filesystem Program terminated ok What is the cause of this problem?

- A. The root file system is not shared using NFS from the boot server.
- B. The rpc.bootparamd daemon is not running on the boot server.
- C. The installation server is missing the packages SUNWcsu and SUNWcsr.
- D. The class file contains a reference to an NFS mount which is not available.

**Correct:A**

**6.What three tasks must be done on the NIS master to add support for a new JumpStart client? (Choose three.)**

- A. re-make NIS maps with the updated client information
- B. edit the hosts file, add the new client name and IP address
- C. edit the ethers file, add the new client name and Ethernet address
- D. edit the bootparams file, add the client name and architecture type
- E. edit the rules file, add the client name and software configuration cluster information
- F. edit the class file, add the client name and location of configuration and installation servers

**Correct:A B C**

**7.Which two commands display the list of patches installed on a Solaris system? (Choose two.)**

- A. showrev -p
- B. pkginfo -l
- C. patchadd -p
- D. /usr/sbin/prtdiag -v

**Correct:A C**

**8.Which three should you use to obtain patches? (Choose three.)**

- A. World Wide Web access
- B. CD-ROM media from Sun
- C. telnet access to SunSolve
- D. anonymous ftp access to the SunSolve ftp site
- E. patch supplied from an official periodical publication

**Correct:A B D**

**9.You want to install a patch cluster on your system to correct several problems. You decide to use the -nosave option to the install\_cluster command. Which statement correctly describes the effect of this option?**

- A. A log file for each patch is not created.
- B. A log file for install\_cluster is not created.
- C. The individual patches cannot be removed if desired.
- D. An entry for the patch in /var/sadm/patch is not created.

**Correct:C**

**10.Given the patch: 111021-01.zip Which command should you use first in a series of steps to install the patch?**

- A. patchadd 111021-01
- B. unzip 111021-01.zip C.zip - U 111021-01.zip
- D. uncompress 111021-01.zip

**Correct: B**

[www.Pass4itSure.com](https://www.Pass4itSure.com)

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

### One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



### Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.