Exam : 310-810

Title : Sun Certified MySQL 5.0

Database Administrator

Version : DEMO

- 1. Which one of the following statements can be used to start MySQL 5.0 manually from the command line on windows?
- A. C:\> C:\Program Files\MySQL\MySQL Server 5.0\bin\mysqladmin -u root start
- B. C:\> C:\Program Files\MySQL\MySQL Server 5.0\bin\mysqld
- C. C:\> C:\Program Files\MySQL\MySQL Server 5.0\bin\mysql_start

Answer: B

- 2. Another user has issued LOCK TABLES pets READ You can...
- A. Update table pets
- B. SELECT from table pets
- C. UPDATE and SELECT from table pets
- D. None of the above

Answer: B

- 3. Which of the following statements are true for locks established by the InnoDB storage engine?
- A. It sometimes escalates locks to page level.
- B. It sometimes escalates locks to table level.
- C. It sometimes escalates locks to page or table level.
- D. It never escalates locks to page or table level.

Answer: D

- 4. Which of the following is true for how the InnoDB storage engine uses diskspace?
- A. It stores its data, index and undo information all in its own tablespace.
- B. It stores its data in .MYD files, in the respective database directory, and its index and undo information in its own tablespace.
- C. It stores its data and index in .MYD and .MYI files, in the respective database directory, and undo information in its own tablespace.
- D. It stores its data, index and undo information in .MYD and .MYI files, in the respective database directory.

Answer: A

- 5. Which of the following is true for the command-line programs mysqlcheck and myisamchk?
- A. mysqlcheck must run on the server to perform checks and repairs and myisamchk can perform checks and repairs on a remote server.
- B. mysqlcheck can perform checks and repairs on a remote server, and myisamchk must run on the server.
- C. Both mysqlcheck and myisamchk can perform checks and repairs on a remote server.
- D. Neither mysqlcheck or myisamchk can perform checks and repairs on a remote server.

Answer: B

- 6. MySQL is a multi-threaded database server. Every connection to the database server is handled by it's own thread.
- A. True
- B. False

Answer: A

- 7. mysqldump can be instructed to dump...
- A. Only table structures
- B. Only data
- C. Both table structures and data

Answer: C

- 8. Which of the following is true of a MySQL client and server?
- A. They must be run on the same type of Operating System.
- B. They must be run on the same hardware architecture.
- C. They do not have to be run on the same type of Operating System.
- D. They do not have to be run on the same hardware architecture.

Answer: CD

- 9. Which of the following APIs/connectors are included in a MySQL distribution?
- A. Connector/J
- B. Connector/ODBC
- C. C API
- D. Connector/NET
- E. Connector/MJX

Answer: C

- 10. Of the following mechanisms available to connect a MySQL client to a MySQL database server, which types of connections are only available on Windows based systems?
- A. TCP/IP
- B. Sockets
- C. Shared Memory
- D. Named Pipes

Answer: CD

- 11. Which of the following statements correctly describes the way to enable and use shared memory connections to the MySQL database server?
- A. Shared memory connections are available by default on all platforms, but must have TCP/IP networking

disabled by using the --skip-networking option.

- B. Shared memory connections are supported on all windows binaries, and is enabled by default.
- C. Shared memory connections are supported on all windows binaries, and must be enabled by using the --shared-memory command line option.
- D. Shared memory is not a supported communication method for the MySQL database server.

Answer: C

- 12. Which mysqld command line option disables incoming TCP/IP connections?
- A. --shared-memory

- B. --memlock
- C. --no-networking D.
- --skip-networking

Answer: D

- 13. When making connections to a MySQL server on a Unix platform, which of the following is true?
- A. TCP/IP connections are faster than socket file connections.
- B. Socket file connections are faster than TCP/IP connections.
- C. TCP/IP and Socket file connections are equally as fast.

Answer: B

- 14. Which of the following best describes the processing model for how the MySQL server handles queries?
- A. The server uses a one-tier processing model in which each storage engine optimizes and processes each query issued against it.
- B. The server uses a two-tier processing model: a SQL/optimizer tier and a storage engine tier.
- C. The server uses a three-tier processing model: a SQL/optimizer tier, a formatting tier and a storage engine tier.

Answer: B

- 15. Which of the following best describes how MySQL utilizes the grant table buffers?
- A. The grant table buffer loads grant table information into memory for fast access.
- B. The grant table buffer loads what users are currently logged in and performing queries.
- C. The grant table buffer holds requests waiting to check the grant table to perform access-control.

Answer: A

- 16. In a standard MySQL installation which of following files are stored below the data directory?
- A. Format files for all the tables
- B. Data and index files for MyISAM tables
- C. InnoDB tablespace files
- D. General server logs
- E. MySQL upgrade script files

Answer: ABCD

- 17. Where is the data stored for a table that is defined as using the FEDERATED Storage Engine?
- A. The data will always be stored on the local host.
- B. The data will always be stored on a remote host.
- C. The data can be stored on any host depending on the definition of the table.
- D. The data will always be stored on disk.
- E. The data will always be stored in memory.
- F. The data will be stored according to the storage engine of the referenced table.

Answer: CD

18. Which of the following statements are true regarding the data directory on a Windows binary

installation?

- A. A script needs to be run to initialize it after installation.
- B. It comes pre-initialized.
- C. You can choose to pre-initialize it or initialize it manually during the installation.

Answer: B

- 19. Which of the following are requirements for InnoDB binary portability?
- A. Both machines must use the same operating system.
- B. Database and table names must use lowercase format.
- C. Both machines must use two's-complement integer arithmetic.
- D. Both machines must use IEEE floating-point format or contain no floating-point columns.

Answer: BCD

- 20. Which of the following package types are provided specifically for UNIX-style OS installations?
- A. Essentials
- B. RPM
- C. Source
- D. tar-packaged binary

Answer: BD

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.