3V0-752^{Q&As}

VMware Certified Advanced Professional 7 - Desktop and Mobility Design Exam

Pass VMware 3V0-752 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/3v0-752.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

QUESTION 1

A company has decided to implement RDS Application Pools. Its current server standard is Windows Server 2008 R2. The application requires access to a client USB device.

What must be done to allow USB redirection for this setup?

A. Install new RDS servers using Windows Server 2012 R2.

B. Install View Client on user device with USB redirection feature enabled.

C. Install VMware User Environment Manager.

D. Install View Agent on existing RDS Servers and select USB redirection to be included.

Correct Answer: D

QUESTION 2

Ten task workers in a remote branch office access Horizon VMs running Windows 7. The workers use PCoIP zero clients over a 40 Megabit per second network connection. No GPO currently alerts the default Horizon PCoIP settings. Which two Horizon PCoIP GPO settings improve user experience and help reduce the network bandwidth needed by each Horizon zero client session? (Choose two.)

A. Audio bandwidth limit

B. Session bandwidth floor

C. Build-to-Lossless

D. Session MTU

Correct Answer: BD

Reference: https://docs.vmware.com/en/VMware-Horizon-7/7.3/horizon-remote-desktop-features/GUID-6C22A209-AFC1-47EF-9DFF-39AFB38D655D.html

QUESTION 3

The IT Team for a regional government organization wants to implement a VDI system using VMware products. These design requirements were specified:

1.

 Automated Horizon RDS Farms and App Volumes to deliver a few Windows applications to iOS and Android devices

2.

 Horizon RDS Farms to deliver a specialized 3D mapping application

3.

Stateless Windows 10 Horizon Instant Clone desktops to task workers, and Horizon Windows 10 desktops with a persistent data disk to power users What is the minimum number of Master Image VMs to support the design?

A. 3

B. 2

C. 4

D. 5

Correct Answer: B

QUESTION 4

A company has decided to implement Workspace One on premise.

1.

 Workspace One portal will be used by end users to simplify access to web, mobile and Windows based applications.

2.

 As part of the solution, the company is planning on using Horizon 7 Application Publishing.

3.

 Published Applications will be used for applications frequently used by mobile users.

During a proof of concept (POC), users noted that it was too cumbersome to enter Active Directory username and password and RSA SecureID using mobile devices.

The Chief Security Officer (CSO) stated:

1.

 Multi-factor is a requirement for a subset of the applications.

2.

 End-users must have as seamless as possible authentication using mobile devices.

Which solution can satisfy the CSO\'s requirements?

A. Implement VMware Identity Manager with Mobile SSO. Configure Access Policies to require RSA SecureID authentication for the subset of applications and implement TrueSSO in Horizon.

B. Implement VMware Identity Manager with VMware Verify for easy authentication. Since VMware Verify offers two factors no extra access policies is needed.

C. Implement VMware Identity Manager with Mobile SSO. Configure Access Policies to require VMware Verify authentication for the subset of applications and implement TrueSSO in Horizon.

D. Implement VMware Identity Manager with SSO. Configure Access Policies to require VMware Verify authentication for the subset of applications.

Correct Answer: C

QUESTION 5

A customer is deploying Horizon View 7.1 utilizing a Cloud Prod Architecture. The customer wants to utilize 32-node clusters, and a single vCenter at each site to support 9,500 desktops per site.

Which two statements about this configuration are true? (Choose two.)

A. This configuration allows all desktops at a site to be provisioned from a single master image.

B. This configuration allows multiple pools to be grouped together using global entitlements.

C. This configuration requires a 64-node cluster per site.

D. This configuration exceeds the maximum supported size for a View block.

Correct Answer: AB

QUESTION 6

In a local design, a company selected one database instance to be shared by Horizon View Composer database, vCenter external database, and Horizon AppVolumes database. The design must provide High Availability for all databases. Which two database server options should be selected during physical design creation? (Choose two.)

A. Oracle 10g

B. Microsoft SQL Server 2014

C. Oracle 11g

D. Microsoft SQL Server 2012

Correct Answer: BC

QUESTION 7

A government organization wants to deploy a brand new Horizon system using RDSH desktop automated farms while installing the fewest instances of Windows servers. They also want to preserve user profiles, personalization and application customization.

Which option meets the requirements?

A. Use RDSH instant clone farms and App Volumes including Writable Volumes.

B. Use RDSH linked clone farms and App Volumes including Writable Volumes.

C. Use RDSH instant clone farms and User Environment Manager

D. Use RDSH linked clone farms and User Environment Manager

Correct Answer: C

QUESTION 8

A company wants to allow sales personnel to use laptops to access the internal VDI. Due to security constraints, VDI desktop pools for travelers will not be granted access to the Internet. Sales personnel however will be able to access links from email or other documents from their VDI sessions.

What can be implemented to meet these requirements?

A. Install View Agent with URL redirection enabled.

B. Install View Client with URL redirection enabled.

C. Enable clipboard sharing.

D. Enable Client Drive redirection.

Correct Answer: D

QUESTION 9

During a planning meeting for an upcoming deployment of a Horizon View 7.1 environments, these requirements were identified by an architect:

1.

 Separate pools for internal and external connectivity.

2.

 Applications are not to be installed in the desktop VMs.

3.

 Application assignments are to be user-based.

4.

 No VPN is to be used.

Which three should the architect recommend to meet the requirements? (Choose three.)

A. Use VMware Horizon View\\'s tagging feature to identify external / internal pools.

B. Use VMware App Volumes.

C. Use ThinApp to stream the applications.

D. Use VMware User Environment Manager to define network subnets that will filter the lists of external / internal desktop pools based on the user\\'s client ip address.

E. Use VMware NSX and deploy micro-segmentation rules that will filter the lists of external / internal desktop pools

based on the user\\'s client ip address.

F. Use Horizon Security Server.

Correct Answer: ACF

QUESTION 10

When determining the number, type, and size of Horizon View components to be installed, which three pieces of information must an architect know? (Choose three.)

A. Number of concurrent users who will connect to the environment.

B. Type of client that will be used by the users.

C. Version of Windows that will be used for the virtual desktops

D. Type of desktop pools that will be provisioned.

E. Maintenance windows and availability requirements for the environment.

Correct Answer: BCD

Reference: https://docs.vmware.com/en/VMware-Horizon-7/7.2/view-72-installation.pdf

QUESTION 11

A company has asked an architect for assistance in reviewing its design plans for distributing a finance application to its users with multiple RDS hosts using a custom load balancing script. What can the architect recommend for a script with proper load return values to prevent overloading of an RDS host?

A. Block connections to this RDS host at a load value of block.

B. Allow connections to this RDS host at a load value of 0.

C. Allow connections to this RDS host at a load value of allow.

D. Block connections to this RDS host at a load value of 0.

Correct Answer: A

Reference: https://docs.vmware.com/en/VMware-Horizon-7/7.1/com.vmware.horizon-view.administration.doc/GUID-7FC6E9D2-5D12-4590-BB30-188F5E87D8F9.html

QUESTION 12

A security team is implementing VMware Identity Manager to have a central point for authentication to facilitate access to its company\\'s applications. The team would like to have users to authenticate to VMware Identity Manager before being able to connect to a Horizon View Desktop.

What can be done to ensure that users who try to authenticate to the Horizon View Connection brokers are forced to

first authenticate to VMware Identity Manager?

A. Create a SAML authenticator in Horizon View and set it to "Allowed."

B. Configure View advanced authentication to "Allowed" on the Horizon View Connection broker and create a Kerberos authenticator on VMware Identity Manager.

C. Configure View authentication to "Not Allowed" on the Horizon View Connection broker and create a Kerberos authenticator on VMware Identity Manager.

D. Create a SAML authenticator in Horizon View and set it to "Required."

Correct Answer: D

QUESTION 13

A cloud pod architecture has been proposed for a customer with two data centers available in two cities 1700 Miles apart. The data centers are connected using WAN links with sophisticated security requirements and firewall rules.

A WAN maintenance vendor has been contacted to add exceptions to meet cloud pod architecture requirements. The number of ports to be opened to enable datacenter to datacenter communication should stay at a minimum number.

Which two communication ports are required by the WAN maintenance vendor? (Choose two.)

A. 443

B. 22389

C. 389

D. 4001

E. 8472

F. 8009

Correct Answer: BE

QUESTION 14

The finance group in a company has asked for a new application to be made available to all of the members of the finance department. The application is currently installed on all the finance desktops, but will be moving to a cloud-hosted model.

What solution should the IT administrator use to manage access to the new application?

A. Package the application using ThinApp and deploy to the finance department.

B. Manage the application with VMware Identity Manager.

C. Assign the new application to the finance department using App Volumes.

D. Deploy each user a new cloud based virtual desktop.

Correct Answer: B

QUESTION 15

DRAG DROP

A customer has an aging storage array that must be replaced. The array is used by VMware hosts in their data center. The storage array is under warranty, but the hosts are all out of warranty. The customer wants new hardware running Horizon 7, and is open to a hyperconverged solution. The project must take place with minimal-to-no disruption during normal business hours. The CIO states there is a maximum budget of $600, 000 for the project. The IT Director says their UPS units were replaced last year and they don\\'t need to be updated. The existing racks are heavily populated, with limited rack units remaining and no additional datacenter floorspace for another rack.

Match the statements taken from the scenario with its correct design category.

Select and Place:

Customer Statements	Design Category
Storage array is under warranty. Hosts are not.	Risk
Replace aging storage array and VMware hosts.	Requirement
UPS units replaces last year. No update needed.	Assumption
A maximum budget of $600,000 for the project.	Constraint

Correct Answer:

Customer Statements

Design Category

| UPS units replaces last year. No update needed. | Risk |

| Replace aging storage array and VMware hosts. | Requirement |

| A maximum budget of $600,000 for the project. | Assumption |

| Storage array is under warranty. Hosts are not. | Constraint |

3V0-752 Practice Test   3V0-752 Study Guide   3V0-752 Exam Questions