



# 400-151<sup>Q&As</sup>

CCIE Data Center Written

## Pass Cisco 400-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/400-151.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1

Which two statements about FabricPath are true? (Choose two.)

- A. FabricPath does not require an Enhanced Layer 2 Package license.
- B. The F-Series modules do not support multiple SPAN destination ports or virtual SPAN.
- C. FabricPath interfaces carry only FabricPath-encapsulated traffic.
- D. Traffic can only be forwarded from the root switch in First-Hop Redundancy Protocols
- E. STP does run inside a FabricPath network

Correct Answer: BC

### QUESTION 2



Refer to the exhibit. If you inspect a VXLAN packet at point 2, which two options about the outer fields in the VXLAN header are two? (Choose two.)

- A. Outer S-IP = IP-1 ; Outer D-IP = IP-2.
- B. Outer S-IP = IP-A ; Outer D-IP = IP-B.
- C. Outer S-MAC = MAC-1 ; Outer D-MAC = MAC-4.
- D. Outer S-MAC = MAC-A ; Outer D-MAC = MAC-B.
- E. Outer S-IP = IP-1 ; Outer D-IP = IP-4.



F. Outer S-MAC = MAC-1 ; Outer D-MAC = MAC-2

Correct Answer: EF

### QUESTION 3

Drag and drop the method from the left onto the correct description on the right.

Select and Place:

GET	UPDATES THE SPECIFIED WITH NEW INFORMATION. THIS DATA THAT IS INCLUDED IN THIS OPERATION REPLACES THE PREVIOUS DATA. THIS OPERATION CANNOT BE USED TO CREATE THE NEW RESOURCES
POST	Removes a resource. This operation should not have a request body
PUT	Retrieves the specified resources. It is read-only operation that does not change the engine state
DELETE	Submits data to be processed by the specified resource. The data to be processed is included in the request body. This operation can create a new resource

Correct Answer:

	PUT
	DELETE
	GET
	POST

### QUESTION 4

A user requests one primary VLAN, two community VLANs, and two isolated VLANs for multicast capable servers that must transmit multicast traffic and receive multicast traffic through the use of IGMPv2.

On which VLAN must the IGMP querier be configured?





- A. only the primary VLAN
- B. Layer 2 multicast is not supported when using private VLANs
- C. isolated VLAN and both community VLANs
- D. primary and secondary VLANs

Correct Answer: C

### QUESTION 5

Drag and drop the term about BFD session parameters from the left onto the correct definition on the right?

Select and Place:

desired minimum transmit interval	the number of missing BFD hello messages from another BFD device before this local device detects a fault in the forwarding path
required minimum receive interval	the interval at which this device wants to send BFD hello messages
detect multiplier	the minimum interval at which this device can accept BFD hello messages from another BFD device

Correct Answer:

	desired minimum transmit interval
	detect multiplier
	required minimum receive interval

### QUESTION 6

In cloud computing, which statement best describes a hybrid cloud?

- A. a service cloud that provides compute servers to multiple tenants
- B. a type of infrastructure as a Service cloud that provides ad hoc storage



- C. a cloud architecture where there is a data exchange between public and private cloud offerings
- D. a cloud architecture that combines different cloud offerings such as Infrastructure as a Service and Software as a Service

Correct Answer: C

### QUESTION 7

Which two guidelines and limitations of PTP on Cisco NX-OS are true? (Choose two.)


- A. PTP supports multicast, unicast, and anycast communication.
- B. PTP can be enabled only on F- and M-Series module ports.
- C. PTP is limitless per network.
- D. Only one PTP process can control all of the port clocks through the clock manager.
- E. PTP supports transport over UDP. Transport over Ethernet is not supported.

Correct Answer: DE

Reference: [http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/5\\_x/nx-os/system\\_management/configuration/guide/sm\\_nx\\_os\\_cg/sm\\_ptp.pdf](http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/5_x/nx-os/system_management/configuration/guide/sm_nx_os_cg/sm_ptp.pdf)

### QUESTION 8

Refer to the exhibit.



Which two options must be configured on the Layer 3 Gateway switches to isolate the HSRP between the two data centers? (Choose two.)



- A. routed access control list on the DCI on the SVIs that blocks the HSRP control traffic.
- B. VLAN access control list that blocks the HSRP control traffic.
- C. ARP inspection filter that blocks the HSRP GARPs
- D. disable HSRP GARP on the SVIs for the VLANs that move across the DCI
- E. port access control list on the DCI port-channel that blocks the HSRP control traffic

Correct Answer: BC

Reference: <https://www.cisco.com/c/en/us/support/docs/switches/nexus-7000-series-switches/118934-configure-nx7k-00.html>

### QUESTION 9


Drag and drop the VTP mode from left onto the correct description on the right

Select and Place:

g and drop the VTP mode from left onto the correct description on the right.

transparent	Does not forward any VTP packets.
server	Cannot create, change, or delete VLANs.
client	Relays all VTP protocol packets that it receives on a trunk port to all other trunk ports.
off	Creates, removes, and modifies VLANs over the entire network.

Correct Answer:



**QUESTION 10**

In OpenStack, which project stores and retrieves arbitrary unstructured data objects?

- A. Swift
- B. Nova
- C. Cinder
- D. Keynote

Correct Answer: A

**QUESTION 11**

Which three prerequisites must be created to enable Cisco UCS authentications via LDAP? (Choose three.)

- A. LDAP server
- B. LDAP provider group
- C. LDAP group map
- D. authentication domain
- E. LDAP provider
- F. remotely authenticated user

Correct Answer: BCE

**QUESTION 12**



Which three options are prerequisites to enable Intelligent Traffic Director on the Cisco Nexus 7000 series? (Choose three)

- A. feature pbr
- B. feature lldp
- C. feature sla sender
- D. feature vlan
- E. feature interface-vlan
- F. ipslaresponder

Correct Answer: ACF

[400-151 VCE Dumps](#)

[400-151 Practice Test](#)

[400-151 Braindumps](#)





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.