



499-01^{Q&As}

Riverbed Certified Solutions Professional – Application Performance Management

Pass Riverbed 499-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/499-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which three types of capture operations does AppTransaction Xpert support? (Select 3)

- A. Continuous capture
- B. Scheduled capture
- C. On-demand capture
- D. Automated download capture
- E. Encrypted capture

Correct Answer: ABC

QUESTION 2

Which of the following is not required to enable single sign-on between OPNET Authentication Service (OAS)-enabled products?

- A. All products must use the same OAS server.
- B. The fully qualified domain name (FQDN) all products use has a common "cookie domain."
- C. The users\' web browsers need to send the OAS cookies, which affects the choice of common "cookie domain."
- D. All possible FQDNs must be registered within OAS to allow them to work.

Correct Answer: D

QUESTION 3

When selecting a business group, the application stream analysis metric "User Response Time (Clients)" calculates what for the clients in the business group?

- A. The average of all TCP turn response times for the selected item for the chosen granularity over the chosen interval
- B. The sum of all TCP turn response times for the selected item for the given interval
- C. The sum of all TCP turn response times divided by the throughput for the given interval
- D. The response time for the busiest connected server to the business group
- E. The response time for a complete HTTP page rendering for the selected group

Correct Answer: A

QUESTION 4



The AppInternals Xpert Transaction Trace Warehouse can extract usernames from transactions:

- A. Through parsers that extract information from packets
- B. Through an integration with Lightweight Directory Access Protocol (LDAP)
- C. From an application's config file
- D. From the method `getRemoteUser()` of the `HttpServletRequest` object

Correct Answer: D

QUESTION 5

User response time is an estimate of how quickly a client will receive the payload for an individual data request. This metric is the sum of the average of:

- A. Connection setup time, server response time, data transfer time, retransmission delay, network roundtrip time (in), network roundtrip time (out)
- B. Retransmission delay, server response time, payload transfer time
- C. Connection setup time, server response time, retransmission delay, network roundtrip time (in), network roundtrip time (out)
- D. Data transfer time, server response time, connection setup time, retransmission delay
- E. Server response time, payload transfer time, data transfer time

Correct Answer: D

QUESTION 6

When building a Dashboard panel for showing worst-case heap health status, which metrics should you select for optimal results?

- A. AppInternals Xpert data source, Top N search, N value 10, Type Java, Memory Management, Health, Average statistic
- B. AppInternals Xpert data source, Top N search, N value 10, Type Java, Memory Management, Metric % Free Max Heap, Average statistic
- C. AppInternals Xpert data source, Bottom N search, N value 10, Type Java, Memory Management, % Free Heap, Minimum statistic

Correct Answer: C

QUESTION 7

In AppInternals Xpert consoles, you can click on a transaction trace or metric to open the line of source code that defines the generic class.method that generated that transaction or metric when applicable. Which statements are true



regarding linking between source code and AppInternals Xpert data? (Select 3)

- A. You can toggle back and forth between the source code and the AppInternals Xpert performance data to examine selected class/method transactions that exceed a particular duration.
- B. You can open the source code directly into Transaction Trace Warehouse.
- C. In Visual Studio or Eclipse source code, you can click on the name of a generic method or click inside the code for the method and link to traces on transactions that the .NET or Java code generated, and display those transactions in Transaction Trace Warehouse.
- D. You can click on the name of a generic method or click inside the code for the method and link to AppInternals Xpert metrics that the method generated, displaying in the desktop console.
- E. You can open the source code directly into Transaction Trace Analysis.

Correct Answer: ACD

QUESTION 8

Which parameters are required to enable user session tracking for a specific login page? (Select 3)

- A. The IP address of the server(s) where the login page is hosted.
- B. User ID
- C. Session ID
- D. The login page URL

Correct Answer: BCD

QUESTION 9

Which of these would you use to determine how varying latencies, bandwidths, and other network parameters affect an application transaction's performance?

- A. Quick predict
- B. Path probe
- C. AppDoctor
- D. Distributed agent controller

Correct Answer: A

QUESTION 10

When measuring end-user performance of internal .NET web applications, which solution provides the most valuable information and why?



- A. AppResponse Xpert, because it shows server and network delays for individual page views.
- B. AppInternals Xpert Transaction Trace Warehouse, because it includes network delay and indicates what happens within each tier.
- C. BrowserMetrix SaaS, because it reports the most detail of end-user performance, is measured at the browser, and is easiest to set up.
- D. AppTransaction Xpert, because it reports the most detail of transaction performance as seen by the workstation\\s network packets.
- E. BrowserMetrix On-Premise, because it provides the most detail of end-user performance and the ability to see Transaction Trace Warehouse data for server-side delay information.

Correct Answer: E

QUESTION 11

Which metrics help the user perform heap analysis? (Select 3)

- A. Percent of free heap
- B. Percent of time garbage collecting
- C. Percent of usage
- D. Average number of live objects

Correct Answer: ABD

QUESTION 12

JIDA automatically collects metrics from predefined categories of classes except:

- A. EJBs: classes that implement the javax.ejb.EntityBean or javax.ejb.SessionBean interfaces
- B. JDBC - classes that implement any of several interfaces in the java.sql package
- C. JNDI - classes that implement the javax.naming.Context or javax/naming/directory/DirContext interfaces
- D. Portlets - classes that implement the javax.portlet.Portlet interface
- E. Generic classes

Correct Answer: E

QUESTION 13

What does the QuickRecode feature in AppTransaction Xpert do?

- A. It reduces the number of turns in DEC (data exchange chart).



- B. It allows the user to change traffic to a specific port as a specific protocol.
- C. It allows the user to change the network effects.
- D. It allows the user to reimport and redecode the trace.

Correct Answer: A

QUESTION 14

What is required to allow a user to edit dashboard contents and settings?

- A. As long as a user can view the dashboard, they can make their own local edits.
- B. The user has to own the dashboard to be able to do full editing.
- C. The owner can grant specific users full access.

Correct Answer: B

QUESTION 15

The AppReponse Xpert Database Statement Troubleshooting Insight is useful to: (Select 3)

- A. Troubleshoot a specific SQL statement by viewing data for all transactions that use the SQL statement of interest.
- B. Analyze the query execution plan.
- C. Define the total response time or transaction count by database, user, application, and so on.
- D. View metrics for the slowest SQL queries.
- E. Automatically generate alternative SQL queries.

Correct Answer: ACD

[Latest 499-01 Dumps](#)

[499-01 PDF Dumps](#)

[499-01 Practice Test](#)