

500-005^{Q&As}

Installing Cisco TelePresence Video Immersive Systems

Pass Cisco 500-005 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/500-005.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/500-005.html

2021 Latest pass4itsure 500-005 PDF and VCE dumps Download

QUESTION 1

What is the function of the Presentation Devices test from the Cisco TelePresence Administration GUI?

- A. powers on and off the Active Collaboration data display
- B. configures the Active Collaboration data display
- C. changes the Active Collaboration data display from 5 to 30 f/s or 30 to 5 f/s during a call
- D. displays a test pattern on the Active Collaboration screen

Correct Answer: D

QUESTION 2

What is causing the Cisco TelePresence Touch 12 to show Project/LCD in error?

- A. The HDMI cable is not connected between the LCU and the Active Collaboration data display.
- B. The serial cable is not connected between the LCU and the Active Collaboration data display.
- C. There is a cabling problem with the PS1 codec to the Active Collaboration data display.
- D. The Active Collaboration data display is powered off.

Correct Answer: B

QUESTION 3

Refer to the exhibit.



Under which configuration components is the TFTP server specified?

- A. IP Settings
- B. Network Settings
- C. Unified CM Settings
- D. Telephony Settings
- E. System Settings
- F. Configuration Issues

Correct Answer: C



https://www.pass4itsure.com/500-005.html

QUESTION 4

Which statement about the TX9000 codec is true?

- A. The TX9000 allows for SIP and H.323 signaling.
- B. It uses the Cisco SIP standard.
- C. It uses HTTPS for configuration.
- D. It uses HTTP for configuration.
- E. It uses a cluster of six TX9000 codecs for redundancy.

Correct Answer: D

QUESTION 5

The configured speed-dial numbers are located in which section of the Cisco TelePresence Touch 12?

- A. Favorites section
- B. Speed Dialing section
- C. Meeting section
- D. Settings section

Correct Answer: A

QUESTION 6

Which TX9000 display choice is best for reducing possible issues with viewing angles for conference participants?

- A. LCD
- B. plasma
- C. LED
- D. CRT
- E. HDTV

Correct Answer: B



https://www.pass4itsure.com/500-005.html

2021 Latest pass4itsure 500-005 PDF and VCE dumps Download

QUESTION 7

The TX9000 center speaker connects to which component?

- A. LCU
- B. TS1 codec
- C. AV expansion box
- D. center codec

Correct Answer: A

QUESTION 8

When a new TX9000 system is being installed, where does the TX9000 obtain its system image?

- A. Cisco TelePresence Video Communication Server
- B. Cisco Unified Communications Manager
- C. Cisco TelePresence Management Server
- D. Domain Name Server
- E. FTP

Correct Answer: B

QUESTION 9

Which TX9000 codec will receive image files from the TFTP server?

- A. Cisco TelePresence Touch 12
- B. right (TS3) codec
- C. left (TS2) codec
- D. center (TS1) codec
- E. presentation (TS4) codec

Correct Answer: D

VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/500-005.html

2021 Latest pass4itsure 500-005 PDF and VCE dumps Download

QUESTION 10

In which situation would a new TX9000 system boot up as a Cisco TelePresence System 500-32 device?

- A. no connection to Cisco Unified Communications Manager
- B. static IP configuration
- C. configured as a SIP device in Cisco Unified Communications Manager
- D. no connection to the other three codecs

Correct Answer: A

QUESTION 11

When a laptop was connected to the TX9000 presentation codec and the Presentation icon was tapped on the Cisco TelePresence Touch 12, the presentation sharing failed. Which option corrects this issue?

- A. The video presentation ports need to be enabled in Cisco Unified Communications Manager.
- B. The presentation sharing can only be done via an immersive Cisco TelePresence endpoint.
- C. The configuration field \'Allow Presentation Sharing using H.239\\' needs to be enabled under the device configuration in Cisco Unified Communications Manager.
- D. The configuration field \'Allow Presentation Sharing using BFCP\\' needs to be enabled under the device configuration in Cisco Unified Communications Manager.

Correct Answer: D

QUESTION 12

Which option allows the TX9000 to receive its configuration and software image from a TFTP server when a DHCP server is not available?

- A. Use the Cisco TelePresence Touch 12 to configure the TX9000 for TFTP server access.
- B. Log into the Cisco TelePresence Administration GUI, choose Unified CM Settings, choose Specify in the Use Configuration TFTP Servers entry, enter the IP address or addresses for Cisco Unified Communications Manager in the TFTP Server field(s), and click Apply.
- C. Log into Cisco Unified Communications Manager and configure the TX9000 from the device configuration web page.
- D. Log into the local router and configure TFTP server access.



https://www.pass4itsure.com/500-005.html 2021 Latest pass4itsure 500-005 PDF and VCE dumps Download

Correct Answer: B

500-005 PDF Dumps

500-005 Study Guide

500-005 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.