

# 100% Money Back Guarantee

**Vendor:** Cisco

**Exam Code:** 500-201

**Exam Name:** Deploying Cisco Service Provider Mobile Backhaul Solutions

**Version:** Demo

1.Which statement about the time-division multiplexing process and both ends of the circuit is true?

- A.The circuit originates and ends in the same location.
- B.Both ends of the circuit use the same aggregation equipment.
- C.Both ends of the circuit must be the same type of physical interface.
- D.Both ends of the circuit use the same clocking source.

**Answer:D**

2.What is the fixed cell size for ATM?

- A.52 byte cells
- B.53 byte cells
- C.54 byte cells
- D.35 byte cells

**Answer:B**

3.What does the MPLS combine with the performance and capabilities of Layer 2?

- A.industry-standard service level agreements
- B.a set of FECs
- C.the proven scalability of Layer 3 routing
- D.the security of a Layer 2 VPN

**Answer:C**

4.Before installing a new, upgraded version of the IOS, what should be checked on the router, and which command should be used to gather this information? (Choose two.)

- A.the amount of available ROM
- B.the amount of available flash and RAM memory
- C.the version of the bootstrap software present on the router
- D.show version
- E.show processes
- F.show running-config

**Answer: BD**

5.What type of network does the Cisco UMMT mobile backhaul solution support?

- A.LTE and legacy 2G and 3G networks
- B.only LTE networks
- C.legacy 2G networks
- D.legacy 2G and 3G networks

**Answer:A**

6.Which scale profile is Cisco UMMT Model 1.2 designed to support?

- A.up to 1000 nodes
- B.1,000 to 10,000 nodes
- C.10,000 to 100,000 nodes
- D.more than 100,000 nodes

**Answer:A**

7. Which two access methods did the Cisco UMMT 3.0 solution validate? (Choose two.)

- A. Gigabit Passive Optical Network (GPON)
- B. TDM access
- C. Ethernet ring
- D. MPLS access
- E. Multiprotocol Label Switching Transport Profile access

**Answer: BD**

8. In the Cisco UMMT solution, which route reflectors require the next-hop-self feature in order to be configured?

- A. core route reflectors
- B. all in-line route reflectors
- C. aggregation route reflectors
- D. in-line route reflector at the pre-aggregation node

**Answer: B**

9. In which two locations are transport services configured? (Choose two.)

- A. aggregation node
- B. route reflector
- C. core node
- D. access code
- E. mobile transport gateway

**Answer: DE**

10. According to the Cisco recommended procedures, which option is seen only in small Cisco UMMT networks?

- A. labeled BGP core and aggregation
- B. labeled BGP core and aggregation with redistribution into access network IGP
- C. labeled BGP core, aggregation, and access
- D. flat LDP core and aggregation network

**Answer: D**

11. QoS policies are applied on the switches of a LAN.

Which type of command will show the effects of the policy in real time?

- A. show command
- B. debug command
- C. configuration command
- D. rommon command

**Answer: B**

12. What are two benefits from the expansion of labeled BGP into the access layer? (Choose two.)

- A. reduces the time to deploy new services
- B. reduces the size of the BGP tables
- C. leaves routing to IGP, which is better equipped to deal with it

- D.leaves MPLS label distribution to LDP
- E.enables fixed wireline service coexistence

**Answer:AE**

13.What is the difference between Structure-Agnostic TDM over Packet (SAToP) and Circuit Emulation Service over Packet Switched Network (CESoPSN)?

- A.CESoPSN looks at the individual DS0; SAToP looks at the entire circuit.
- B.CESoPSN relates to E1; SAToP transports T1.
- C.SAToP carries bits; CESoPSN carries bytes.
- D.SAToP looks at the individual DS0; CESoPSN looks at the entire circuit.

**Answer:A**

14.On the cell site gateways, which two BGP communities should be imported? (Choose two.)

- the common RAN community
- the mobile transport gateway community
- the local access domain community
- the aggregation domain community
- the fixed wireline community

**Answer:BC**

15.At the VPN service level, which type of filtering is used?

- A.BGP community filtering
- B.access domain community filtering
- C.route target filtering
- D.aggregation filtering

**Answer:C**

16.At the unified MPLS transport layer, which type of filter is used?

- A.route target filtering
- B.BGP community filtering
- C.access domain community filter
- D.aggregation filtering

**Answer:B**

17.In a Cisco UMMT deployment, which two items have an egress transport filter? (Choose two.)

- A.core route reflector
- B.mobile transport gateway
- C.pre-aggregation node
- D.access node
- E.aggregation node

**Answer:AC**

18.During the data transmission between hosts over a network, which process does the data experience?

- A.standardization

- B.conversion
- C.encapsulation
- D.synchronization

**Answer: C**

19.When Cisco ASR-903 is deployed as a pre-aggregation platform, which capabilities does it have?

- A.It can utilize and distribute multiple timing sources.
- B.It works only in climate controlled environments.
- C.It does not scale with increased bandwidth demands.
- D.It cannot support legacy ATM and TDM interfaces.

**Answer:A**

20.When Cisco ASR-903 is deployed as an aggregation platform, what does it require?

- A.two units to be fully redundant
- B.large amount of space and significant power
- C.support from other units to aggregate video, voice, and data
- D.only one unit to be fully redundant

**Answer:D**

21.In the aggregation or pre-aggregation nodes, which interfaces have MPLS enabled on them with the MLPS IP command?

- A.all loop backs
- B.router ID loop backs only
- C.services instances
- D.Ethernet interfaces

**Answer:D**

22.When an aggregation or pre-aggregation node is configured, which two interfaces use Bidirectional Failure Detection (BFD)? (Choose two.)

- A.Ethernet interfaces
- B.CEM interfaces
- C.BFD is not used.
- D.loopback interfaces
- E.VLAN interfaces

**Answer:AE**

23.Which two parameters are utilized by IGP filtering between the access and aggregation gateway? (Choose two.)

- A.tag values
- B.prefix values
- C.label values
- D.route maps
- E.IGP metrics

**Answer:AE**

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.