

**Exam : 510-014**

**Title : Ase 12.0 Server  
Administration Associate**

**Version : DEMO**

www.Pass4itSure.com

1. A manual checkpoint issued in a user database:
- A. Writes a checkpoint record to each user log cache.
  - B. Flushes the tempdb database.
  - C. Writes dirty log and dirty data pages of the current database to disk.
  - D. Commits all current transactions.

**Answer: C**

2. After issuing the dbcc engine(offline) command, if that engine tasks cannot be migrated to another engine within approximately 5 minutes, then:
- A. The tasks are killed.
  - B. The command is aborted.
  - C. Only an error message is returned.
  - D. The tasks are put into a state of recv sleep.

**Answer: A**

3. Given the following command: create database test  
Which master database table will be affected by this command?

- A. sysobjects
- B. syscomments
- C. sysindexes
- D. sysdatabases

**Answer: D**

4. Which of the following can NOT be done with segments to improve performance?
- A. You can place heavily used objects on physical disks dedicated to those objects.
  - B. You can split large tables across several disks.
  - C. You can put a heavily used table on one disk and its nonclustered indexes on a separate disk.
  - D. You can put a heavily used table on one disk and its clustered index on a separate disk.

**Answer: D**

5. Cursors outside a stored procedure are optimized and compiled when:
- A. the program starts
  - B. they are declared
  - C. they are opened
  - D. the first row is fetched

**Answer: C**

6. The minimum size of a named cache is
- A. 512 Kb

- B. 1024 Kb
- C. 5.0 Mb
- D. 10 extents
- E. There is no enforced minimum size

**Answer: A**

7. Which databases are required for a properly functioning ASE 12.0?

- A. master, model, tempdb, sybssystemprocs, sybssystemdb
- B. master, model, tempdb, sybssystemprocs, sybsecurity
- C. master, model, tempdb, sybssystemdb, sybsecurity, dbccdb
- D. master, model, tempdb, dbccdb, sybssystemprocs

**Answer: A**

8. ASE has the following locking schemes: (Choose 3)

- A. allpages - index page(s) and data page(s) are locked for the duration of the modification transaction
- B. datapages - locks just data page(s) for the duration of the modification transaction
- C. datapages - locks just data page(s) and index row(s) for the duration of the modification transaction
- D. datarows - locks only data row(s) and index row(s) for the duration of the modification transaction
- E. datarows - locks only data row(s) for the duration of the modification transaction

**Answer: ABE**

9. The database sybssystemdb provides support for:

- A. advanced security
- B. high availability failover
- C. java classes and stored procedures
- D. distributed transaction management
- E. system stored procedures

**Answer: D**

10. To change the locking scheme for an existing table you must:

- A. unload target database using bcp out, use alter database, load the data back using bcp in
- B. use the alter table command
- C. change the server configuration for locking schemes
- D. none of the above

**Answer: B**

11. The premium features in ASE 12.0 consist of:

- A. Java in the database, High Availability, Distributed Transaction Management, Advanced Security Mechanisms

- B. Java in the database, High Availability, Distributed Transaction Management, Server to Server Communications
- C. Distributed Transaction Management, Advanced Security Mechanisms, Server to Server Communications
- D. High Availability, Distributed Transaction Management, Advanced Security Mechanisms, Homogeneous Component Integration Services

**Answer: A**

12. Which system database is used to store intermediate results from queries?

- A. master
- B. model
- C. tempdb
- D. sybsystemprocs

**Answer: C**

13. When the server has an additional connection attempt beyond what you are licensed for, what action does the license monitor take?

- A. the connection hangs until someone else disconnects
- B. ASE sends an error to the user notifying them of the license restriction, and asks them to try later
- C. ASE executes an extended stored procedure that pages the local SYBASE sales rep, but allows the connection attempt to succeed
- D. ASE locks the violating login from using the server until an SSO unlocks this violating login
- E. none of the above

**Answer: E**

14. Which three segments are created when a database is created? (Choose 3)

- A. system
- B. logsegment
- C. dbdevice D. default

**Answer: ABD**

15. What is the default user-defined ole behavior at login time?

- A. All the user-defined roles are OFF.
- B. All the user-defined roles are ON.
- C. Only user-defined roles with password are ON.
- D. Only user-defined roles without password are ON.

**Answer: A**

16. Which databases are required for a properly functioning ASE?

- A. master, model, tempdb, sybssystemprocs, sybssystemdb
- B. master, model, tempdb, sybssystemprocs, sybsecurity
- C. master, model, tempdb, sybssystemdb, sybsecurity, dbccdb
- D. master, model, tempdb, dbccdb, sybssystemprocs

**Answer: A**

17. When are data pages written from memory to disk?

- A. when a user issues a begin transtatement
- B. when a user issues a save transtatement
- C. when a user issues a commit transtatement
- D. when a checkpoint occurs
- E. when the user ends the client connection

**Answer: D**

18. To perform a routine backup of the transaction log for a critical production database called prod\_db use

- A. dump transaction prod\_db
- B. dump transaction prod\_db with no\_truncate C.
- dump transaction prod\_db with truncate\_only D.
- dump transaction prod\_db with no\_log
- E. Set the database option 'trunc log on chkpt' to true so that the transaction log will automatically be backed up

**Answer: A**

19. Table A has the following characteristics: Datarows locking No indexes 5000 rows 400 data pages no partitions Table B has the following characteristics: Allpages locking No indexes 5000 rows 400 data pages no partitions Using default session settings, which of the following queries will run successfully? (Choose 3)

(Choose 3)

- A. select \* from A at isolation 1
- B. select \* from B at isolation 0
- C. select \* from B at isolation 1
- D. select \* from A at isolation 0

**Answer: ACD**

20. Given:

Create table A ( a int, b int)

This table has 10,000 rows

Which of the following is the most log-intensive activity?

- A. insert A values ( 5, 7 )
- B. truncate table A
- C. delete A
- D. select \* into B from A
- E. The initial 'create table' command

**Answer:** C

www.Pass4itSure.com

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

### One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



### Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.