


Exam : **642-278**

Title : Implementing CUCM for
TelePresence Video
Solutions Exam

Version : Demo

www.Pass4itSure.com

1.Refer to the exhibit.



The user of IP phone A has opened a trouble ticket that he cannot call IP phone B. where is the best place for troubleshooting this issue.

- A. IP phone B
- B. The Cisco Unified Communication Manager system in the site A
- C. IP phone A
- D. IP phone A user
- E. The local VoIP voice gateway of IP phone B
- F. IP phone B user

Answer: E

2.How many TFTP servers should be in a Cisco Unified Communications Manager cluster.?

- A. 1
- B. 2
- C. 4
- D. 8

Answer: A

3.Cisco Unified Communications Manager redundancy for a Cisco TelePresence endpoint is achieved which two of the following? (Choose two)

- A. Configure a Cisco Unified Communications Manager group with two Cisco Unified Communications manager servers in the preferred order.
- B. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers in the preferred order.
- C. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager server because redundancy is not supported for Cisco TelePresence endpoints.
- D. Configure a Cisco Unified Communications Manager group with three Cisco Unified Communications manager servers and the calls will be load-balanced between the two Cisco Unified Communications Manager servers in the group.

Answer: A,B

4. Video bandwidth limits can be set for Cisco TelePresence System endpoints at which two places?
(Choose two)

- A. Region
- B. Calling search space
- C. Device pool
- D. Location
- E. Physical location

Answer: A,D

5. Which of the following statements is correct when deploying Cisco TelePresence in a centralized call-processing scenario?

- A. Use Cisco unified SRST to provide for local survivability for the Cisco TelePresence endpoints in the event of a WAN outage and use AAR to provide an alternative path for Cisco TelePresence calls in the event that there is insufficient bandwidth on the WAN.
- B. Cisco TelePresence endpoints do not support SRST. The best solution is to build a redundant WAN.
- C. AAR should be used to reroute Cisco TelePresence calls over a Cisco TelePresence intercompany service provider in the event that the primary enterprise WAN path is unavailable.
- D. Every site in a centralized call-processing deployment must contain a Cisco Unified Communications Manager node for the Cisco TelePresence endpoints to register to.

Answer: B

www.Pass4itSure.com

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.