



642-515^{Q&As}

Securing Networks with ASA Advanced

Pass Cisco 642-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/642-515.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Multimedia applications transmit requests on TCP, get responses on UDP or TCP, use dynamic ports, and use the same port for source and destination, so they can pose challenges to a firewall. Which three items are true about how the Cisco ASA adaptive security appliance handles multimedia applications? (Choose three.)

- A. It dynamically opens and closes UDP ports for secure multimedia connections, so you do not need to open a large range of ports.
- B. It supports SIP with NAT but not with PAT.
- C. It supports multimedia with or without NAT.
- D. It supports RTSP, H.323, Skinny, and CTIQBE.

Correct Answer: ACD

QUESTION 2

The security department of the P4S company wants to configure cut-through proxy authentication via RADIUS to require users to authenticate before accessing the corporate DMZ servers. Which three tasks are needed to achieve this goal? (Choose three.)

- A. Configure a rule that specifies which traffic flow to authenticate.
- B. Designate an authentication server.
- C. Specify a AAA server group.
- D. Configure per-user override.

Correct Answer: ABC

QUESTION 3

Modular Policy Framework provides a consistent and flexible way to configure security appliance features in a manner similar to Cisco IOS software QoS CLI. Which three Cisco Modular Policy Framework features are bidirectional? (Choose three.)

- A. AIP policy
- B. QoS input policing
- C. CSC policy
- D. QoS priority queue
- E. Application inspection
- F. QoS output policing



Correct Answer: ACE

QUESTION 4

The IT department of your company must perform a custom-built TCP application within the clientless SSL VPN portal configured on your Cisco ASA security appliance. The application should be run by users who have either guest or normal user mode privileges. In order to allow this application to run, how to configure the clientless SSL VPN portal?

- A. configure a smart tunnel for the application
- B. configure a bookmark for the application
- C. configure the plug-in that best fits the application
- D. configure port forwarding for the application

Correct Answer: A

QUESTION 5

Reverse route injection (RRI) is the ability for static routes to be automatically inserted into the routing process for those networks and hosts protected by a remote tunnel endpoint. These protected hosts and networks are known as remote proxy identities. Study the following exhibit carefully. What does Reverse Route Injection enable in this configuration?

The screenshot shows the Cisco ASDM6.0 interface for ASA 10.0.1.1. The 'Device Information' section shows: Host Name: LA-ASA, ASA Version: 8.0(2), ASDM Version: 6.0(2), Firewall Mode: Routed, Context Mode: Single, Total Flash: 64 MB, Total Memory: 512 MB. The 'Interface Status' table is as follows:

Interface	IP Address	Mask	Line	Link	Kbps
dms_email	172.15.1.1/24		up	up	0
dms_web	172.15.1/24		up	up	0
inside	10.1.1/24		up	up	51
outside	192.168.1.2/24		up	up	0
partner1	172.20.1.1/24		up	up	0

The 'System Resources Status' section shows CPU usage at 12% and Memory usage at 103MB. The 'Latest ASDM System Messages' section shows two messages: 'SSL session with client inside/inside-host/4663 terminated' and 'SSL session with client inside/inside-host/4661 terminated'. A QR code is visible in the bottom right corner.



- A. The Cisco ASA security appliance will advertise its default routes to the distant end of the site- to-site VPN tunnel.
- B. The Cisco ASA security appliance will advertise routes that are at the distant end of the site-to- site VPN tunnel.
- C. The Cisco ASA security appliance will advertise routes that are on its side of the site-to-site VPN tunnel to the distant end of the site-to-site VPN tunnel.
- D. The Cisco ASA security appliance will advertise routes from the dynamic routing protocol that is running on the Cisco ASA security appliance to the distant end of the site-to-site VPN tunnel.

Correct Answer: B

QUESTION 6



The security department of the P4S company wants to configure cut-through proxy authentication via RADIUS to require users to authenticate before accessing the corporate DMZ servers. Which three tasks are needed to achieve this goal? (Choose three.)

- A. Configure a rule that specifies which traffic flow to authenticate.
- B. Designate an authentication server.
- C. Specify a AAA server group.
- D. Configure per-user override.

Correct Answer: ABC

QUESTION 7

Alexander is a network engineer of his company. He is asked to configure split tunneling to use the ACL split-tunnel for remote access IPsec VPNs. According to the exhibit below, which two Cisco ASDM configurations would tunnel traffic to the inside network and allow connected users to access their local network and the Internet? (Select two.)




A. B. C.

Correct Answer: BC

QUESTION 8



Observe the exhibit carefully. You are asked to review the configuration of the clientless SSL VPN connection profile, which was created by a junior administrator. Which authentication method is configured in the clientless profile?



- A. The Cisco ASA security appliance requires AAA authenticate to the external AAA server LOCAL if the remote user does not have an identity certificate for authentication.
- B. The Cisco ASA security appliance requires a username and password if the remote user does not have an identity certificate for authentication.
- C. The Cisco ASA security appliance accepts an identity certificate or a username and password for authentication of remote users, but not both.
- D. The Cisco ASA security appliance requires both an identity certificate and username and password for authentication of remote users.

Correct Answer: D

QUESTION 9

What are the three main components of Cisco Modular Policy Framework? (Choose three.)

- A. Security policy
- B. Policy map
- C. Security map
- D. Route map
- E. Class map
- F. Interface map
- G. Traffic policy
- H. Service policy

Correct Answer: BEH

QUESTION 10



For configuring VLAN trunking on a security appliance interface, which three actions are mandatory? (Choose three.)


- A. associating a logical interface with a physical interface
- B. specifying a VLAN ID for asubinterface
- C. specifying a name for asubinterface
- D. specifying the maximum transmission unit for asubinterface

Correct Answer: ABC

QUESTION 11

Refer to the exhibit. You have configured a Layer 7 policy map to match the size of HTTP header fields that are traversing the network. Based on this configuration, will HTTP headers that are greater than 200 bytes be logged?

```
policy-map type inspect http TEST
  parameters
  match request header length gt 100
  reset
  match request header length gt 200
  log
```



- A. No, because the reset action for headers greater than 100 bytes would be the first match.
- B. Yes, because the log action for headers greater than 200 bytes would be the last match.
- C. Yes, because the reset action for headers greater than 100 bytes and the log action for headers greater than 200 bytes would both be applied.
- D. No, because reset or log actions are a part of the service policy and the Layer 7 policy map.

Correct Answer: A

QUESTION 12

Refer to the exhibit. You have configured a Layer 7 policy map to match the size of HTTP header fields that are traversing the network. Based on this configuration, will HTTP headers that are greater than 200 bytes be logged?



```
policy-map type inspect http TEST
  parameters
  match request header length gt 100
  reset
  match request header length gt 200
  log
```



- A. No, because the reset action for headers greater than 100 bytes would be the first match.
- B. Yes, because the log action for headers greater than 200 bytes would be the last match.
- C. Yes, because the reset action for headers greater than 100 bytes and the log action for headers greater than 200 bytes would both be applied.
- D. No, because reset or log actions are a part of the service policy and the Layer 7 policy map.

Correct Answer: A

[Latest 642-515 Dumps](#)

[642-515 Exam Questions](#)

[642-515 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.