\_\_\_\_\_\_

Exam : 642-992

Title : Data Center Unified Fabric

Solutions Implementation

(DCUFI)

Version : DEMO

1. How many paths can be considered in NX-OS for equal-cost multipathing?
A. 4
B. 8
C. 12
D. 16
Answer: D
2.In the Cisco Nexus 7010 architecture, In-Service Software Upgrades are enabled by which of the
following components or features?
A. kickstart image
B. rapid switchover
C. automated configuration
D. plug-in based services and features
Answer: D
3. Which three of these statements are true about the M1 32-port, 10-Gb Ethernet Module in shared mode on a Cisco Nexus 7010 Switch with two fabric modules? (Choose three.)
A. 21 ports are disabled.
B. All 32 ports can be used.
C. Total bandwidth capacity is 92 Gb/s.
D. N+1 redundancy cannot be accomplished.
E. 230 Gb/s bandwidth is available to the fabric.
Answer: B,C,D

\_\_\_\_\_

4. Which component of the Cisco Nexus 7018 architecture provides out-of-band management, an always-on microprocessor for disaster recovery, and remote restart capabilities?

- A. Fabric Module
- B. control plane with auxiliary port
- C. dedicated supervisor engine
- D. Connectivity Management Processor

Answer: D

5. Which two enhanced Ethernet features are required for FCoE? (Choose two.)

- A. multicast multipathing
- B. enhanced transmission selection
- C. priority flow control
- D. congestion notification
- E. virtual interface group

Answer: B,C

- 6. Which three benefits does the N\_Port Virtualization Cisco Nexus OS feature provide? (Choose three.)
- A. simplifies management
- B. assigns a unique Fibre Channel domain ID to the switch
- C. provides access to Fibre Channel and FCoE-connected servers
- D. extends the number of Fibre Channel domains from 256 to 512
- E. increases scalability by not requiring a Fibre Channel domain ID

Answer: A,C,E

7.On a Cisco NX-OS switch, what is the role of the kickstart image?

A. provide kernel services
B. provide driver services
C. provide control plane services
D. provide access services
Answer: A
8. Which statement about the management interface in the Cisco Nexus 7000 architecture is true?
A. One mgmt0 interface is accessible from any VDC.
B. Multiple mgmt0 interfaces exist, one per management VRF.
C. Multiple mgmt0 interfaces exist, one per management VDC.
D. The mgmt0 interface exists in the default VRF until it is assigned to another VRF.
Answer: A
9.VACLs support which two actions? (Choose two.)
A. log
B. block
C. inspect
D. forward
E. redirect
Answer: D,E
10.Which command enables uRPF in strict mode in the latest Cisco IOS release?
A. ip verify unicast reverse-path
B. ip verify unicast source reachable-via rx

C. ip verify unicast source reachable-via any

D. ip verify unicast any reachable-via strict

Answer: B

## **Trying our product!**

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.