



70-333^{Q&As}

Deploying Enterprise Voice with Skype for Business 2015

Pass Microsoft 70-333 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-333.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have a Skype for Business Server 2015 infrastructure and a Microsoft Exchange Server 2013 organization that has Unified Messaging (UM) enabled.

You plan to configure the infrastructure to support three languages for Subscriber Access.

You need to identify the minimum number of access numbers and a dial plans required for the planned configuration.

How many access numbers and a dial plans should you use? To answer, select the appropriate number of access numbers and dial plans in the answer area.

Hot Area:

Answer Area

Access numbers:

0
1
2
3
6
9

Dial plans:

0
1
2
3
6
9

Correct Answer:



Answer Area

Access numbers:

0
1
2
3
6
9

Dial plans:

0
1
2
3
6
9

QUESTION 2

You need to configure the Berlin public switched telephone network (PSTN) usages and voice routes.

In which order will the PSTN usage policies be applied? To answer, move all PSTN usage policies from the list of PSTN usage policies to the answer area and arrange them in which they should be applied.

Select and Place:

PSTN usage policies

- Berlin_National_pstnusage
- Moscow_International
- Moscow_National_pstnusage
- Berlin_International

PSTN usage policy application order

⬅	⬆
➡	⬇

Correct Answer:



PSTN usage policies

PSTN usage policy application order

Moscow_International	⬅	➡
Berlin_National_pstnusage	⬅	➡
Moscow_National_pstnusage	⬅	➡
Berlin_International	⬅	➡

QUESTION 3

A company implements Enterprise Voice. All users are assigned a direct inward dialing (DID) phone number.

Due to the increased fees for direct inward dialing (DID) phone ranges, the company must make the following changes:

uk.co.certification.simulator.questionpool.PList@23746b30 You need to implement a solution.

Which four actions should you perform in sequence? To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Import two announcement files.
Create two announcements.
Modify the TEL URI of the users.
Create two announcement number ranges.

Answer Area

	⬅	➡
	⬅	➡

Correct Answer:



Actions

Answer Area

Import two announcement files.

Create two announcements. ⬆

Create two announcement number ranges. ⬇

Modify the TEL URI of the users.

QUESTION 4

A company has several offices that are located in the office building in Seattle. The company also has employees visiting from other countries. You implement Skype for Business Server Enterprise Voice.

The company has a phone at a security desk. You need to implement call routing for emergency calls. The solution must meet the following requirements:

What technologies should you implement? To answer, drag the appropriate technology to the correct requirement in the answer area. Each technology may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Select and Place:

Technologies

- a conferencing policy
- a Contact object
- an external user access policy
- a normalization rule
- a voice policy
- an unassigned number

Answer Area

If a user dials 112, the call must be routed to a phone extension of 0911.

If a user dials 0911, the call must be routed to the phone at the security desk.

The phone at the security desk must be used to forward calls to the emergency number in the Seattle office only.

Technology

Technology

Technology

Correct Answer:



Technologies

- a conferencing policy
- a Contact object
- an external user access policy
- a normalization rule
- a voice policy
- an unassigned number

Answer Area

If a user dials 112, the call must be routed to a phone extension of 0911.

If a user dials 0911, the call must be routed to the phone at the security desk.

The phone at the security desk must be used to forward calls to the emergency number in the Seattle office only.

- a normalization rule
- a normalization rule
- a voice policy

QUESTION 5

You have a Skype for Business Server 2015 infrastructure. You have a Virtual Desktop Infrastructure (VDI) that uses Hyper-V.

You use VDI templates based on Windows 8.1. All thin clients run Windows 8.1. Each thin client has a Skype for Business-qualified headset.

You need to prepare all of the thin clients and all of the VDI templates so that users can place calls by using the headset.

Which components should you install on the thin clients and the VDI templates?

To answer, drag the appropriate components to the correct location in the answer area.

Each component may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Select and Place:

Components		Answer Area
Skype for Business Phone Edition	Thin clients	Component
Skype for Business		Component
Lync VDI plug-in	VDI templates	Component
Windows 8 RDS client		

Correct Answer:



Components		Answer Area
Skype for Business Phone Edition	Thin clients	Windows 8 RDS client
		Lync VDI plug-in
	VDI templates	Skype for Business

QUESTION 6

Tailspin Toys completes the implementation of Call Admission Control (CAC) for the entire network.

You need to configure the Enterprise Voice policies for executives.

What should you do?

- A. Enable the bandwidth policy override feature in the user level voice policy.
- B. Enable the bandwidth policy override feature in the user level client policy.
- C. Enable the bandwidth policy override feature in the machine level group policy object.
- D. Enable the bandwidth policy override feature in the user level group policy object.

Correct Answer: A

QUESTION 7

You need to configure the trunks defined in the Skype for Business topology based on the requirements. Which two actions should you perform? Each correct answer presents part of the solution.

- A. Enable media bypass.
- B. Enable centralized media processing.
- C. Set Encryption Support Level to required.
- D. Disable REFER support.

Correct Answer: AD

**QUESTION 8**

You collect the following call statistics for users in Los Angeles:

Peak call concurrency is 25 percent.

Fifty percent of all placed calls are routed to the public switched telephone network (PSTN)

Thirty percent of all placed calls are internal calls to users in the other offices.

Twenty percent of all placed calls are conference calls.

The average bandwidth for peer-to-peer calls is 65 kilobits per second (Kbps).

The average bandwidth used for conference calls is 100 Kbps.

You need to allocate the minimum amount of bandwidth required on the wide area network (WAN) link for the planned implementation of the voice gateway in the Los Angeles office.

All calls to the PSTN will be routed through the local voice gateway in the Los Angeles office.

How much bandwidth in megabits per second (Mbps) should you allocate?

- A. 7.20 Mbps
- B. 3.95 Mbps
- C. 10.00 Mbps
- D. 2.25 Mbps

Correct Answer: B

QUESTION 9

You need to prepare the Quality of Service (QoS) policy for the Skype for Business environment.

Which values should you use for each configuration? To answer, drag the appropriate value or values to the correct configuration or configurations in the answer area. Each value may be used once, more than once, or not at all. You may

need to drag the split bar between panes or scroll to view content. Each correct set of answers is worth one point.

Select and Place:



Values	Answer Area	
<input type="text" value="49152:57500"/>	Configure a Group Policy object (GPO) for Skype for Business audio and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...	<input type="text" value="Value"/>
<input type="text" value="49152:53326"/>		
<input type="text" value="57501:65535"/>	...and a differentiated services code point (DSCP) value of _____.	<input type="text" value="Value"/>
<input type="text" value="57501:61518"/>		
<input type="text" value="32"/>	Configure a Group Policy object (GPO) for Skype for Business video and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...	
<input type="text" value="34"/>		<input type="text" value="Value"/>
<input type="text" value="46"/>		
<input type="text" value="40"/>		<input type="text" value="Value"/>

Correct Answer:

Values	Answer Area	
<input type="text" value="49152:57500"/>	Configure a Group Policy object (GPO) for Skype for Business audio and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...	<input type="text" value="49152:53326"/>
<input type="text" value="57501:65535"/>		<input type="text" value="46"/>
<input type="text" value="32"/>	Configure a Group Policy object (GPO) for Skype for Business video and apply it to the organizational unit that contains the Skype for Business 2015 servers, and then configure a port range of _____...	
<input type="text" value="34"/>		<input type="text" value="57501:61518"/>
<input type="text" value="46"/>		
<input type="text" value="40"/>		<input type="text" value="34"/>

QUESTION 10

Parnell Aerospace has a Skype for Business Server 2015 environment. The company plans to implement response groups for their internal Help Desk and Accounting teams.

The two teams have the following requirements for their individual response groups:

Help Desk Response Group

- *Agents must sign in to the response group before they can accept calls.
- *Must offer new calls to the agents in the order in which they are listed in the Agent list.
- *Need to share queues with other Response Groups.

Accounting Response Group



- *Agents must not need to sign in to the response group before they can accept calls.
- *Must offer new calls to each agent in turn.
- *Must be managed by a dedicated Response Group Manager.

You need to configure the response groups for the Help Desk and Accounting teams.

How should you configure the response groups? To answer, select the appropriate configuration option from each list in the answer area.

Hot Area:

Answer Area

Response group configuration options

Participation Policy

Routing Method

Workflow Type

Help Desk response group

Formal

▼
Longest Idle
Parallel
Round Robin
Serial

▼
Managed
Unmanaged

Accounting response group

Informal

▼
Longest Idle
Parallel
Round Robin
Serial

▼
Managed
Unmanaged

Correct Answer:

Answer Area

Response group configuration options

Participation Policy

Routing Method

Workflow Type

Help Desk response group

Formal

▼
Longest Idle
Parallel
Round Robin
Serial

▼
Managed
Unmanaged

Accounting response group

Informal

▼
Longest Idle
Parallel
Round Robin
Serial

▼
Managed
Unmanaged

QUESTION 11



Users in Copenhagen report frequent audio call issues.

You need to resolve the issues.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Create a new region link between the MPLS region and the Berlin region.
- B. Create and configure a new network region and assign only Copenhagen to this region.
- C. Create an inter-site policy which includes Copenhagen and Moscow and specify the existing BandwidthPolicyProfile "LOW".
- D. Create an inter-site policy which includes Copenhagen and Berlin and apply the existing BandwidthPolicyProfile "LOW".
- E. Create and configure a new network region and assign Berlin and Copenhagen to this region.

Correct Answer: CDE

QUESTION 12

You have a Skype for Business Server 2015 infrastructure that contains a voice named Policy1. Policy1 contains local and national public switched telephone network (PSTN) usages. You have a dial plan named DialPlan1. DialPlan1 is configured as shown in the following table.

Pattern	Translation rule
^(d{7})\$	+3120\$1
^0(6d{8})\$	+31\$1
^0(((123457)d{4,8}88d{7}))\$	+31\$1
^0?0([2-9]d*)\$	+\$1

The Skype for Business Server infrastructure contains four routes. The routes are configured as shown in the following table.

Route name	Pattern to match	PSTN usage	Trunk name
PBXUsers1	+\3120123	Local	LegacyPBX1
PBXUser2	+\3188(?!(123))	Local	LegacyPBX2
National1	+\31(?!(88))	National	SIPTrunk1
National2	+31	National	SIPTrunk2

You create a test user who has the following configurations: Line URL: +31201234567 Voice policy: Policy1 Dial plan: DialPlan1

You need to assign the trunks that will be used when the following numbers are dialed by the test user: 0881234567 0884567890



Which trunk should you each number use? To answer, select the appropriate trunk for each number in the answer area.

Hot Area:

Answer Area

0881234567

	▼
LegacyPBX1	
LegacyPBX2	
SIPTrunk1	
SIPTrunk2	

0884567890

	▼
LegacyPBX1	
LegacyPBX2	
SIPTrunk1	
SIPTrunk2	

Correct Answer:



Answer Area

0881234567

▼
LegacyPBX1
LegacyPBX2
SIPTrunk1
SIPTrunk2


0884567890

▼
LegacyPBX1
LegacyPBX2
SIPTrunk1
SIPTrunk2

QUESTION 13

Your company has three offices.

The network is configured as shown in the exhibit. Click the Exhibit button.



You have a Skype for Business Server 2015 infrastructure. All of the Skype for Business Server components are located in the Amsterdam office. The conference call will contain the attendees shown in the following table:

Attendee location	Number of attendees
Seattle	50
Redmond	10
Amsterdam	100
Internet (Remote)	20



The network is configured as shown in the exhibit. Click the Exhibit button. You have a Skype for Business Server 2015 infrastructure. All of the Skype for Business Server components are located in the Amsterdam office. The conference call will contain the attendees shown in the following table:

Each audio call consumes 100 kilobits per second (Kbps).

You need to allocate network bandwidth for each attendee location.

How much bandwidth should you allocate for each attendee location? To answer, drag the appropriate bandwidth amounts to the correct attendee locations in the answer area. Each bandwidth amount may be used once, more than once, or

not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Select and Place:

Bandwidths

- 1,000 Kbps
- 2,000 Kbps
- 5,000 Kbps
- 6,000 Kbps
- 10,000 Kbps
- 15,000 Kbps

Answer Area

- WAN1: Bandwidth
- WAN2: Bandwidth
- Internet link: Bandwidth

Correct Answer:



Bandwidths

5,000 Kbps
10,000 Kbps
15,000 Kbps

Answer Area



WAN1:

1,000 Kbps

WAN2:

6,000 Kbps

Internet link:

2,000 Kbps

www.Pass4itsure.com

QUESTION 14

You need to deploy the Mediation Server pools, gateways, and trunks that are required to support London, Berlin, and Moscow users.

How many of each component should you deploy? To answer, select the appropriate number of Mediation Server pools, gateways, and trunks and gateways from the list in the answer area.

Hot Area:



Component

Number to deploy

Mediation Server pools

	▼
3	
4	
5	
6	

Gateways

	▼
3	
4	
5	
6	

Trunks

	▼
3	
4	
5	
6	

Correct Answer:



Component

Number to deploy

Mediation Server pools

	▼
3	
4	
5	
6	

Gateways

	▼
3	
4	
5	
6	

Trunks

	▼
3	
4	
5	
6	

QUESTION 15

Your company has a single office located in the United States.

The phone numbers in the United States have a country code of 1 followed by 10 digits.

You have a Skype for Business Server 2015 infrastructure configured for Enterprise Voice. All normalization rules ensure that dialed numbers conform to E.164 standards.

You need to create a called number translation rule that meets the following requirements:

Which pattern match and translation rule should you use? To answer, select the appropriate pattern match and translation rule in the answer area.

Hot Area:



Answer Area

Pattern match:

▼
1(\d{10})
^1(\d{10})\$
\+1(\d{10})
^\+1(\d{10})\$
^\+1(\d\d\d\d)(\d{7})\$

Translation rule:

▼
\$1
\$2\$3
+\$1
+\$1\$10

Correct Answer:

Answer Area

Pattern match:

▼
1(\d{10})
^1(\d{10})\$
\+1(\d{10})
^\+1(\d{10})\$
^\+1(\d\d\d\d)(\d{7})\$

Translation rule:

▼
\$1
\$2\$3
+\$1
+\$1\$10



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.