



70-341^{Q&As}

Core Solutions of Microsoft Exchange Server

Pass Microsoft 70-341 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-341.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You have an Exchange Server 2013 organization.

A new policy requires that all iPhone users access their on-premises mailbox by using the OWA for iPhone app.

You need to ensure that push notifications for the OWA for iPhone app are configured before the users install the app.

Which three actions should you perform? Each correct answer presents part of the solution.

- A. Configure Microsoft Azure Active Directory Sync (Azure AD Sync).
- B. Modify the EWS virtual directory.
- C. Enable push notifications proxy.
- D. Enroll in Microsoft Office 365 for business.
- E. Modify the OWA virtual directory.
- F. Set up on premises Exchange 2013 to Office 365 Authentication.

Correct Answer: CDF

Explanation: Configuring push notifications proxying for OWA for DevicesTo enable push notifications, the admin must:1. (D) Enroll your organization in Office 365 for business.2. Update all on-premises servers to Exchange Server 2013 Cumulative Update 3 (CU3) or later.3. (F) Set up On-premises Exchange 2013 to Office 365 Authentication4. (C) Enable push notifications from the on-premises Exchange Server 2013 to Office 365 and verify that push notifications are working.Illustration below:

QUESTION 2

You deploy Exchange Server 2013 servers to the organization. You configure several throttling policies by using the Exchange Management Shell. You need to identify which throttling policies will be used for policies will be used for each scenario.

Hot Area:

Answer Area	Scenario	Exchange Server 2010 throttling policies	Exchange Server 2013 throttling policies
	Users have a mailbox in an Exchange Server 2010 mailbox database and access their mailbox from an Exchange Server 2010 Client Access server.	<input type="radio"/>	<input type="radio"/>
	Users have a mailbox in an Exchange Server 2010 mailbox database and access their mailbox from an Exchange Server 2013 Client Access server.	<input type="radio"/>	<input type="radio"/>
	Users have a mailbox in an Exchange Server 2013 mailbox database and access their mailbox from an Exchange Server 2013 Client Access server.	<input type="radio"/>	<input type="radio"/>

Correct Answer:



Scenario	Exchange Server 2010 throttling policies	Exchange Server 2013 throttling policies
Users have a mailbox in an Exchange Server 2010 mailbox database and access their mailbox from an Exchange Server 2010 Client Access server.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Users have a mailbox in an Exchange Server 2010 mailbox database and access their mailbox from an Exchange Server 2013 Client Access server.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Users have a mailbox in an Exchange Server 2013 mailbox database and access their mailbox from an Exchange Server 2013 Client Access server.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

QUESTION 3

An administrator recommends removing EDGE1 from the implementation plan and adding a new Client Access server named CAS-8 instead.

You need to identify which anti-spam feature will NOT be available on CAS-8.

Which anti-spam feature should you identify?

- A. Connection Filtering
- B. Sender Filtering
- C. Content Filtering
- D. Recipient Filtering

Correct Answer: A

QUESTION 4

You have an Exchange Server 2013 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Server role
Ex1	Mailbox server Client Access server
Ex2	Mailbox server Client Access server

You need to create a new database availability group (DAG) that contains EX1 and EX2.

Which three actions should you perform?



To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Add the Exchange Trusted Subsystem universal security group to the local Administrators group on Server1.	
Create a new DAG and specify Server1 as the file share witness.	
Install Exchange Server 2013 on Server1.	
Add the Exchange Trusted Subsystem universal security group to the local Administrators group on EX1 and EX2.	
Create a new DAG and let Exchange Server select the file share witness automatically.	
Add EX1 and EX2 to the DAG.	

Correct Answer:

Actions	Answer Area
	Add the Exchange Trusted Subsystem universal security group to the local Administrators group on Server1.
	Create a new DAG and specify Server1 as the file share witness.
Install Exchange Server 2013 on Server1.	Add EX1 and EX2 to the DAG.
Add the Exchange Trusted Subsystem universal security group to the local Administrators group on EX1 and EX2.	
Create a new DAG and let Exchange Server select the file share witness automatically.	



QUESTION 5

You need to create an exclusion for two helpdesk RBAC (Role Based Access Control) groups to not have access to managers. You will need to pick 3 powershell commands from the available choices

- A. New-ManagementRole, New-ManagementScope, Set-ManagementScope (Guessed)
- B. New-ManagementScope, RecipientRestrictionFilter, New-ManagementRoleAssignment (Guessed)
- C. New-ManagementScope, New-ManagementRoleAssignment, CustomRecipientWriteScope (Guessed)
- D. Unsure of commands and correct answer

Correct Answer: C

QUESTION 6

You are migrating an existing Exchange Server 2007 organization to Exchange Server 2013. You expect the migration to last several weeks. The servers in the organization are configured as shown in the following table.

Server name	Active Directory site name	Server role	Exchange Server version
EX1	Main	Mailbox server Client Access server Hub Transport server	Exchange Server 2007
EX2	Main	Mailbox server	Exchange Server 2013
EX3	Main	Mailbox server	Exchange Server 2013
EX4	Main	Client Access server	Exchange Server 2013
EX5	Main	Client Access server	Exchange Server 2013

Users who have mailboxes on all of the servers will access Outlook Anywhere by using the mail.contoso.com name.

You need to recommend which servers must be associated to the autodiscover.contoso.com and mail.contoso.com names.

Which servers should you identify for each name?

To answer, drag the appropriate servers to the correct name in the answer area. Each server may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Select and Place:



Servers

- EX1
- EX2
- EX3
- EX4
- EX5

Answer Area

mail.contoso.com	Server	Server
autodiscover.contoso.com	Server	Server

Correct Answer:

Servers

- EX1
- EX2
- EX3
- EX4
- EX5

Answer Area

mail.contoso.com	EX5	EX4
autodiscover.contoso.com	EX5	EX4

QUESTION 7

You need to ensure that if a volume fails on EX2 again, a mailbox database copy is recreated automatically on a different volume.

Which command should you run?

- A. Set-MailboxDatabase
- B. Set-MailboxDatabaseCopy
- C. Set-DatabaseAvailabilityGroup
- D. Set-MailboxAutoRcplyConfiguration

Correct Answer: C

Exchange 2013 Auto Reseed Exchange 2013 includes a great new high availability feature that is part of the Database Availability Group. This feature will reseed a database in case of disk failure from a "pool" of volumes that were pre-configured for this propose. In case that the failed drive contained an active database, Exchange will failover to one of



the other passive copies and reseed the database. In case that the failed drive contained one of the passive copies, Exchange will reseed the database on the same drive. AutoReseed reduces the need for Exchange Administrator or any other operator, to be on site at the moment of the drive crash and replace it as soon as he can in order to preserve the healthy copies structure. <http://www.msexchange.org/articles-tutorials/exchange-server-2013/high-availability-recovery/exchange-2013-automatic-reseed.html> <http://blogs.technet.com/b/pfemsgil/archive/2013/04/25/3560621.aspx>

QUESTION 8

You have an Exchange Server 2013 organization.

You need to ensure that an administrator named Admin1 receives a daily email message that contains a log of all the Exchange Server administrative actions.

Which cmdlet should you use in a scheduled task?

- A. Set-AdminAuditLogConfig
- B. Write-AdminAuditLog
- C. New-AdminAuditLogSearch
- D. Search-AdminAuditLog

Correct Answer: C

QUESTION 9


Your network contains an Active Directory forest named contoso.com. The forest contains one domain.

You have an Exchange Server organization that contains three servers. The servers are configured as shown in the following table.

Server name	Role	Exchange Server version
Ex1.contoso.com	Client Access Hub Transport Mailbox	Exchange Server 2010
Ex2.contoso.com	Client Access	Exchange Server 2013
Ex3.contoso.com	Mailbox	Exchange Server 2013

An administrator implements Outlook Anywhere on Exchange Server 2013.

Remote users who have a mailbox hosted on EX1 report that they receive the following error message when they attempt to configure a Microsoft Outlook profile.



Remote users who have a mailbox hosted on EX3 can configure an Outlook profile successfully.

You need to ensure that the remote users who have a mailbox on EX1 can access their mailbox by using Outlook Anywhere.

What should you do?

- A. On EX2, run Set-OutlookAnywhere
- B. On EX2, run Set-CasMailbox.
- C. On EX1, run Enable-OutlookAnywhere
- D. On EX1, run Set-OutlookAnywhere

Correct Answer: C

QUESTION 10

You have an Exchange Server 2010 organization.

You deploy several Exchange Server 2013 servers to the organization and you deploy the required certificates.

You attempt to connect to an Exchange Server 2013 server by using Outlook Web App and you discover the error message shown in the exhibit (Click the Exhibit button.)

Exhibit: * Missing*

You need to prevent the error message from appearing when users access Outlook Web App on the new servers.

What should you do?

- A. Remove the Exchange Server 2010 servers from the organization.
- B. Run the Remove-ExchangeCertificate cmdlet.
- C. From the Exchange Management Console, remove the certificates from the Exchange Server 2010 servers.
- D. From the Exchange Admin Center, modify the properties of the OWA virtual directory.



Correct Answer: B

QUESTION 11

You have an Exchange Server 2013 organization that contains two servers named EX1 and EX2.

EX1 and EX2 are the members of a database availability group (DAG) named DAG1. DAG1 contains two mailbox databases named DB1 and DB2. DB1 is active on EX1. DB2 is active on EX2.

A disk on EX2 fails. DB2 fails over to EX1.

Users who have mailboxes in DB2 report that Microsoft Outlook can no longer connect to the Exchange Server organization.

You discover that DB2 is dismounted on EX1.

When you attempt to mount DB2 on EX1, the operation fails.

You need to identify what prevents DB2 from mounting on EX1.

What should you do?

- A. Run the Resume-MailboxdatabaseCopy cmdlet.
- B. Run the Update-MailboxdatabaseCopy cmdlet.
- C. Run the eseutil.exe command and specify the A parameter.
- D. Run the eseutil.exe command and specify the/mft parameter.

Correct Answer: B

QUESTION 12

You have an Exchange Server 2010 organization.

You deploy a server that has Exchange Server 2013 installed.

You plan to install five additional servers that have Exchange Server 2013 installed.

You are a member of the Organization Management management role group.

Your company hires an external IT consultant named Admin1.

The company's security policy states that all external consultants must have the minimum number of required permissions on the network.

You need to ensure that Admin1 can install a server named EX2. The solution must meet the requirements of the security policy.

Which two tasks should you perform? (Each correct answer presents part of the solution.

Choose two.)



- A. Add Admin1 to the Exchange Server role group.
- B. Create a new management role and a new role assignment policy.
- C. Run setup and specify the/newprovisionectservernex2 parameter.
- D. Add Admin1 to the Delegated Setup management role group.

Correct Answer: CD

[70-341 PDF Dumps](#)

[70-341 Practice Test](#)

[70-341 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.