



70-398^{Q&As}

Planning for and Managing Devices in the Enterprise

Pass Microsoft 70-398 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-398.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You need to create the policy for the Tokyo branch office. What should you use?

- A. Azure Active Directory Device Registration Service
- B. System Center 2012 R2 Configuration Manager SP1
- C. Intune
- D. Azure Active Directory
- E. Azure Active Directory Domain Services

Correct Answer: C

References:

<https://docs.microsoft.com/en-us/intune/deploy-use/introduction-to-device-compliance-policies-in-microsoft-intune>

QUESTION 2

HOTSPOT

Overview

You need to configure email access for the Engineering department users.

What should you do? To answer, select the appropriate action from each list in the answer area.

Hot Area:



Answer Area

Task	Actions
Configure the on-premises infrastructure	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Set up the System Center Configuration Manager Exchange Connector</div> <div style="border-bottom: 1px solid #ccc;">Set up the Intune On-Premises Exchange Connector</div> <div style="border-bottom: 1px solid #ccc;">Set up the Intune Certificate Connector</div> </div>
Define conditions for access	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Create and deploy an app management policy</div> <div style="border-bottom: 1px solid #ccc;">Create and assign a configuration policy</div> <div style="border-bottom: 1px solid #ccc;">Create and deploy a compliance policy</div> </div>
Configure conditional access	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Publish Outlook</div> <div style="border-bottom: 1px solid #ccc;">Add a group for mail-enabled mobile devices</div> <div style="border-bottom: 1px solid #ccc;">Configure the Exchange on-premises policy</div> </div>

Correct Answer:

Answer Area

Task	Actions
Configure the on-premises infrastructure	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Set up the System Center Configuration Manager Exchange Connector</div> <div style="border-bottom: 1px solid #ccc;">Set up the Intune On-Premises Exchange Connector</div> <div style="border-bottom: 1px solid #ccc;">Set up the Intune Certificate Connector</div> </div>
Define conditions for access	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Create and deploy an app management policy</div> <div style="border-bottom: 1px solid #ccc;">Create and assign a configuration policy</div> <div style="border-bottom: 1px solid #ccc;">Create and deploy a compliance policy</div> </div>
Configure conditional access	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="text-align: right; border-bottom: 1px solid #ccc;">▼</div> <div style="border-bottom: 1px solid #ccc;">Publish Outlook</div> <div style="border-bottom: 1px solid #ccc;">Add a group for mail-enabled mobile devices</div> <div style="border-bottom: 1px solid #ccc;">Configure the Exchange on-premises policy</div> </div>

QUESTION 3

You have a Windows 10 Enterprise computer.

The computer has a shared folder named C:\Marketing. The shared folder is on an NTFS volume.



The current NTFS and share permissions are configured as follows.

Group name	NTFS permission	Shared folder permission
Everyone	Read and Execute	Read
Marketing	Modify	Full Control

UserA is a member of both the Everyone group and the Marketing group. UserA must access C:\Marketing from across the network. You need to identify the effective permissions of UserA to the C:\Marketing folder. What permission should you identify?

- A. Full Control
- B. Read and Execute
- C. Read
- D. Modify

Correct Answer: D

UserA is a member of both the Everyone group and the Marketing group and UserA must access C:\Marketing from across the network. When accessing a file locally, you combine the NTFS permissions granted to your account either directly

or by way of group membership. The `least` restrictive permission is then the permission that applies.

In this question, the NTFS permission is the least restrictive of Read/Execute and Modify...

so Modify is the effective permission.


When accessing a folder or file across the network, you combine the effective NTFS permissions (Modify in this case) with the effective Share permissions granted to your account either directly or by way of group membership (Full Control in

this case). The `most` restrictive permission is then the permission that applies. Modify is more restrictive than Full Control so Modify is the effective permission.

QUESTION 4

HOTSPOT

You have a computer that runs Windows 10 Enterprise that has a local group policy as shown in the following graphic.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Windows updates will be downloaded from

[answer choice].

- Windows Server Update Services only
- Microsoft Windows Update servers only
- Windows Server Updates Services and Microsoft Windows Update servers

If a user is logged into the computer and an update requires a restart, the computer will

[answer choice].

- restart when the user signs out
- restart within a maximum delay of 3 hours
- restart within a maximum delay of 3 days

Correct Answer:



Answer Area

Windows updates will be downloaded from

[answer choice].

Windows Server Update Services only
Microsoft Windows Update servers only
Windows Server Updates Services and Microsoft Windows Update servers
restart when the user signs out
restart within a maximum delay of 3 hours
restart within a maximum delay of 3 days

If a user is logged into the computer and an update requires a restart, the computer will

[answer choice].

Windows Updates will be downloaded from Windows Server Update Services only. This is determined by the "Specify Intranet Microsoft Update Service Location" setting and the "Do not connect to any Windows Update Internet locations" setting both being `Enabled`. In the "Specify Intranet Microsoft Update Service Location" setting, you can specify the name of the Windows Server Updates Services server.

If a user is logged into the computer and an update requires a restart, the computer will restart when the user signs out. This is determined by the "No auto-restart with logged on users for schedule automatic updates" setting being enabled.

This group policy setting creates a registry key named NoAutoRebootWithLoggedOnUsers and sets the value of the key to 1 (enabled).

With this setting enabled, you should be aware that the computer should be restarted at the earliest opportunity in order to complete the installation of the Windows Updates.

QUESTION 5

HOTSPOT

A company has an Office 365 subscription. The company upgrades all devices to Windows

10. You configure all devices to synchronize folders with the user's OneDrive for Business account.

A user presses the Shift and Delete keys to delete a file located in a synchronized folder on a local device. The user needs to immediately recover the file.

The user attempts to recover the file. For each recovery location, what is the outcome of the file recovery operation? To answer, select the appropriate option from each list in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:



Location	Answer Area	Outcome
Local computer recycle bin		<input type="checkbox"/> The user can recover the file from this location. <input type="checkbox"/> The user cannot recover the file from this location.
OneDrive recycle bin		<input type="checkbox"/> The user can recover the file from this location. <input type="checkbox"/> The user cannot recover the file from this location.
OneDrive second-stage recycle bin		<input type="checkbox"/> The user can recover the file from this location. <input type="checkbox"/> The user cannot recover the file from this location.

Correct Answer:

Location	Answer Area	Outcome
Local computer recycle bin		<input type="checkbox"/> The user can recover the file from this location. <input checked="" type="checkbox"/> The user cannot recover the file from this location.
OneDrive recycle bin		<input checked="" type="checkbox"/> The user can recover the file from this location. <input type="checkbox"/> The user cannot recover the file from this location.
OneDrive second-stage recycle bin		<input checked="" type="checkbox"/> The user can recover the file from this location. <input type="checkbox"/> The user cannot recover the file from this location.

References: <https://www.groovypost.com/howto/restore-deleted-files-local-onedrive-folder/>

QUESTION 6



DRAG DROP

You need to configure the phones for the Sales department users.

In the Intune administration portal, which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create a certificate signing request for the vendor.	
Issue a Blue Yonder push notification certificate.	⏪
Get push notification service certificate from the vendor.	⏩
Create a certificate signing request for Blue Yonder.	
Upload the Blue Yonder push notification certificate to Intune.	
Upload the vendor push notification certificate to Intune.	

Correct Answer:



Actions	Answer Area
	Sequence Create a certificate signing request for the vendor.
Issue a Blue Yonder push notification certificate.	Get push notification service certificate from the vendor.
	Upload the vendor push notification certificate to Intune.
Create a certificate signing request for Blue Yonder.	
Upload the Blue Yonder push notification certificate to Intune.	

References: <https://docs.microsoft.com/en-us/intune/deploy-use/set-up-ios-and-mac-management-withmicrosoft-intune>

QUESTION 7

HOTSPOT

A company integrates Microsoft Intune with System Center 2012 R2 Configuration Manager. The company uses Intune to manage Windows 7 and Windows 10 devices along with mobile devices. Users access company data by using iOS, OS X, Windows Phone, and Android devices.

The company plans to use features of the Microsoft Enterprise Mobility Suite to increase user mobility and ensure data protection. All users must be able to run a custom 32-bit Windows app. The app cannot be migrated.

You need to ensure that the app is accessible from all devices.

In the table below, for each technology, identify which feature to implement.

NOTE: Make only one selection in each column. Each correct answer is worth one point.



Hot Area:

Answer Area

Feature	Azure RemoteApp	App-V
Support for iOS, Android, and Windows phone	<input type="checkbox"/>	<input type="checkbox"/>
Migrating apps	<input type="checkbox"/>	<input type="checkbox"/>
Support for running 32-bit Windows apps offline	<input type="checkbox"/>	<input type="checkbox"/>
Support for migrating Windows Installer apps to Universal app	<input type="checkbox"/>	<input type="checkbox"/>
Support for running offline software on OS X	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:



Answer Area

Feature	Azure RemoteApp	App-V
Support for iOS, Android, and Windows phone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Migrating apps	<input type="checkbox"/>	<input type="checkbox"/>
Support for running 32-bit Windows apps offline	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Support for migrating Windows Installer apps to Universal app	<input type="checkbox"/>	<input type="checkbox"/>
Support for running offline software on OS X	<input type="checkbox"/>	<input type="checkbox"/>

QUESTION 8

You configure Windows Remote Desktop to allow remote connections. You are testing the remote desktop connection.

When users that are not administrators sign in to the Remote Desktop Connection, the following error message displays: "To sign in remotely, you need the right to sign in through Remote Desktop Services."

You need to ensure that all employees can access resources by using Remote Desktop Connection.

What should you do?

- A. In the local group policy, configure the Remote Desktop Connection Client to prompt for credentials on the client.
- B. Create a Group Policy Object that enables the Windows Firewall to allow inbound Remote Desktop Exceptions.
- C. Ensure that the employee's device is joined to the domain.
- D. In Computer Management, add the Authenticated Users group to the Remote Users group.

Correct Answer: D

**QUESTION 9**

A Sales department user overwrites a version of a Word document on their device.

You need to configure synchronization.

Which option should you use?

- A. the IdFix tool
- B. Azure Active Directory Connect
- C. Forefront Identity Manager 2010 R2
- D. the Azure Active Directory Synchronization tool
- E. the Directory Synchronization tool

Correct Answer: B

QUESTION 10

A company plans to actively manage mobile devices.

You need to create a list of all jailbroken devices after they are enrolled.

What should you use?

- A. Azure Active Directory
- B. System Center 2012 R2 Configuration Manager SP1
- C. Intune
- D. Azure Active Directory Domain Services
- E. Azure Active Directory Device Registration Service

Correct Answer: B

QUESTION 11

A company plans to deploy Outlook as a managed app to all users. You deploy Microsoft Intune.

You must deploy an internally developed iOS line of business (LOB) app to all users in the sales department. These users must only be able to share data between Outlook and the internally developed LOB app.

You need to configure the environment for sales department users.

What should you do?

- A. Configure a security policy that forces encryption.



- B. Use the Intune App Wrapping Tool to repackage the internally developed LOB application.
- C. Upload the internally developed LOB app to the Apple App Store. Deploy the app to all users in the sales department.
- D. Use the Intune App Wrapping Tool to repackage the Outlook application. Set the value for the App ID to match to Application ID of the internally developed LOB application.

Correct Answer: B

References: <https://docs.microsoft.com/en-us/intune/app-wrapper-prepare-ios>

QUESTION 12

HOTSPOT

Your company upgrades a research and development department workstation to a Windows 10 Enterprise computer. Two of the workstation's folders need to be encrypted. The folders are named C:\ProtectedFiles and C:\Backups.

You attempt to encrypt the folders. The output is shown in the following exhibit.

```
Administrator: Command Prompt
C:\>cipher /e /s:ProtectedFiles
Setting the directory ProtectedFiles to encrypt new files [OK]
Encrypting files in C:\ProtectedFiles\
Project1.zip      [OK]
Project2.zip      [OK]
Project3.zip      [OK]
Project4.zip      [OK]
5 file(s) [or directorie(s)] within 2 directorie(s) were encrypted.
Converting files from plaintext to ciphertext may leave sections of old
plaintext on the disk volume(s). It is recommended to use command
CIPHER /W:directory to clean up the disk after all converting is done.
C:\>cipher /e /s:Backups
Setting the directory Backups to encrypt new files [OK]
Encrypting files in C:\Backups\
Backup.zip        [ERR]
Backup.zip: The specified file is read only.
OldBackup.zip     [OK]
2 file(s) [or directorie(s)] within 2 directorie(s) were encrypted.
Converting files from plaintext to ciphertext may leave sections of old
plaintext on the disk volume(s). It is recommended to use command
CIPHER /W:directory to clean up the disk after all converting is done.
C:\>
```

Use the drop-down menus to select the answer choice that completes each statement. NOTE: Each correct selection is worth one point.

Hot Area:



Answer Area

The attempt to encrypt the ProtectedFiles folder and files [answer choice]

dropdown menu with options:
succeeded for all files and folders.
succeeded for the files but not for the folder.
will not finish until you run the command to clean up the disk.

The attempt to encrypt the Backups folder and files [answer choice]

dropdown menu with options:
failed to encrypt the files and folders.
encrypted the folder but not the files.
failed to encrypt one of the files but encrypted the folder and the other file.

Correct Answer:

Answer Area

The attempt to encrypt the ProtectedFiles folder and files [answer choice]

dropdown menu with options:
succeeded for all files and folders.
succeeded for the files but not for the folder.
will not finish until you run the command to clean up the disk.

The attempt to encrypt the Backups folder and files [answer choice]

dropdown menu with options:
failed to encrypt the files and folders.
encrypted the folder but not the files.
failed to encrypt one of the files but encrypted the folder and the other file.

We can see from the image below that all files and the ProtectedFiles folder were encrypted successfully (There are no errors and there is an [OK] message for each action).

```
C:\>cipher /e /s:ProtectedFiles
Setting the directory ProtectedFiles to encrypt new files [OK]
Encrypting files in C:\ProtectedFiles\
Project1.zip      [OK]
Project2.zip      [OK]
Project3.zip      [OK]
Project4.zip      [OK]
5 file(s) [or directorie(s)] within 2 directorie(s) were encrypted.
```

The image below shows that the folder was encrypted successfully (Setting the directory Backups to encrypt new files [OK]).

The file Backup.zip failed to encrypt because the file is read only. The other file, OldBackup.zip was encrypted successfully.

```
C:\>cipher /e /s:Backups
Setting the directory Backups to encrypt new files [OK]
Encrypting files in C:\Backups\
Backup.zip        [ERR]
Backup.zip: The specified file is read only.
OldBackup.zip     [OK]
2 file(s) [or directorie(s)] within 2 directorie(s) were encrypted.
```



References: <https://technet.microsoft.com/en-us/library/bb490878.aspx>

[70-398 VCE Dumps](#)

[70-398 Practice Test](#)

[70-398 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.