



# 70-778<sup>Q&As</sup>

Analyzing and Visualizing Data with Microsoft Power BI

## Pass Microsoft 70-778 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/70-778.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your company has a custom line-of-business application named SalesApp.

The developers of SalesApp want to push data into the Power BI service to create several visualizations.

You need to ensure that the developers can push the data from SalesApp to the Power BI service.

What should you do?

- A. Go to portal.azure.com and create a web app.
- B. Go to dev.powerbi.com/apps and register an application.
- C. Go to app.powerbi.com/admin-portal and click Publish to web.
- D. Go to app.powerbi.com and create an app workspace.

Correct Answer: B

References: <https://docs.microsoft.com/en-us/power-bi/developer/walkthrough-push-data-register-app-with-azure-ad>

### QUESTION 2

You are creating a report in Power BI Desktop.

You are consuming the following tables.

Total name	Column name	Data type
Sales	SalesID	Integer
	SalesDate	Datetime
	TotalPrice	Float
	CustomerID	Integer
	SalesShipDate	Datetime
	StoreID	Varchar(100)
Date	Date	Datetime
	DateKey	Integer
	DateName	Datetime
	MonthNumber	Integer
	MonthName	Varchar(3)
	Year	Integer



You have a new table named Fiscal that has the same schema as the Date table, but contains the fiscal dates of your company.

You need to create a report that displays the total sales by fiscal month and calendar month.

What should you do?

- A. Union Fiscal and Date as one table.
- B. Add Fiscal to the model and create a one-to-many relationship by using Date[Year] and Fiscal[Year].
- C. Add Fiscal to the model and create a one-to-one relationship by using Date[Year] and Fiscal[Year].
- D. Merge Fiscal into the Date table.

Correct Answer: D

References: <https://docs.microsoft.com/en-us/power-bi/desktop-shape-and-combine-data>

---

### QUESTION 3

From Power BI Desktop, you publish an app that contains one dashboard and one report.

QandA is enabled on the dashboard.

In QandA, a user types the query count of clients and fails to receive any results. The user then types the query count of subscribers and received the expected results.

You need to ensure that the user can use both queries to receive the same results.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:



**Actions**

- Update the app form powerbi.com
- Delete and publish the app.
- Edit the synonyms.
- Publish the report to App Workspaces.
- Enable and configure Data classification for dashboards.
- Edit the dashboard settings from powerbi.com
- Open the report by using Power BI Desktop.

**Answer Area**

www.Pass4itsure.com



Correct Answer:



Actions	Answer Area
	Delete and publish the app.
	Edit the dashboard settings from powerbi.com
	Edit the synonyms.
Publish the report to App Workspaces.	Update the app form powerbi.com
Enable and configure Data classification for dashboards.	⏪
	⏩
Open the report by using Power BI Desktop.	⏴
	⏵

**QUESTION 4**

You need to create a measure named YTDPreviousSales that will be used in a table visualization. YTDPreviousSales must show the year-to-date (YTD) sales of the previous year for the same month. A sample of the desired data is shown in the following table.



SalesAmount	YTDPreviousSales	Year	Month
\$ 400,000	\$ 515,000	2017	January
\$ 500,000	\$ 1,025,000	2017	February
\$ 480,000	\$ 1,505,000	2017	March
\$ 470,000	\$ 1,855,000	2017	April
\$ 500,000	\$ 2,258,000	2017	May
\$ 510,000	\$ 2,767,000	2017	June
\$ 425,000	\$ 3,242,000	2017	July
\$ 430,000	\$ 3,747,000	2017	August
\$ 200,000	\$ 4,227,000	2017	September
\$ 300,000	\$ 4,687,000	2017	October
\$ 320,000	\$ 5,152,000	2017	November
\$ 400,000	\$ 5,657,000	2017	December
\$ 415,000	\$ 400,000	2018	January
\$ 325,000	\$ 900,000	2018	February
\$ 435,000	\$ 1,380,000	2018	March

How should you complete the measure? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Select and Place:

Values

Answer Area

- CALCULATE
- CALENDAR
- DATEADD
- DATEDIFF
- FILTER
- TOTALYTD
- YTD

YTDPreviousSales =  (SUM(FactInternetSales[SalesAmount]),  
 (DimDate[Date], -12, MONTH))

Correct Answer:





**Values**

**Answer Area**

- CALENDAR
- DATEDIFF
- FILTER
- TOTALYTD
- YTD

YTDPreviousSales = CALCULATE (SUM(FactInternetSales[SalesAmount]),  
DATEADD (DimDate[Date], -12, MONTH))

www.Pass4itsure.com

You are configuring the relationships between the following tables.

Table name	Column name
InsurancePolicy	PolicyID
	AccountID
	Policy cost
	Date
Account	AccountID
	AccountName
BridgeAccount	AccountID
	CustomerID
Customer	CustomerID
	CustomerName

**QUESTION 5**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a user named User!. User1 is a member of a security group named Contoso PowerB1.

User1 has access to a workspace named Contoso Workspace.



You need to prevent User1 from exporting data from the visualizations in Contoso Workspace.

Solution: From the Power BI Admin portal, you modify the Tenant settings.

A. Yes

B. No

Correct Answer: B

---

## QUESTION 6

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: Copy the workbook to Microsoft OneDrive for Business. From Excel, click Publish to Power BI, and then click Upload

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

---

## QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an app workspace that contains a report. The report contains sensitive data.





You need to ensure that you can embed the report into a custom application that will be accessed by external users. The external users will NOT have a Microsoft Azure Active Directory user account or Power BI licenses.

Solution: From Publish to web, generate an iFrame.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

---

### QUESTION 8

You plan to use Power BI Desktop to import 100 CSV files.

The files contain data from different stores. The files have the same structure and are stored in a network share.

You need to import the CSV files into one table. The solution must minimize administrative effort.

What should you do?

A. Add a folder data source and use the Combine Files command.

B. Add a folder data source and use the Merge Queries command.

C. Add a Microsoft Excel data source and use the Merge Queries command.

D. Add text/CSV data sources and use the Append Queries command.

Correct Answer: A

References: <https://docs.microsoft.com/en-us/power-bi/desktop-combine-binaries>

---

### QUESTION 9

You need to create a dashboard in the Power BI service to display data from a PubNub source. What should you do?

A. Add a Microsoft SQL Server Analysis Services (SSAS) data source that uses Connect live and create a report. Pin the report to a dashboard.

B. Create an app workspace and publish the workspace to a dashboard.

C. Add a Microsoft Azure SQL database data source that uses DirectQuery and create a report. Pin the report to a dashboard.

D. Add a custom streaming data tile to a dashboard.

Correct Answer: D

References: <https://docs.microsoft.com/en-us/power-bi/service-real-time-streaming#set-up-your-real-time-streaming-dataset-in-power-bi>

---

**QUESTION 10**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has 1,000 users in a Microsoft Office 365 subscription.

A Power BI administrator named Admin1 creates 20 dashboards and shares them with 50 users.

You discover that a user named User1 can access all the dashboards.

You need to prevent User1 from accessing all the dashboards.

Solution: From the Office 365 Admin center, you remove the Power BI license from User1.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

---

**QUESTION 11**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: From the Power BI service, get the data from SharePoint Online, and then click Import.

Does this meet the goal?

A. Yes

B. No



Correct Answer: A

References: <https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

### QUESTION 12

You have a query that retrieves sales data. A sample of the data is shown in the following table.

Date	CustomerId	ProductId	Quantity
10/10/2016	8877	8878	5
null	8877	8879	5
null	8877	8880	5
10/11/2016	5723	1234	2
null	5723	1235	3
null	5723	1236	5
null	5723	1237	10
10/12/2016	4356	4401	11
null	5723	4908	2

You need to ensure that the values in the Date column contain a date. Null values must be replaced with the date from the previous row. What should you click on the Transform tab in Query Editor?

- A. Format, and then Clean
- B. Date, and then Earliest
- C. Fill, and then Down
- D. Replace Values, and then Replace Errors

Correct Answer: C

References: <https://www.excelcampus.com/library/fill-down-blank-null-cells-power-query/>

### QUESTION 13

You have two tables named Customer and Orders. A sample of the Data in Customer is shown in the following table.

CustomerID	CustomerName
1	Customer1
2	Customer2
3	Customer3
4	Customer4

A sample of the data in Orders is shown in the following table.



OrderID	CustomerID	OrderDate	OrderAmount
1	1	12-22-2016	1000
2	1	12-23-2016	1200
3	2	12-24-2016	1100
4	3	12-24-2016	800

You need to create the following new table.

CustomerID	CustomerName	OrderID	OrderDate	OrderAmount
1	Customer1	1	12-22-2016	1000
1	Customer1	2	12-23-2016	1200
2	Customer2	3	12-24-2016	1100
3	Customer3		12-24-2016	800
4	Customer4			

You must use Customer as the first table. Which join kind should you use?

- A. Right Anti
- B. Right Outer
- C. Left Anti
- D. Left Outer
- E. Inner

Correct Answer: D

#### QUESTION 14

You have an app workspace that contains two datasets named dataset1 and dataset2. Dataset1 connects to a Microsoft Azure SQL database. Dataset2 connects to a Microsoft Excel file stored in Microsoft OneDrive for Business.

You create a report named Report1 that uses dataset1.

You pin Report1 to a dashboard named Dashboard1.

You publish the app workspace to all the users in your organization.

You need to delete dataset2 from the app workspace.

What should you do first?

- A. Delete Dashboard1.
- B. Delete Report1.
- C. Unpublish the app.



D. Configure the refresh settings for Dataset2.

Correct Answer: C

### QUESTION 15

You plan to create a report in Power BI Desktop. You have the following tables.

Table name	Column name
Sales	OrderID
	Product
	ProductCategory
	ProductSubCategory
	OrderDate
	SalesAmount
Date	DateID
	Date
	Year
	Month
	Week
	Day

You have a measure that uses the following DAX formula.

Total Sales = SUM(\\Sales\\[SalesAmount])

You plan to create a report to display TotalSales by ProductCategory and ProductSubCategory.

You need to create a measure to calculate the percentage of TotalSales for each ProductCategory.

How should you complete the DAX formula? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view

content.

NOTE: Each correct selection is worth one point.

Select and Place:



Values

- ALL
- ALLEXCEPT
- ALLSELECTED
- CALCULATE
- DIVIDE
- Product
- ProductCategory
- ProductSubcategory

Answer Area

Measure1 = Value ([TotalSales], CALCULATE([TotalSales],  
 Value (Sales[ Value ], Sales[ Value ])))

www.Pass4itsure.com

Correct Answer:

Values

- ALL
- ALLEXCEPT
- 
- CALCULATE
- 
- Product
- 
- 

Answer Area

Measure1 = DIVIDE ([TotalSales], CALCULATE([TotalSales],  
 ALLSELECTED (Sales[ ProductCategory ], Sales[ ProductSubcategory ])))

www.Pass4itsure.com

References: https://support.office.com/en-us/article/when-to-use-calculated-columns-and-calculated-fields-ca18d63a-5b6d-4000-8ca2-14d2aadbb734

[Latest 70-778 Dumps](#)

[70-778 PDF Dumps](#)

[70-778 Exam Questions](#)





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.