



75940X^{Q&As}

Avaya Converged Platform Integration

Pass Avaya 75940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/75940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When new VMs are added the ACP 4200, which action is mandatory?

- A. The new VMs must be configured to send SNMP Traps to Avaya Orchestrator.
- B. CPU and Memory reservations must be manually configured to the application recommendations for the new VMs.
- C. Avaya Orchestrator must be configured to recognize the new VMs.
- D. ACP Configurator Tool must be used to calculate resource availability for the ACP to support the new VMs.

Correct Answer: A

QUESTION 2

A customer experienced an outage of one of their Host servers in their ACP 4200 solution. Additionally, after the failure, all of the applications that were running on the failed host, did not recover to another host.

To verify the configuration, which third party management tool needs to be used?

- A. SSH into the switches
- B. Avaya Orchestrator
- C. Nimble Storage web interface
- D. vSphere Web Client

Correct Answer: D

QUESTION 3

A customer requires the Avaya Session Border Controller for Enterprise (ASBCE) be part of their ACP 4200 deployment.

Which statement regarding an ASBCE High Availability configuration in ACP 4200 is true?

- A. Only the Appliance deployment option is available for the ASBCE High Availability configuration in the ACP 4200.
- B. The High Availability configuration consists of two Session Border Controllers (SBC) either in VM or appliance deployments.
- C. The High Availability configuration consists of two Session Border Controllers (SBC) either In VM or appliance deployments, plus a Element Management System (EMS) VM.
- D. Only the VM deployment option is available for the ASBCE High Availability configuration in the on ACP 4200.

Correct Answer: D

**QUESTION 4**

Using VMware networking in ACP 4200, how are Virtual NICs mapped to physical NICs?

- A. Via DRS rules
- B. On a 1-to-1 basis
- C. Via Virtual Switches and Port Groups
- D. Via the VNIIC mapping tables

Correct Answer: D

QUESTION 5

Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

- A. Redundant iLO connections to each HP server.
- B. Redundant storage processors in the storage arrays.
- C. Redundant hot swap switch CPU modules.
- D. Redundant power supplies in all hardware components.
- E. Redundant pairs of Power Distribution Units.

Correct Answer: ACE

QUESTION 6

An administrator needs to access Avaya Orchestrator.

How does an administrator log into the management interface of Avaya Orchestrator?

- A. By using a browser to login to System Manager, then clicking on the Avaya Orchestrator link.
- B. By using a browser to login to Avaya Orchestrator's FQDN or IP address.
- C. By downloading and using the System Manager Administrator client.
- D. By downloading and using the Avaya Orchestrator Administrator client.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>

QUESTION 7

How would an administrator display the IP addresses of the VSP switches of the ACP 4200 within the Avaya



Orchestrator Home Dashboard?

- A. By right-clicking on the Dashboard menu item and downloading the network summary report.
- B. By right-clicking on the Admin menu item and downloading the network summary report.
- C. By right-clicking on the Report menu item and downloading the network summary report.
- D. By hovering the mouse pointer over the Up status indicator within the Network dashlet.

Correct Answer: B

QUESTION 8

A new ESXi host has been added to the ACP 4200. However, unlike existing ESXi hosts within the ACP 4200, the new host cannot be monitored or detected by Avaya Orchestrator.

What is causing this problem?

- A. The new host has not been correctly configured to support vMotion.
- B. The new host has not been added to Avaya Orchestrator.
- C. The new host has not been licensed yet.
- D. The new host has not been configured for Auto Detection.

Correct Answer: B

QUESTION 9

When an administrator logs into Avaya Orchestrator and on the Home Dashboard, the administrator sees dashlets for Storage, Network, Power and Rack View.

What does this indicate?


- A. The Home Dashboard is behaving normally.
- B. The Servers have Warning or Error messages.
- C. The Storage, Network, Power and Rack systems have Warning or Error messages.
- D. The Servers have not been added to Avaya Orchestrator's ACP 4200 Configuration Wizard.

Correct Answer: A

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>

QUESTION 10

Refer to the exhibit.



An administrator navigates to the Avaya Orchestrator link shown in the exhibit. What would the Administrator be able to monitor here?

- A. A list of Services with status of Warning or Critical.
- B. A list of Services with status of OK.
- C. A list of Services regardless of status.
- D. A list of Services which have additional details.


Correct Answer: D

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>



QUESTION 11

Refer to the exhibit.



Why is the usage measurement of CPU2 (in Purple) shown in the chart highlighted in the table?

- A. Because the CPU2 has been nominated as the primary CPU in this Virtual Machine.
- B. Because the CPU2 has been highlighted with an active alarm.
- C. Because the CPU2 usage is closest to the average usage of all the CPUs.
- D. Because the CPU2 has been selected in the table under the chart.

Correct Answer: D

QUESTION 12

Which statement about the Nimble Storage used in ACP 4200 4.0 is true?

- A. It is connected directly to the ESXi hosts via multiple 10G links.
- B. It is connected directly to the ESXi hosts via multiple 1G links.
- C. It is connected to the network switches via multiple 10G links.
- D. It is connected to the network switches via multiple 40G links.

Correct Answer: C



QUESTION 13

When used for an ACP 4200, which two features of the 48 inch Avaya branded enclosures are different from the 42 inch models? (Choose two.)

- A. More space for PDUs (up to 15000 Watts)
- B. More space for additional servers
- C. Higher operating temperature (up to 45 degrees Celsius)
- D. More space for fans and better cooling capacity (51,200 BTU)
- E. Use of vertical PDUs instead of horizontal

Correct Answer: AC

Reference: <https://downloads.avaya.com/css/P8/documents/101054952>

QUESTION 14

How can the administrator check the status of all services being monitored by Avaya Orchestrator?

- A. It is not possible. Services are displayed on a per-Host basis only.
- B. By navigating to Quick View-All Service Problems.
- C. By navigating to Details-Service Status.
- D. By navigating to ACP 4200 Configuration Wizard-Service.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101061680>

QUESTION 15

What is the role of Avaya Aura?System Manager in an ACP 4200 4.0 system?

- A. It provides a Single-Sign On functionality to Avaya Orchestrator.
- B. It manages the license for Avaya Orchestrator.
- C. It provides the application launch point for Avaya Orchestrator.
- D. It is a component of the Avaya Aura?deployment.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101038457>



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/75940x.html>

2024 Latest pass4itsure 75940X PDF and VCE dumps Download

[Latest 75940X Dumps](#)

[75940X VCE Dumps](#)

[75940X Study Guide](#)