

**Exam** : **920-257**

**Title** : Nortel Secure Router RIs.  
3.0 Configuration  
Management

**Version** : DEMO

www.Pass4itSure.com

1. Assume the AS number is 445. Which is the correct syntax to define a BGP neighbor?

- A. SR/bgp 445>ip bgp neighbor ip address AS#
- B. SR/configure/router/bgp 445>neighbor ip address
- C. SR/configure/router/bgp 445>neighbor ip address as#
- D. SR/configure/bgp 445>ip bgp neighbor ip address AS#

Answer: C

2. When you define the maximum prefix in the Nortel Secure Router BGP configuration, what are you defining?

- A. route mapping
- B. maximum number of neighbors
- C. defining the timers for this neighbor
- D. maximum routes accepted from a neighbor

Answer: D

3. You are enabling OSPF on the Nortel Secure Router. You have already configured and tested the Ethernet ports and WAN links. Which is the next step?

- A. Do nothing, OSPF is enabled by default.
- B. Configure OSPF on the associated interfaces.
- C. Type router ospf from the configure prompt.
- D. Create a router ID using a configured IP address on the router.

Answer: D

4. To view all of your OSPF neighbor(s), and verify their IP address, router id and state of the connection, which command can you use?

- A. show ip ospf neighbor detail
- B. show ip route ospf neighbor detail
- C. show ip ospf database database\_summary
- D. You cannot view all that information in one command.

Answer:A

5. Which is the correct syntax to view only OSPF routes?

- A. show ip route
- B. show route ospf
- C. show ip route ospf
- D. show ip ospf route

Answer: C

6. Which is not a policy attribute object of the Nortel Secure Router firewall?

- A. service
- B. protocol
- C. schedule
- D. http-filter

Answer: B

7. Which are attributes of a Nortel Secure Router access list filter? (Choose two.)

- A. They are applied to an interface with a direction.
- B. Filters can only be used on WAN side interfaces.
- C. There is an implicit Deny at the end of every filter.
- D. There is an implicit Allow at the end of every filter.

Answer:AC

8. Which is the definition of a Security Zone within the framework of the Nortel Secure Router firewall?

- A. A separate firewall running on each interface individually.
- B. A logical difference between WAN interfaces for security.
- C. A virtual firewall with its own inbound and outbound database.
- D. A representation of each firewall in your WAN and branch network.

Answer:A

9. Which two commands can be used to edit an access list? (Choose two.)

- A. edit

B. insert

C. delete

D. include

Answer: BC

10. Which mechanism most directly manages SIP traffic on the Nortel Secure Router?

A. Stateful Inspection

B. SIP Audio scanning

C. Source Based Filtering

D. Application Level Gateway

Answer: D

www.Pass4itSure.com

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

### One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



### Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.