



C2090-311^{Q&As}

IBM DB2 10.5 DBA for LUW Upgrade from DB2 10.1

Pass IBM C2090-311 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-311.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

If the DB2_WORKLOAD registry variable has not been set which database manager configuration parameter must be modified, before a query that accesses a column-organized table can be executed?

- A. INTRA_PARALLEL
- B. QUERY_HEAP_SZ
- C. MAXIMUM DEGREE
- D. SHEAPTHRES SHR

Correct Answer: A

QUESTION 2

When can a high availability disaster recovery (HADR) role switch operation be performed in a DB2 pureScale environment?

- A. When crash recovery is occurring on the standby cluster.
- B. When all the log streams are in peer or assisted remote catchup state.
- C. When the primary database is not connected to the standby database.
- D. All the log streams are in remote catchup state and the synchronization mode is NEARASYNC.

Correct Answer: D

QUESTION 3

What does the monitor element POOL_FAILED_ASYNC_TEMP_COL_REQS track?

- A. The number of times an attempt to queue a column-organized prefetch request for temporary table spaces was made but failed.
- B. The number of times a temporary error occurred while trying to queue a column-organized prefetch request for a regular table space.
- C. The number of times DB2 had to retrieve a page from disk for a temporary column-organized table because the page no longer resided in the buffer pool.
- D. The number of times an asynchronous read request failed when attempting to read temporary column-organized data from the buffer pool after the page had been flushed to disk.

Correct Answer: B

QUESTION 4



If the DB2_WORKLOAD registry variable is set to ANALYTICS, what value will be assigned to the DFT_DEGREE database configuration parameter, by default?

- A. -1
- B. 1
- C. ON
- D. ANY

Correct Answer: A

QUESTION 5

If the following commands are executed successfully:

```
CREATE DATABASE my_db ON /mnt/fs1, mnt/fs2 PAGESIZE 4096;  
UPDATE DB CFG FOR my_db USING EXTENDED_ROW_SZ ENABLE;
```

Which SQL statement will fail?

- A. CREATE TABLE tab_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY (col1)
- B. CREATE TABLE tab_a (col1 INT NOT NULL, col2 VARCHAR(5000))
- C. CREATE TABLE tab_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY KEY SEQUENCE (col1 STARTING FROM 1 ENDING AT 100000) ALLOW OVERFLOW
- D. CREATE TABLE tab_a (col1 INT NOT NULL, col2 VARCHAR(5000)) PARTITION BY RANGE (col1) (STARTING 0 EXCLUSIVE ENDING 100 INCLUSIVE)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

[C2090-311 PDF Dumps](#)

[C2090-311 Study Guide](#)

[C2090-311 Braindumps](#)