



C2170-008^{Q&As}

IBM Curam V6 Development

Pass IBM C2170-008 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/C2170-008.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_modifyPerson"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.Title"/>
    </CONNECT>
  </PAGE_TITLE>

  <PAGE_PARAMETER NAME="concernRoleIDParam"/>

  <CONNECT>
    <SOURCE PROPERTY="concernRoleIDParam" NAME="PAGE"/>
    <TARGET PROPERTY="key$concernRoleID" NAME="ReadPersonBean"/>
  </CONNECT>

  <SERVER_INTERFACE OPERATION="readPerson" CLASS="MaintainPerson"
  NAME="ReadPersonBean" PHASE="DISPLAY"/>
  <SERVER_INTERFACE OPERATION="mcdifyPerson" CLASS="MaintainPerson"
  NAME="ModifyPersonBean" PHASE="ACTION"/>

  <CLUSTER TITLE="Cluster.Title.PersonDetails">

  </CLUSTER>
```



Which of the following statements are true?

- A. The Page Title is read from a properties file.
- B. The modifyPersonBean is invoked when the page loads.
- C. A CONNECT element at the page level is used to pass a page parameter into a display phase SERVER_INTERFACE.
- D. The UIM page is called PersonDemo_modifyPersonPage.uim.
- E. The cluster value Cluster.Title.PersonDetails is read from a SERVER_INTERFACE.

Correct Answer: AC

QUESTION 2



Attribute 1	Attribute 2	Attribute 3
First	Second	Third
Fourth	Fifth	Sixth
Seventh	Eighth	Ninth

Pass4itSure.com

View
Edit
Remo



Examine this section of a C

Correct Answer: A

QUESTION 3

Which of the following statements about SQL host variables in C

Correct Answer: ABC

QUESTION 4

If a change is made to a UIM page, what are the minimum steps required to make the new page visible to the client browser?

- A. Restart the server and Tomcat and refresh the page.
- B. Stop the server and Tomcat, build a clean client, refresh in Eclipse, and restart the server and Tomcat.
- C. Stop Tomcat, do a build client, refresh in Eclipse, and restart Tomcat.
- D. Build a clean client and refresh in Eclipse.
- E. Build the client.

Correct Answer: C

QUESTION 5

Which of the following entity method stereotypes require SQL to be provided?

- A. nsread



- B. ns
- C. nsmulti
- D. batch
- E. nsmodify

Correct Answer: BC

QUESTION 6

When customizing a Codetable (CTX) file in C

Correct Answer: AD

QUESTION 7

Which of the following statements about the different approaches to generating unique IDs are true?

- A. A dedicated BPO should be used to generate readable keys.
- B. A programmatic or model-based approach can be used when the key needs to be returned for further processing.
- C. The model-based approach should be used to generate keys from the Default KeySet.
- D. The model-based approach reduces the chance of key conflict.
- E. A key set must be specified when using the programmatic approach.

Correct Answer: BD

QUESTION 8

Which of the following statements about the extension class EntityExtension that extends the entity class Entity is true?

- A. The generator produces a new Java class curam.struct.EntityExtensionDtls containing any new or overridden attributes, as well as the attributes remaining from curam.struct.EntityDtls.
- B. The generator produces a new Java class curam.struct.EntityExtensionDtls containing any new or overridden attributes.
- C. The generator produces no new Java classes, but replaces curam.struct.EntityDtls with a new version containing the new or overridden attributes, as well as any others remaining from the original Entity.
- D. The generator produces a new curam.intf.EntityExtension class containing the method signatures of curam.intf.Entity, as well as any new or overridden methods.



Correct Answer: C

QUESTION 9

The default control for CODETABLE values in a C

Correct Answer: A

QUESTION 10

Which of the following are stored in the datamanager_config.xml file?

- A. Database table names used by the application
- B. Database type and port numbers
- C. References to DMX files containing data to be inserted on a build
- D. References to SQL scripts to be run on a build
- E. References to CTX files containing code tables to be inserted on a build

Correct Answer: CD

QUESTION 11

The Curam page shown here is configured to allow the developer to identify which action control was selected when the user clicks either button.



Which of the following pieces of UIM could be used to do this?



A.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="selection"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

B.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/ULMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="selection"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```





C C.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" />

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```

C D.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="PersonDemo_agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="Yes"/>
  <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION_ID_PROPERTY="No"/>

  <CLUSTER TITLE="Cluster.Title.Agreement">
    <ACTION_SET TOP="false" ALIGNMENT="CENTER">
      <ACTION_CONTROL LABEL="ActionControl.Label.Yes"
        TYPE="SUBMIT" ACTION_ID="agree"/>
      <ACTION_CONTROL LABEL="ActionControl.Label.No"
        TYPE="SUBMIT" ACTION_ID="disagree"/>
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```





- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: B

QUESTION 12

Examine the following piece of code:

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE_ID="Application_modify"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">

  <PAGE_TITLE>
    <CONNECT>
      <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
    </CONNECT>
  </PAGE_TITLE>

  <SERVER_INTERFACE CLASS="MaintainPerson" NAME="ModifyPersonBean"
  OPERATION="modifyPerson" PHASE="ACTION"/>
  <SERVER_INTERFACE CLASS="MaintainPerson" NAME="RemovePersonBean"
  OPERATION="removePerson" PHASE="ACTION"/>

  <CLUSTER TITLE="Cluster.Modify">
    <!-- some FIELDS displaying edit-able data -->
    <ACTION_SET TOP="false">
      <ACTION_CONTROL LABEL="ActionControl.Modify" TYPE="ACTION" />
    </ACTION_SET>
  </CLUSTER>

  <CLUSTER TITLE="Cluster.Remove">
    <!-- some FIELDS displaying data -->
    <ACTION_SET TOP="false">
      <ACTION_CONTROL LABEL="ActionControl.Remove" TYPE="ACTION" />
    </ACTION_SET>
  </CLUSTER>

</PAGE>
```



On the built JSP, what happens when the user clicks the Remove action control?

- A. Nothing happens, as there are no SERVER_INTERFACES of PHASE SUBMITA.Nothing happens, as there are no SERVER_INTERFACES of PHASE SUBMIT



- B. Only SERVER_INTERFACE RemoveServerInterface is invoked
- C. Only SERVER_INTERFACE ModifyServerInterface is invoked
- D. Both SERVER_INTERFACES are invoked

Correct Answer: D

[Latest C2170-008 Dumps](#)

[C2170-008 PDF Dumps](#)

[C2170-008 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.