
Exam : **COG-300**

Title : IBM Cognos TM1 Analyst

Version : Demo

- 1. Why would an analyst create a subset?
- A.To quickly see the top level elements.
- B.To quickly see the top 5 values in a cube.
- C.To change the dimension order.
- D.To change the cube structure.

Answer:A

- 2. When reviewing data that will be uploaded into a cube, the rows and columns are static. Which of the following would an analyst use?
- A.Dynamic Slice
- **B.Cube View**
- C.Active Form
- D.Classic Slice

Answer:D

- 3. Which worksheet function enables the end user to create their own subsets from the title dimensions?
- A.DNEXT
- **B.VIEW**
- **C.DFIRST**
- D.SUBNM

Answer:D

- 4. Why would an analyst create a snapshot of a cube?
- A.To access data with the In-spreadsheet browser.
- B.To access data without access to a TM1 server.
- C.To access data on a TM1 server.
- D.To access data using TM1 web.

Answer:B

- 5. When a report requires data from multiple views, what must be inserted into an Active Form?
- A.A title element
- B.A chart
- C.A section
- D.A cube
- Answer:C

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.