

HP2-K34^{Q&As}

Supporting and Servicing HP 3PAR StoreServ Solutions

Pass HP HP2-K34 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/HP2-K34.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Your customer plans to buy multiple HP StoreServ systems and wants to implement Remote Copy between the StoreServ 7200 and their remote location. What must the customer consider in order to perform a correct setup?

A. The customer needs to use RCFC over an IP network for two-node Synchronous Long Distance configurations.

B. All hosts that access the HP 3PAR Storage Systems for management purposes must be on the same subnet as the RCIP ports.



C. The RCIP port needs to be set to Initiator Mode, and the RCFC port needs to be set to Peer Mode

D. Only two Synchronous Long Distance configurations may be created among a set of three HP 3PAR StoreServ 7000 systems.


Correct Answer: D

Reference:http://h20000.www2.hp.com/bc/docs/support/SupportManual/c03618143/c03618143.pd f

QUESTION 2

What is the correct drive configuration to install on an HP 3PAR F200 in a minimal configuration?





- A. B. C. D.
- A. Option A
- B. Option B
- C. Option C



D. Option D

Correct Answer: A

Reference:http://h18000.www1.hp.com/products/quickspecs/13884_div/13884_div.PDF(page 14, see magazine population)



QUESTION 3

When using notification settings in Service Tools and Technical Support (STaTS). Which task can you perform with Symptom?

- A. Disable a specific notification
- B. Enable a specific notification
- C. Create a notification record.
- D. Manage a set of notifications.
- Correct Answer: C

Reference:http://bizsupport2.austin.hp.com/bc/docs/support/SupportManual/c03606505/c0360650 5.pdf(page 11)

QUESTION 4

What is significant about controller slots 1, 4, 2, and 3 on an HP 3PAR 10400?

- A. The slots are RCIP, Management, and Console serial slots.
- B. The slots are not accessible and are reserved for future use.
- C. The slots are recommended for Remote Copy FC.
- D. The slots are for disk chassis FC.

Correct Answer: A

QUESTION 5

Your customer is concerned about downtime during the servicing of their HP 3PAR V-Class system. When discussing your action plan with the customer, which resilience factor should you highlight?

A. All data volumes in a V-Class system are configured as HA Cage by default and all enclosures





can be serviced online using this configuration setting

B. All components in an HP 3PAR V-Class system are online serviceable and hot pluggable; there is no need to plan any service downtime

C. When using a second V-Class storage system in the environment, all data access can be switches to the second system during service using the HP Peer Motion technology

D. Power supplies, Fibre Channel Adapters, and drive magazines are all serviceable online without host disruption

Correct Answer: B

Reference:http://www.ts.avnet.com/uk/vendors/hp/assets/hp_p10000_3par_architecture_white_pa per.pdf(page 10, see the last para on the page)

QUESTION 6

A customer has an HP 3PAR 10400, which consists of a controller rack and one disk rack The customer orders an additional disk rack to upgrade the system. What needs to be considered when installing the additional disk rack into the datacenter?

A. The additional disk rack cannot be more than 100 meters from the controller rack

B. Installation of the additional disk rack requires a service outage to the array

C. The additional disk rack requires support of four controllers at a minimum

D. The additional disk rack must be installed on the right hand side of the controller rack.

Correct Answer: B

QUESTION 7

What is the default spare chunklet algorithm used in 3PAR StoreServ systems?

A. One disk of spare chunklets for every 24 disks is allocated with a required minimum of two disks of spares.

- B. One disk of spare chunklets for every 40 disks is allocated with a required minimum of four disks of spares,
- C. One disk of spare chunklets for every 40 disks is allocated with no required minimum disks of spares.

D. One disk worth of spare chunklets per drive cage of the largest size disk in the system is allocated to provide cagelevel high availability.

Correct Answer: D

QUESTION 8

Which functionality is enabled when the Secure Network Mode is used?

A. control of outbound communication access via WBEM



- B. control of inbound communication access via SMI-S
- C. control of inbound/outbound communication access via HTTPS
- D. control of inbound/outbound communication access via SSH session

Correct Answer: B



QUESTION 9

What is an accurate description of a CPG and its features?

A. A CPG is a policy that helps you select free chunklets from physical disks within the HP 3PAR StoreServ array. Both full and thin provisioned volumes can be drawn from the same CPG.

B. A CPG is a method of creating a disk pool from which hosts are allocated space; the optimum number of drives in a CPG is 56

C. A CPG is pool-based, and space is reserved upfront for each CPG created The CPG will grow as needed according to its predefined growth increment

D. A CPG is a template that groups the characteristics of a volume, suchas disk media type, disk speed, RAID level, and availability level. A CPG can contain two types of disk media.

Correct Answer: D

QUESTION 10

Which type of cable is used to mesh the controller nodes in an HP 3PAR StoreServ 7400?

- A. Fibre Channel
- B. proprietary
- C. four-lane SAS D. 10 Gb Ethernet DAC



Correct Answer: D

QUESTION 11

Which statements are true about installing drives into a base HP 3PAR F-Class system? (Select two.)



- A. With mixed drive types, the minimum number of drives for any drive type is 4
- B. A minimum of 8 disks must be added into a single drive chassis,
- C. All drives in a vertical column must be of the same speed and type
- D. All drives in a drive chassis must be the same type,
- E. The minimum number of drives per F-Class system is 16.

Correct Answer: CE

Reference:http://h20195.www2.hp.com/v2/GetPDF.aspx%2F4AA4-3999ENW.pdf(page 10)

QUESTION 12

Where do you start the HP 3PAR InServ code update?

- A. HP 3PAR SmartStart disk
- B. SPMAINT on SPOCC
- C. HP 3PAR InServ CLI
- D. System tab in HP 3PAR Management Console
- Correct Answer: B



HP2-K34 VCE Dumps

HP2-K34 Exam Questions

HP2-K34 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 3<u>0 days</u>

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.