



LX0-104^{Q&As}

CompTIA Linux+ [Powered by LPI] 2

Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/lx0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following commands can remove a user from a group?

- A. grouprm
- B. groupmod
- C. passwd
- D. usergroups
- E. usermod

Correct Answer: E

QUESTION 2

In order to discover the link layer address of the device that owns a specific IPv4 or IPv6 address, which mechanism is used?

- A. Both IPv4 and IPv6 use ARP.
- B. Both IPv4 and IPv6 use Neighbor Discovery.
- C. IPv4 uses ARP while IPv6 uses Neighbor Discovery.
- D. IPv4 uses Neighbor Discovery while IPv6 uses ARP.
- E. Both IPv4 and IPv6 can use either ARP or Neighbor Discovery depending on the network.

Correct Answer: C

QUESTION 3

For accessibility assistance, which of the following programs is an on-screen keyboard?

- A. xkb
- B. atkb
- C. GOK
- D. xOSK

Correct Answer: C

QUESTION 4



With IPv6, how many bits have been used for the interface identifier of an unicast address? (Specify the number using digits only.)

A. 64

Correct Answer: A

QUESTION 5

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in /usr?

A. `find /usr -uid 0 -perm +4000`

B. `find -user root +mode +s /usr`

C. `find -type suid -username root -d /usr`

D. `find /usr -ls *s* -u root`

E. `find /usr -suid -perm +4000`

Correct Answer: A

QUESTION 6

Which configuration file would be edited to change the default options for outbound SSH sessions?

A. `/etc/ssh/sshd_config`

B. `/etc/ssh/ssh`

C. `/etc/ssh/client`

D. `/etc/ssh/ssh_config`

E. `/etc/ssh/ssh_client`

Correct Answer: D

QUESTION 7

How many bits make up an IPv6 address?

A. 32

B. 48

C. 64



D. 128

E. 256

Correct Answer: D

QUESTION 8

Which of the following are operators used for comparison by the test command? (Choose two correct answers.)

A. equals

B. =

C. -is

D. -eq

E. null

Correct Answer: BD

QUESTION 9

Which of the following statements is valid in the file `/etc/resolv.conf`?

A. order hosts, bind

B. 192.168.168.4 dns-server

C. hosts: files, dns

D. domain example.com

Correct Answer: D

QUESTION 10

Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

A. `/usr/bin/xwininfo -or- xwininfo`

Correct Answer: A

**QUESTION 11**

When the command `echo $$` outputs 12942, what is the meaning of 12942?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the process ID of the last command executed.
- D. It is the process ID of the last command which has been placed in the background.

Correct Answer: B

QUESTION 12

Which of the following files is consulted when programs like netstat try to match port numbers to names?

- A. `/etc/networks`
- B. `/etc/portmapper`
- C. `/etc/protocols`
- D. `/etc/resolv.conf`
- E. `/etc/services`

Correct Answer: E

QUESTION 13

Which of the following may occur as a consequence of using the command `ifconfig`? (Choose THREE correct answers.)

- A. New name servers may be added to the resolver configuration.
- B. Network interfaces may become active or inactive.
- C. The routing table may change.
- D. IP addresses may change.
- E. The system's host name may change.

Correct Answer: BCD

QUESTION 14

What is true regarding public and private SSH keys? (Choose two correct answers.)



- A. Several different public keys may be generated for the same private key.
- B. The private key must never be revealed to anyone.
- C. For each user account, there is exactly one key pair that can be used to log into that account.
- D. To maintain the private key's confidentiality, the SSH key pair must be created by its owner.
- E. To allow remote logins, the user's private key must be copied to the remote server.

Correct Answer: BD

QUESTION 15

With syslog, what is a facility?

- A. Facilities are different connection interfaces to syslog. Each facility has its own device in /dev/syslog/.
- B. From syslog's point of view, each Unix process that issues messages is a facility.
- C. Facilities describe the severity of a log message such as emerg or info.
- D. When using remote logging, the hostname of the server that generated a message is called facility.
- E. Facilities describe categories or groups of messages such as mail or auth.

Correct Answer: E

[LX0-104 PDF Dumps](#)

[LX0-104 VCE Dumps](#)

[LX0-104 Exam Questions](#)