



NS0-157^{Q&As}

NetApp Certified Data Administrator, Clustered Data ONTAP

Pass NetApp NS0-157 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-157.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about establishing a SnapMirror relationship in clustered data ONTAP?

- A. It sets up the relationship, but does not start the initial transfer
- B. It sets up the relationship on the source node only
- C. It sets up the relationship and starts the initial data transfer
- D. It sets up the relationship and creates the destination volume

Correct Answer: A

QUESTION 2

Administrator can natively run Data ONTAP-7Mode commands in what shell?

- A. Adminshell
- B. Clustershell
- C. Nodshell
- D. Systemshell

Correct Answer: C

<https://library.netapp.com/ecmdocs/ECMP1196780/html/GUID-64D7ED18-1918-4B73-B535A483584C8BFF.html>

QUESTION 3

In transitioning SnapVault relationships from 7-mode to clustered Data ONTAP, which statements are true? (Choose three)

- A. You are required to re-create all Snapvault relationships with new baseline
- B. You can plan on fan-in relationships of many source volume to one destination volume
- C. You can plan on fan-in relationships at the system level, many volumes to one Vserver
- D. You can plan on SnapMirror to SnapVault cascades

Correct Answer: ACD

QUESTION 4



What is the file extension for NDMP backup CAB (Cluster Aware Backup extension)

- A. CAB
- B. BAC
- C. CAP
- D. NDBC

Correct Answer: A

QUESTION 5

For RAID-DP aggregates created with clustered Data ONTAP 8.2 or later, what is the default minimum number of disks?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5
- F. 6
- G. 10

Correct Answer: C

https://library.netapp.com/ecm/ecm_download_file/ECMP1196912

QUESTION 6

Which NetApp management tool configures AutoSupport for nodes in a cluster?

- A. OnCommand System Manager
- B. ConfigAdvisor
- C. OnCommand Performance Manager
- D. OnCommand Insight

Correct Answer: A

QUESTION 7



What is the maximum number of nodes allowed in an FAS8000 series with a SAN configuration?

- A. 24
- B. 8
- C. 4
- D. 2

Correct Answer: B

SAN: Up to 8 cluster nodes Reference: <http://cloudcarib.com/pdf/NetApp-8000.pdf>

QUESTION 8

Which protocols are allowed by default data firewall policy? (choose all that apply)

- A. DNS
- B. HTTPS
- C. NDMP
- D. NTP
- E. SNMP, SSH, Telnet

Correct Answer: AC

QUESTION 9

In Data ONTAP 8.1.1 Cluster-Mode, what is the maximum TCP read size for an NFSv3 client?

- A. 1,048,576 bytes
- B. 32,768 bytes
- C. 65,536 bytes
- D. 2,097,152 bytes

Correct Answer: A

<https://library.netapp.com/ecmdocs/ECMP1136576/html/GUID-678ABF68-C8884517A51DA98BD96CA851.html>

QUESTION 10

With Data ONTAP 8.1, which statement is true about deduplication and volume sizes?

- A. Deduplication is limited to 16TB.



- B. Deduplication is limited to 32TB.
- C. Deduplication is supported up to half the maximum volume size for the platform.
- D. Deduplication is supported up to the maximum volume size for the platform.

Correct Answer: D

Link: [http://www.netapp.com/uk/communities/tech-ontap/Tot_dataontap-1309.aspx? REF_SOURCE=EMMt0t-309-de](http://www.netapp.com/uk/communities/tech-ontap/Tot_dataontap-1309.aspx?REF_SOURCE=EMMt0t-309-de)
https://library.netapp.com/ecm/ecm_download_file/ECMP1196906

QUESTION 11

What are the two valid NDMP modes? (Choose two.)

- A. local-scoped
- B. node-scoped
- C. SVM-scoped
- D. cluster-scoped

Correct Answer: BC

Reference: [http://documents.software.dell.com/netvault-backup-plug-in-for-ndmp/10.0.5/application-notesfor-netapp-ontap/installation-and-configuration-prerequisites/configuration-prerequisites? ParentProduct=753](http://documents.software.dell.com/netvault-backup-plug-in-for-ndmp/10.0.5/application-notesfor-netapp-ontap/installation-and-configuration-prerequisites/configuration-prerequisites?ParentProduct=753)

If you install a new Data ONTAP 8.2 cluster, NDMP is in the SVM-scoped NDMP mode by default. To perform tape backup and restore operations in the node-scoped NDMP mode, you must explicitly enable the node-scoped NDMP mode

<https://library.netapp.com/ecmdocs/ECMP1368707/html/GUID-BDE7061D-A905-423E-A8B463D1C7F3D114.html>

QUESTION 12

What are three types of resource supported by logical interfaces? (Choose three)

- A. VServer-routes
- B. port
- C. Interface groups
- D. failover groups
- E. cluster-routes
- F. cluster
- G. group-routes
- H. VLAN



Correct Answer: BCH

QUESTION 13

For NDMP to be aware of a vserver, what actions needs to be taken? (choose three)

- A. Data management application
- B. Cluster-aware backup
- C. NDMP scope listed
- D. NDMP service enabled

Correct Answer: ABD

QUESTION 14

New systems are shipped with the root volume in a 64-bit aggregate starting with which Data ONTAP release?

- A. 8.0.0
- B. 8.0.1
- C. 8.0.2
- D. 8.1

Correct Answer: D

<https://library.netapp.com/ecmdocs/ECMP1196798/html/GUID-A60F4F83-0034-4DB8-838B06E9D4BEF9A4.html>

QUESTION 15

Which two switches are supported cluster switches? (Choose two)

- A. Brocade 8000
- B. Brocade FLS624
- C. Cisco Nexus 5010
- D. Cisco Nexus 5020
- E. Cisco Catalyst 2960

Correct Answer: CD