



NS0-504^{Q&As}

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-504.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two are Data ONTAP commands for creating LUNs on a storage system? (Choose two.)

- A. lun create
- B. lun config
- C. lun make
- D. lun setup

Correct Answer: AD

QUESTION 2

You cannot remove the SyncMirror license if one or more mirrored volumes exist.

- A. True
- B. False

Correct Answer: A

QUESTION 3

Which statement correctly describes ALUA concepts on NetApp Storage solutions?

- A. ALUA is a LUN attribute that is set.
- B. ALUA deals with Fibre Channel LUNs and is NOT appropriate for iSCSI.
- C. ALUA can be used for Windows 2003 and Windows 2008 disk management.
- D. A LUN can be mapped to an ALUA-enabled igroup and a non-ALUA-enabled igroup.

Correct Answer: D

QUESTION 4

At which storage object level is deduplication enabled?

- A. Aggregate
- B. Volume
- C. Qtree
- D. LUN



Correct Answer: B

QUESTION 5

In a Fibre Channel configuration, the host's HBA is referred to as the _____, and the storage system's HBA is referred to as the _____ .

- A. initiator, target.
- B. primary, secondary.
- C. secondary, primary.
- D. target, initiator.

Correct Answer: A

QUESTION 6

Which statement is true about single_image cfmode?

- A. Both nodes in the active-active configuration function as separate Fibre Channel nodes, and the LUN maps are not shared between the partners.
- B. Both nodes in the active-active configuration function as a single Fibre Channel node, and the LUN maps are shared between the partners.
- C. Both nodes in the active-active configuration function as a single Fibre Channel node, and the LUN maps are not shared between the partners.
- D. Both nodes in the active-active configuration function as separate Fibre Channel nodes, and the LUN maps are shared between the partners.

Correct Answer: B

QUESTION 7

An organization currently has a NetApp Fibre Channel, FCP block based solution. With limit budget and resources, they want to create a new disaster recovery site that utilizes a NetApp solution. What would the optimal solution include?

- A. MetroCluster and NAS
- B. SnapMirror and iSCSI at the disaster recovery site for all hosts
- C. SnapMover and a single Fibre Channel HBA and switch at the disaster recovery site for all hosts
- D. single Fibre Channel HBA and switches at both locations using ftp to replicate storage

Correct Answer: B

**QUESTION 8**

Which statement best describes the output of this command? `sysstat -s 5`

- A. Display the default output every five seconds and terminate after five counts.
- B. Display extended output every five seconds and print a summary after five counts.
- C. Display extended output every five seconds and print a summary upon termination.
- D. Display the default output every five seconds and print a summary upon termination.

Correct Answer: D

QUESTION 9

Which command displays the disk ownership for both CPU modules in a FAS2020 system?

- A. `disk own -s`
- B. `disk show -v`
- C. `vol status -r`
- D. `disk display r`

Correct Answer: B

QUESTION 10

Which three attributes would you specify when creating a LUN? (Choose three)

- A. The host operating system of the system attached to LUN.
- B. The version of Data ONTAP
- C. The size of the LUN.
- D. The path to the LUN.

Correct Answer: ACD

QUESTION 11

What are four storage efficiency features Data ONTAP 8.1 Cluster-Mode provides? (Choose four.)

- A. compression
- B. deduplication
- C. FlexClone



- D. SnapVault
- E. thin provisioning
- F. transparent files

Correct Answer: ABCE

QUESTION 12

Which four statements are true about a node's vol0 volume? (Choose four.)

- A. It cannot be moved with the volume move command.
- B. It contains RDB databases and log files.
- C. It is the most efficient place to store critical user data.
- D. It is not part of the namespace.
- E. One exists on every node in the cluster.

Correct Answer: ABDE

QUESTION 13

Which utility on Solaris 10 can be used to collect information about firmware and driver versions for a Qlogic QLAxxx/QLExxxx HBA?

- A. EMutil
- B. SANutil
- C. cfgadmin
- D. SANSurfer
- E. HBAnywhere

Correct Answer: D

QUESTION 14

Which is NOT a reason to zone your fabric?

- A. increase network security
- B. reduce cross talk between ports
- C. limit the type of initiators used



D. limit the available paths

Correct Answer: D

QUESTION 15

What is the name of the SAN replicated database ring in clustered Data ONTAP 8.2 and later?

- A. SAN Configuration and Operation Manager daemon (SCOMd)
- B. Block Configuration and Operation Manager daemon (BCOMd)
- C. FC Configuration and Operation Manager daemon (FCOMd)
- D. LUN Configuration and Operation Manager daemon (LCOMd)
- E. None of the above. The SAN protocol does not have a database replication ring.

Correct Answer: B

[Latest NS0-504 Dumps](#)

[NS0-504 Study Guide](#)

[NS0-504 Exam Questions](#)