



A00-201^{Q&As}

SAS base programming exam

Pass SASInstitute A00-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/a00-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The contents of the raw data file PRODUCT are listed below:

```
----|----10---|----20---|----30
```

```
24613 $25.31
```

The following SAS program is submitted:

```
data inventory; infile `product`; input idnum 5. @10 price; run;
```

Which one of the following is the value of the PRICE variable?

- A. 25.31
- B. \$25.31
- C. . (missing numeric value)
- D. No value is stored as the program fails to execute due to errors.

Correct Answer: C

QUESTION 2

The following SAS program is submitted:

```
data work.test;
```

```
Title = `A Tale of Two Cities, Charles J. Dickens`; Word = scan(title,3,` `);
```

```
run;
```

Which one of the following is the value of the variable WORD in the output data set?

- A. T
- B. of
- C. Dickens
- D. `` (missing character value)

Correct Answer: B

QUESTION 3

The following SAS program is submitted:

```
data work.empsalary;
```



```
set work.people (in = inemp)
```

```
work.money (in = insal):
```

```
if insal and inemp;
```

```
run;
```

The SAS data set WORK.PEOPLE has 5 observations, and the data set WORK.MONEY has 7 observations.

How many observations will the data set WORK.EMPSALARY contain?

A. 0

B. 5

C. 7

D. 12

Correct Answer: A

QUESTION 4

The SASDATA.BANKS data set has five observations when the following SAS program is submitted; libname sasdata `SAS-data-library\`;

```
data allobs;
```

```
set sasdata.banks;
```

```
capital=0;
```

```
do year = 2000 to 2020 by 5;
```

```
capital + ((capital+2000) * rate);
```

```
output;
```

```
end;
```

```
run;
```

How many observations will the ALLOBS data set contain?

A. 5

B. 15

C. 20

D. 25



Correct Answer: D

QUESTION 5

Which one of the following ODS statement options terminates output being written to an HTML file?

- A. END
- B. QUIT
- C. STOP
- D. CLOSE

Correct Answer: D

QUESTION 6

Which one of the following SAS system options displays the time on a report?

- A. TIME
- B. DATE
- C. TODAY
- D. DATETIME

Correct Answer: B

QUESTION 7

The following SAS program is submitted:

```
footnote1 `Sales Report for Last Month`;
footnote2 `Selected Products Only`;
footnote3 `All Regions`;
footnote4 `All Figures in Thousands of Dollars`;
proc print data = sasuser.shoes;
footnote2 `All Products`;
run;
```

Which one of the following contains the footnote text that is displayed in the report?

- A. All Products



B. Sales Report for Last Month All Products

C. All Products All Regions All Figures in Thousands of Dollars

D. Sales Report for Last Month All Products All Regions All Figures in Thousands of Dollars

Correct Answer: B

QUESTION 8

The contents of the raw data file TEAM are listed below:

```
----|----10---|----20---|----30
```

Janice 10

Henri 11

Michael 11

Susan 12

The following SAS program is submitted:

```
data group;
```

```
infile `team`\;
```

```
input name $15. age 2.;
```

```
file `file-specification`\;
```

```
put name $15. +5 age 2.;
```

```
run;
```

Which one of the following describes the output created?

A. a raw data file only

B. a SAS data set named GROUP only

C. a SAS data set named GROUP and a raw data file

D. No output is generated as the program fails to execute due to errors.

Correct Answer: C

QUESTION 9

The following SAS program is submitted:

```
data work.flights;
```



```
destination = `CPH`;  
select(destination);  
when(\\LHR\\) city = `London`;  
when(\\CPH\\) city = `Copenhagen`;  
otherwise;  
end;  
run;
```

Which one of the following is the value of the CITY variable?

- A. London
- B. Copenh
- C. Copenhagen
- D. ` ` (missing character value)

Correct Answer: B

QUESTION 10

The following SAS program is submitted:

```
proc freq data = sales; run;
```

Click the Exhibit button to view the output from the FREQ procedure.



The FREQ Procedure

Table of Region by Product

Region	Product			
Frequency				
Percent				
Row Pct				
Col Pct	Boot	Sandal	Slipper	Total
Africa	8	8	8	24
	12.70	12.70	12.70	38.10
	33.33	33.33	33.33	
	38.10	38.10	38.10	
Asia	2	2	2	6
	3.17	3.17	3.17	9.52
	33.33	33.33	33.33	
	9.52	9.52	9.52	
Canada	5	5	5	15
	7.94	7.94	7.94	23.81
	33.33	33.33	33.33	
	23.81	23.81	23.81	
Pacific	6	6	6	18
	9.52	9.52	9.52	28.57
	33.33	33.33	33.33	
	28.57	28.57	28.57	
Total	21	21	21	63
	33.33	33.33	33.33	100.00

Which one of the following statements completes the program and produces the output?

- A. tables region product
- B. tables region * product
- C. tables product region;
- D. tables product * region;

Correct Answer: B

QUESTION 11

The following SAS program is submitted:

```
proc means data = sasuser.shoes;
where product in ('Sandal', 'Slipper', 'Boot');
```



run;

Which one of the following ODS statements completes the program and sends the report to an HTML file?

- A. ods html = `sales.html`;
- B. ods file = `sales.html`;
- C. ods file html = `sales.html`;
- D. ods html file = `sales.html`;

Correct Answer: D

QUESTION 12

The following SAS program is submitted:

```
data work.test;
Author = `Agatha Christie`;
First = substr(scan(author,1,\' \')1,1);
run;
```

Which one of the following is the length of the variable FIRST in the output data set?

- A. 1
- B. 6
- C. 15
- D. 200

Correct Answer: D

QUESTION 13

The SAS data sets WORKEMPLOYEE and WORKSALARY are shown below:

```
WORK.EMPLOYEE WORK.SALARY
fname age fname salary
Bruce 30 Bruce 25000
Dan 40 Bruce 35000
Dan 25000
```




The following SAS program is submitted:

```
data work.empdata;
```

```
by fname;
```

```
totsal + salary;
```

```
run;
```

Which one of the following statements completes the merge of the two data sets by the ENAME variable?

- A. merge work.employee work.salary (fname = name);
- B. merge work.employee work.salary (name = fname);
- C. merge work.employee work.salary (rename = (fname = name));
- D. merge work.employee work.salary (rename = (name = fname));

Correct Answer: D

QUESTION 14

In the following SAS program, the input data files are sorted by the NAMES variable:

```
libname temp SAS-data-library\;
```

```
data temp.sales;
```

```
merge temp.sales
```

```
work.receipt;
```

```
by names;
```

```
run;
```

Which one of the following results occurs when this program is submitted?

- A. The program executes successfully and a temporary SAS data set is created.
- B. The program executes successfully and a permanent SAS data set is created.
- C. The program fails execution because the same SAS data set is referenced for both read and write operations.
- D. The program fails execution because the SAS data sets on the MERGE statement are in two different libraries.

Correct Answer: B



QUESTION 15

The SAS data set SASUSER.HOUSES contains a variable PRICE which has been assigned a permanent label of "Asking Price".

Which one of the following SAS programs temporarily replaces the label "Asking Price" with the label "Sale Price" in the output?

- A. `proc print data = sasuser.houses; label price = "Sale Price"; run;`
- B. `proc print data = sasuser.houses label; label price "Sale Price"; run;`
- C. `proc print data = sasuser.houses label; label price = "Sale Price"; run;`
- D. `proc print data = sasuser.houses label = "Sale Price"; run;`

Correct Answer: C

[Latest A00-201 Dumps](#)

[A00-201 Exam Questions](#)

[A00-201 Braindumps](#)