

100% Money Back Guarantee

Vendor: IBM

Exam Code: A2090-463

Exam Name: Assessment: IBM InfoSphere Guardium - Assessment

Version: Demo

QUESTION 1

Which consideration is true for a Vulnerability Assessment (VA) deployment?

- A. Collectors running VA cannot also perform database monitoring.
- B. Each collector can run up to 20 Vulnerability Assessments simultaneously.
- C. S-TAP must be running on the database server before VA is run for a database on that server.
- D. There is a need to create an account with appropriate privileges on the database for VA to work.

Correct Answer: D

QUESTION 2

Which Guardium appliance cannot be managed?

- A. S-TAP
- B. Collector
- C. Aggregator
- D. Central manager

Correct Answer: D

QUESTION 3

When planning the deployment for Data Activity Monitoring (DAM) there is a need to determine the location of the various Guardium solution components (I.e. Agents, appliances). Which statement is correct?

- A. S-TAP agents need to reside in the same data center the aggregators reside in.
- B. Collectors can report to aggregators that are located in data centers other than their own.
- C. Collectors can reside anywhere in the customer network regardless of database server location.
- D. Aggregators need to reside in the same data center the collectors that report to them (Aggregator) reside.

Correct Answer: B

QUESTION 4

When sizing a Vulnerability Assessment solution, what is the recommendation for calculating the number of collectors needed?

- A. One collector for every 30K PVU.
- B. One collector for every data center.
- C. One collector for every 35 database servers.
- D. One collector for every 255 database instances.

Correct Answer: D

QUESTION 5

What are the mechanisms used by UNIX S-TAP to capture database traffic?

- A. K-TAP, A-TAP, and PCAP
- B. K-TAP, LHMON, and PCAP
- C. PCAP, DB2TAP, and K-TAP
- D. A-TAP, Shared Memory Driver, and K-TAP

Correct Answer: A

QUESTION 6

Which parameter should be used to enable K-TAP flex loading through GIM?

- A. KTAP_ENABLED set to "1"
- B. KTAP_LIVE_UPDATE set to "Y"
- C. KTAP_FAST_FILE_VERDICT set to "1"
- D. KTAP_ALLOW_MODULE_COMBOS set to "Y"

Correct Answer: D

QUESTION 7

Before uninstalling A-TAP, which procedure must be done?

- A. K-TAP must be unloaded using guard_ktap_loader.
- B. A-TAP must be deactivated on all database instances.
- C. The Guardium group must be removed from the server.
- D. The sniffer must be stopped on the Guardium appliance.

Correct Answer: B

QUESTION 8

Which guard_tap.ini parameter should be used to set the virtual IP of a Microsoft SQL Server cluster environment?

- A. tap_ip
- B. sqlguard_ip
- C. alternate_ips
- D. connect_to_ip

Correct Answer: C

QUESTION 9

What statement is true regarding policy push down?

- A. Policy push down pushes a classification process into S-TAP for Z on IMS.
- B. Policy push down allows ZSecure to push policies into the Guardium appliance.
- C. Policy push down allows the Guardium appliance to identify sensitive objects inside the DB2 database.
- D. Policy-push-down enables policy push down of collected profiles, collection activation, and collection inactivation from the Guardium appliance.

Correct Answer: D

QUESTION 10

What is the correct way to stop a UNIX S-TAP that was installed with a non-GIM installer?

- A. Use the Stop S-TAP button in the S-TAP Control window.
- B. Find the S-TAP Process ID and terminate with kill -9 command.
- C. Comment the U-TAP section of /etc/inittab, followed by the init q command.
- D. Under the Modules parameter in the Central Manager, set STAP_ENABLED = 0 for the appropriate S-TAP.

Correct Answer: C

QUESTION 11

Which appliance type(s) can serve as a Guardium host for S-TAPs?

- A. A collector only.
- B. Collectors and Aggregators only.
- C. Collectors and standalone Central Managers.
- D. All appliance types can accept S-TAP connections.

Correct Answer: A

QUESTION 12

In the Session level entity, how many UID Chain attribute(s) are there?

- A. 1 - UID Chain
- B. 2 - UID Chain & UID Chain Compressed
- C. 3 - UID Chain, UID Chain Compressed & UID Chain Expanded
- D. 4 - UID Chain, UID Chain Compressed, UID Chain Expanded & UID Chain for z/OS

Correct Answer: B

QUESTION 13

What is the main command line utility to control and configure A-TAP on all platforms?

- A. guardctl
- B. guard-atap-ctl
- C. guard-ktap-ctl
- D. guard-executor-32

Correct Answer: A

QUESTION 14

What is the documented procedure for handling delayed cluster disk mounting?

- A. Manually restart the S-TAP process after mounting the database server directory.
- B. Configure the wait_for_db_exec parameter in the guard_tap.ini with an appropriate delay.
- C. Ensure that the S-TAP process is started only after the database installation directory is available.
- D. There is no special procedure, S-TAP can automatically detect when the database directory becomes available.

Correct Answer: B

QUESTION 15

Which GIM component controls starting and stopping managed agents on UNIX?

- A. gim_client.pl
- B. guardium_stap
- C. guard_supervisor
- D. guard_ktap_loader

Correct Answer: C

QUESTION 16

What is the correct way to stop S-TAP that is managed by GIM?

- A. Uninstall S-TAP.
- B. Use kill -9 on S-TAP process.
- C. Comment S-TAP entry in /etc/inittab.
- D. Set STAP_ENABLED to "0" in GIM parameters.

Correct Answer: D

QUESTION 17

Where are DB2 z audit rules stored?

- A. Collection profiles

- B. CICS audit profiles
- C. Group audit profiles
- D. VSAM audit profiles

Correct Answer: A

QUESTION 18

Which ports are used by UNIX S-TAP?

- A. 9500 TCP (unencrypted) and 8075 TCP (encrypted)
- B. 16016 TCP (unencrypted) and 16018 TCP (encrypted)
- C. 9500 TCP (unencrypted) and 8075 UDP (heartbeat signal)
- D. 16016 TCP (unencrypted) and 16018 UDP (hearbeat signal)

Correct Answer: B

QUESTION 19

Which mechanism is used to intercept DB2 and Informix shared memory traffic on all UNIX platforms except Linux?

- A. TEE
- B. PCAP
- C. A-TAP
- D. K-TAP

Correct Answer: D

QUESTION 20

What is the purpose of K-TAP flex load in Linux installations?

- A. Allows upgrade of the K-TAP module without requiring a reboot of the host operating system.
- B. Give the system administrator the ability to stop traffic interception by manually unloading the K- TAP module.
- C. Allows installation of K-TAP module with closest match in cases where an exact kernel match is not available.
- D. Allows the system administrator to upgrade the K-TAP module directly from GIM interface on Central Manager.

Correct Answer: C

QUESTION 21

Which statement about Configuration Audit System (CAS) is true?

- A. It does not support windows platform.
- B. It supports running operating system shell scripts.
- C. It does not support monitoring of file permissions (rwxrwxrwx).
- D. It supports vulnerability assessment tests using observed behavior.

Correct Answer: B

QUESTION 22

What is the primary purpose of Group Builder?

- A. To update vulnerability assessment rules.
- B. To trigger compliance workflow automation.
- C. To adapt to the dynamic needs of the business.
- D. To associate policy rules with audit process results.

Correct Answer: C

QUESTION 23

What query change requires the report portlet to be regenerated?

- A. Main entity
- B. Query fields
- C. Runtime parameters
- D. Timestamp attributes

Correct Answer: C

QUESTION 24

In a rule definition, what DB User field value would test for a blank database user name in the traffic?

- A. %
- B. NULL
- C. guardium://empty
- D. Leaving the field blank

Correct Answer: C

QUESTION 25

The policy has an extrusion rule with action of 'Log Extrusion Counter' when a credit card number is returned by the query. The inspection engine is configured with:

'Log Records Affected' **checked**
'Inspect Returned Data' **checked**
'Max Hits per returned Data' = **64**

Query 'select credit_card from TABLE1 where customer_id in (1,2,3);' returns a total of 120 records with 10 credit cards returned in each network packet. What is expected result for SUM(Returned Data Count) from Full SQL domain for this query?

- A. 0
- B. 12
- C. 74
- D. 120

Correct Answer: D

QUESTION 26

An audit workflow process may contain any number of audit tasks. Which is NOT a valid audit task?

- A. a privacy set
- B. a policy process
- C. a security assessment
- D. a classification process

Correct Answer: B

QUESTION 27

When creating a new report there is a need to choose a main entity. There are six levels in the entity hierarchy for the access domain. Which of the following represents the correct hierarchy order (top to bottom)?

- A. SQL, Client/Server By Session, Application Event, Command, Object, Field

- B. Command, Object, SQL, Field, Client/Server By Session, Application Event
- C. Object, Command, SQL, Field, Client/Server By Session, Application Event
- D. Client/Server By Session, Application Event, SQL, Command, Object, Field

Correct Answer: D

QUESTION 28

How does the database entitlement information get pulled into the Guardium appliance?

- A. DB Entitlement Reports use the LDAP Domain feature to create links between the LDAP data on the selected database with the internal data of the predefined entitlement reports.
- B. DB Entitlement Reports use the Custom Domain feature to create links between the external data on the selected database with the internal data of the predefined entitlement reports.
- C. DB Entitlement Reports use the Access Domain feature to create links between the accessed data on the selected database with the internal data of the predefined entitlement reports.
- D. DB Entitlement Reports use the Security Assessment Domain feature to create links between the user data on the selected database with the internal data of the predefined entitlement reports.

Correct Answer: B

QUESTION 29

What does 'sample size' parameter of classification process define?

- A. How many tables in the database should be evaluated by the process.
- B. How many rows in each table of the database should be evaluated by the process.
- C. How many columns in each table of the database should be evaluated by the process.
- D. What percent of the column in each table of the database should be evaluated by the process.

Correct Answer: B

QUESTION 30

A query that is used by a correlation alert, is run at 23:59 for time period between 00:00 and 23:59 of that day, produces these results:

Time	Counter of accesses
01:15	6
03:45	1
07:10	1
11:10	5
12:50	2

A correlation alert is configured with:
run frequency = 120 min;
accumulation interval = 120 min;
notification interval = 120 min;
threshold is evaluated per line and value is ≥ 2

How many alerts were sent during that day, if first time alerter ran the query at 01:00 and anomaly detection is configured with polling interval of 30 minutes?

- A. 0
- B. 2
- C. 3
- D. 5

Correct Answer: B

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !


- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.