

100% Money Back Guarantee

Vendor: IBM

Exam Code: A2150-563

Exam Name: IBM Tivoli Directory Integrator V7.1

Version: Demo

QUESTION NO: 1

Which three platforms support IBM Tivoli Directory Integrator V7.1? (Choose three.)

- A. AIX
- B. HP/UX
- C. Android
- D. OS/400
- E. System z
- F. Mac OS X

Answer: A,B,E

QUESTION NO: 2

Which three IBM Tivoli Directory Integrator V7.1 components can be used in an AssemblyLine? (Choose three.)

- A. Script
- B. Compiler
- C. Connector
- D. Protocol Bridge
- E. Lexical Analyzer
- F. Function Component

Answer: A,C,F

QUESTION NO: 3

Which two statements are true for the IBM Tivoli Directory Integrator V7.1 Entry Object? (Choose two.)

- A. It analyzes and correlates events.
- B. It can represent a single database row.
- C. It acts as a client to a connected system.
- D. It can be manipulated directly from Hook scripts.
- E. It is used to encode a byte stream during read and write operations.

Answer: B,D

QUESTION NO: 4

Which two IBM Tivoli Directory Integrator V7.1 components are used to control AssemblyLine flow? (Choose two.)

- A. Else Branch
- B. Attribute Map
- C. Fail-over Node
- D. Connector Loop
- E. Aggregator Loop

Answer: A,D

QUESTION NO: 5

Which statement is true for the Action Manager?

- A. It updates the Work Entry.
- B. It can send an Initial Work Entry to an AssemblyLine.
- C. It is a command line utility used for importing certificates.
- D. It executes rules that are configured using the Administration and Monitoring Console.

Answer: D

QUESTION NO: 6

AssemblyLines can be monitored using which two methods? (Choose two.)

- A. System Store
- B. Changelog Connectors
- C. Server mode Connectors
- D. command line utility tdisrvctl
- E. Administration and Monitoring Console

Answer: D,E

QUESTION NO: 7

What is the unit of work in IBM Tivoli Directory Integrator V7.1?

- A. Project
- B. Connector
- C. System Store
- D. AssemblyLine

Answer: D

QUESTION NO: 8

What is a valid component in an AssemblyLine?

- A. Script
- B. Method
- C. Procedure
- D. Subroutine

Answer: A

QUESTION NO: 9

What are two different ways to start an AssemblyLine (AL) with parameters from another AL? (Choose two.)

- A. AssemblyLine Parser
- B. AssemblyLine Launcher
- C. AssemblyLine Connector
- D. AssemblyLine Loop Component
- E. AssemblyLine Function Component

Answer: C,E

QUESTION NO: 10

Which two statements are true about an AssemblyLine (AL)? (Choose two.)

- A. An AL with an empty Feed section can do work.
- B. An AL must have at least one component in the Flow section.
- C. All ALs run in sequence, each one starting when the previous one shuts down.

- D. The Recycle Execution mode ensures that an AL is re-launched if it terminates.
- E. The Feed section acts like a loop and cycles the Flow section components once for each available entry.

Answer: A,E

QUESTION NO: 11

Which two statements are true about one AssemblyLine (AL1) starting another AssemblyLine (AL2) in IBM Tivoli Directory

Integrator V7.1 (TDI)? (Choose two.)

- A. Both ALs can run at the same time.
- B. Both ALs must be part of the same TDI Project.
- C. Both ALs must be running on the same TDI Server.
- D. The Task Call Block is used to pass in parameters and data.
- E. If AL2 is started using script calls then it runs at a higher priority.

Answer: A,D

QUESTION NO: 12

Which two statements are true regarding a Task Call Block (TCB)? (Choose two.)

- A. It is used for deleting an entry in Delete mode.
- B. It is used by a caller to set a number of parameters for an AssemblyLine (AL).
- C. It contains information about AL exceptions and error codes.
- D. It is a Search (criteria) object used by ALs and Connectors to specify a generic search criteria.
- E. It can provide a list of input or output parameters specified by an AL, including operation codes defined in theOperations tab of the AL.

Answer: B,E

QUESTION NO: 13

Which two options are available in AssemblyLine (AL) settings? (Choose two.)

- A. view AL statistics

- B. select the Property Store to use
- C. configure Null Behavior at the AL level
- D. define default error handling for the AL
- E. set the AL pool size when Server mode is in use

Answer: C,E

QUESTION NO: 14

What is an Initial Work Entry?

- A. It logs information about an initial error code.
- B. It is an entry passed to an AssemblyLine when it is started.
- C. It is the first entry retrieved from the Connector in Iterator mode.
- D. It is used during initialization of the Administration and Monitoring Console.

Answer: B

QUESTION NO: 15

A company's business requirements state that real-time changes must be synchronized from an IBM LDAP directory to an RDBMS database. Which Connector is required to feed data in to the AssemblyLine?

- A. JNDI Connector
- B. FileSystem Connector
- C. LDAP Server Connector
- D. IBM Tivoli Directory Server Change Log Connector

Answer: D

QUESTION NO: 16

Which connector type must be used to access an LDAP LDIF file?

- A. JNDI Connector
- B. LDIF Connector
- C. LDAP Connector

D. File System Connector

Answer: D

QUESTION NO: 17

Which Connector mode can be used in the AssemblyLine Feed section?

- A. Delta
- B. Iterator
- C. Updat
- D. AddOnly

Answer: B

QUESTION NO: 18

Where does the Delta Engine store the snapshots it takes of data being iterated?

- A. Work Entry
- B. Conn Object
- C. System Store
- D. System Queue

Answer: C

QUESTION NO: 19

Which statement is true for Server mode?

- A. It is similar to the Delta mode.
- B. It can be used in the Flow Section of the AssemblyLine.
- C. It is used to play back a recorded AssemblyLine execution.
- D. It binds to some resource (like an IP port), accepts client connections, processes incoming data, and returns a response to the client.

Answer: D

QUESTION NO: 20

What are two uses for a Server mode Connector? (Choose two.)

- A. to implement a web service
- B. to intercept LDAP bind requests
- C. to run AssemblyLines in Simulation mode
- D. to run multiple AssemblyLines simultaneously
- E. to enable First Failure Data Capture in AssemblyLines

Answer: A,B

QUESTION NO: 21

Which statement is true for the CallReply mode?

- A. It is available for all Connectors.
- B. It can only be used in Feed section Connectors.
- C. It gives access to both Input and Output Attribute Maps.
- D. It is designed to wait for an incoming event, dispatch a thread dealing with the event, and send a reply back to the originator.

Answer: C

QUESTION NO: 22

What are two supported modes for the HTTP Server Connector? (Choose two.)

- A. Delta mode
- B. Server mode
- C. Iterator mode
- D. AddOnly mode
- E. CallReply mode

Answer: B,C

QUESTION NO: 23

Which statement is true for the built-in script variable main?

- A. It is used in script calls to launch AssemblyLines.
- B. This variable is not defined when scripting in Hooks.
- C. It is interchangeable with another built-in script variable named server.
- D. It references the computer system hosting IBM Tivoli Directory Integrator V7.1.

Answer: A

QUESTION NO: 24

The built-in script variable system is used to do which three operations? (Choose three.)

- A. retrieve a property value
- B. format or parse date strings
- C. prematurely exit a loop or branch
- D. start an AssemblyLine in debug mode
- E. query metadata from a connected system
- F. start an AssemblyLine in manual/cycle mode

Answer: A,B,C

QUESTION NO: 25

The built-in script variable task is used for which two operations? (Choose two.)

- A. writing log messages
- B. controlling the AssemblyLine object
- C. querying and changing property settings
- D. starting AssemblyLines with initial data values
- E. queuing AssemblyLine execution with the Task Scheduler

Answer: A,B

QUESTION NO: 26

Which two statements are true for the built-in script variable current? (Choose two.)

- A. It holds the attributes mapped by the Output Map.
- B. It will return the current date/time as a java.util.Date object.
- C. It is not available in Hook Flow until after the lookup operation.
- D. It is passed between AssemblyLine components in order to detect changes.
- E. It is used by the Compute Changes feature to determine if a write operation is necessary.

Answer: C,E

QUESTION NO: 27

Which two statements are true for IBM Tivoli Directory Integrator V7.1 (TDI)? (Choose two.)

- A. TheC, Eproject <Runtime> subfolder stores solution.properties.
- B. Each Eclipse Configuration Editor (C, E) project is stored as a single file on disk.
- C. The Eclipse Project Framework used in TDI V7.1 is the same as used in TDI V6.x.
- D. Configuration XML files made using TDI V6 can be imported into a TDI V7.1 project.
- E. AssemblyLines, Resource Components, and Properties are stored in individual files on disk.

Answer: D,E

QUESTION NO: 28

How can older XML configuration files be imported into the IBM Tivoli Directory Integrator V7.1 (TDI) Configuration Editor (C, E)?

- A. drag the XML file directly into the TDIC, E
- B. copy the XML file into the Solution Directory
- C. import using the tdisrvctl command line utility
- D. import using the File > Open Directory Integrator Configuration File menu

Answer: D

QUESTION NO: 29

Which two statements are true about saving the Configuration file in IBM Tivoli Directory Integrator V7.1 (TDI)? (Choose two.)

- A. The Configuration XML file must be regularly updated using the Project > Export option.

- B.** Configuration XML files created and edited using TDI V7.1 can be imported and run by TDI V6.x.
- C.** The Configuration XML file contains all project assets needed to describe TDI V7.1 AssemblyLines.
- D.** Unlike TDI V6.x, individual AssemblyLine and component files for a project are loaded separately onto a TDI V7.1 Server.
- E.** The Configuration XML file is updated by the Configuration Editor when the user saves their work or runs an AssemblyLine.

Answer: C,E

QUESTION NO: 30

Which two statements are true for IBM Tivoli Directory Integrator V7.1 (TDI)? (Choose two.)

- A.** TDI supports all components available in TDI V6.x.
- B.** Properties files created and edited using V6.x are compatible with TDI V7.1.
- C.** A Configuration Editor (C, E) project Runtime-<project> subfolder stores global.properties.
- D.** The Eclipse Project Framework used in TDI facilitates team development and source management.
- E.** The EclipseC, Estores workbench organization and preference information in the Configuration XML file.

Answer: B,D

QUESTION NO: 31

Which two modes can the Derby RDMS be run in as the System Store for IBM Tivoli Directory Integrator V7.1? (Choose two.)

- A.** Client
- B.** Server
- C.** Cached
- D.** Networked
- E.** Embedded

Answer: D,E

QUESTION NO: 32

What can be used as the System Queue in IBM Tivoli Directory Integrator V7.1?

- A. MySQL
- B. IBM DB2
- C. Apache Derby
- D. IBM Websphere MQ

Answer: D

QUESTION NO: 33

Which statement is true about the System Queue Connector in IBM Tivoli Directory Integrator V7.1?

- A. It cannot use Secure Socket Layer.
- B. It can use any JDB, Ccompliant system.
- C. It supports only Iterator mode and Add Only mode.
- D. Having one instance of the Connector write to a queue while another instance reads from the same queue causes errors.

Answer: C

QUESTION NO: 34

Which two statements are true for the System Store in IBM Tivoli Directory Integrator V7.1 (TDI)? (Choose two.)

- A. It automatically backs up the TDI server.
- B. It can be read and modified directly using Connectors.
- C. Any LDAP directory can be used as the TDI System Store.
- D. All data in the System Store can be retrieved as properties.
- E. Multiple AssemblyLines can access the System Store simultaneously.

Answer: B,E

QUESTION NO: 35

Which IBM Tivoli Directory Integrator V7.1 component can be added to EasyETL?

- A. Connector
- B. Switch-Case
- C. Connector Loop
- D. Function Component

Answer: A

QUESTION NO: 36

Which two Connector modes are available for use in EasyETL? (Choose two.)

- A. Delete
- B. Iterator
- C. Lookup
- D. AddOnly
- E. Call/Reply

Answer: B,D

QUESTION NO: 37

Which two Delta tags are valid for an IBM Tivoli Directory Integrator Attribute value? (Choose two.)

- A. Add
- B. Delete
- C. Modify
- D. Replace
- E. Unchanged

Answer: A,B

QUESTION NO: 38

Which component consumes Delta Entries?

- A. connectors in Update mode
- B. Change Detection Connectors
- C. LDIF and DSMLv2 Parser when reading
- D. connectors in Iterator mode with enabled Delta Engine

Answer: A

QUESTION NO: 39

Which two statements are true about the Delta Engine feature in IBM Tivoli Directory Integrator V7.1? (Choose two.)

- A. Delta operation codes will modify the data values in certain situations.
- B. Delta operation codes can be assigned to entries, their attributes, and their values.
- C. Delta Engine snapshots are removed by default when the AssemblyLine terminates.
- D. Attributes are tagged with delta operation codes only if the entry is tagged as Modify.
- E. The Change Detection connector for Active Directory provides change information at the Attribute value level.

Answer: B,D

QUESTION NO: 40

Which two Connectors offer control when changes are committed? (Choose two.)

- A. JDB, CConnector
- B. LDAP Connector
- C. System Store Connector
- D. Command Line Connector
- E. AssemblyLine Function Component

Answer: A,C

QUESTION NO: 41

What are two valid Connector modes in IBM Tivoli Directory Integrator V7.1? (Choose two.)

- A. Delta
- B. Client
- C. Server
- D. Replace
- E. Read-Only

Answer: A,C

QUESTION NO: 42

Which Connector mode provides Add and Mod options in its Attribute Map?

- A. Delete
- B. Modify
- C. Update
- D. Lookup

Answer: C

QUESTION NO: 43

By default, when does a Connector initialize?

- A. whenever a parameter changes
- B. when the AssemblyLine starts up
- C. the first time the Connector is used
- D. at the start of each AssemblyLine cycle

Answer: B

QUESTION NO: 44

The On Multiple Entries Hook is applicable for which three Connector modes? (Choose three.)

- A. Delete
- B. Iterator
- C. Update
- D. Lookup
- E. AddOnly
- F. CallReply

Answer: A,C,D

QUESTION NO: 45

Messages can be logged using which two scripted method calls? (Choose two.)

- A. rs.logmsg()
- B. task.logmsg()
- C. main.logmsg()
- D. conn.logmsg()
- E. system.logmsg()

Answer: B,C

QUESTION NO: 46

Which two are AssemblyLine Hooks? (Choose two.)

- A. On No Match
- B. Prolog-After Init
- C. On End of Cycle
- D. On Start of Cycle
- E. On Connection Lost

Answer: B,D

QUESTION NO: 47

What two method calls write the contents of the Work Entry to the log? (Choose two.)

- A. al.dumpEntry(work);
- B. task.dumpEntry(work);
- C. conn.dumpEntry(work);
- D. main.dumpEntry(work);
- E. parser.dumpEntry(work);

Answer: B,D

QUESTION NO: 48

Which two statements are true for Null Behavior? (Choose two.)

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.