

Exam : A6030-041

Title : Assessment: Programming  
with IBM Enterprise PL/I

Version : DEMO

www.Pass4itSure.com

1.What is the result, if any, of executing the following code? DCL A BIT(1) INIT('0'B); DCL B BIT(1) INIT('0'B); DCL C BIT(1) INIT('1'B); A = B ! C;  
A.The value of A is '0'B  
B.The value of A is '1'B.  
C.The value of A is unpredictable.  
D.There is no result, because the syntax is wrong.

**Correct:B**

2.What does BX.WOK.LOAD refer to in the following job control statement? //ACCOUNT DD DSN=BX.WOK.LOAD,DISP=SHR  
A.It is the connection between program and dataset.  
B.It is the physical dataset name.  
C.It is the logical dataset name.  
D.It is the name which must be referred to in the program.

**Correct:B**

3.What will be printed when the following subroutine is called for the third time? A : PROC; DCL X PIC '9' INIT(0); X = X + 1; PUT SKIP LIST ('THE VALUE OF X IS :!!X); X = X + 1; END A;  
A.THE VALUE OF X IS :1  
B.THE VALUE OF X IS :2  
C.THE VALUE OF X IS :3  
D.THE VALUE OF X IS :5

**Correct:A**

4.Given the following code, with what attribute should the variable EOF be declared? DO WHILE(^EOF);  
A.FIXED BIN (7)  
B.BIT (1) C.CHAR  
(1) D.FIXED DEC

(3) **Correct:B**

5.Which is the most appropriate code to turn all of the bits in A ON? DCL A BIT(8);  
A.A = 255;  
B.A = '11111111'B;  
C.A = 11111111B;  
D.A = -1;

**Correct:B**

6.What changes should be made, if any, to the following code? DCL A CHAR(100) BASED(P); DCL P PTR; READ FILE(DDIN) INTO(A);  
A.READ FILE(DDIN) SET(A);  
B.READ FILE(DDIN) INTO(P);  
C.READ FILE(DDIN) SET(P);  
D.No changes necessary because the code is correct.

**Correct:C**

7.What is the value of B after executing the following code? DCL A CHAR(10) VAR; DCL B BIN FIXED(31) INIT(0); DCL C CHAR(5) INIT('ABCD'); A = C; B = LENGTH(A);  
A.10

B.7

C.5

D.4

**Correct:C**

8.Which of the following is a BIN FIXED constant?

A.'1000'

B.1E+03

C.1000

D.1000B

**Correct:D**

9.Which of the following is NOT a valid method to activate a BEGIN block?

A.A condition is signaled and the BEGIN block is a component of the corresponding ON unit.

B.Sequential program flow approaches the BEGIN block.

C.The BEGIN block is labeled and a GOTO addresses this label.

D.The BEGIN block is labeled and a CALL addresses this label.

**Correct:D**

10.Which is the most appropriate data type declaration for the variable A in the following expression, if A is used as a counter? A = A + 1;

A.CHAR

B.BIN FIXED

C.FLOAT

D.PIC

**Correct:B**

11.Given the following code, what SELECT code is NOT equivalent? DCL (C, W, V) CHAR (1); ...  
SELECT (C); WHEN ('A', 'B') PUT ('1'); WHEN ('C') PUT ('2'); WHEN (W) PUT ('3'); WHEN (V) PUT ('4');  
OTHER PUT ('0ther'); END;

A.SELECT (C); WHEN ('C') PUT ('2'); WHEN ('A', 'B') PUT ('1'); WHEN (W) PUT ('3'); WHEN (V) PUT ('4');  
OTHER PUT ('0ther'); END;

B.SELECT (C); WHEN ('A', 'B') PUT ('1'); WHEN ('C') PUT ('2'); WHEN (V) PUT ('4'); WHEN (W) PUT ('3');  
OTHER PUT ('0ther'); END;

C.SELECT (C); WHEN ('B', 'A') PUT ('1'); WHEN ('C') PUT ('2'); WHEN (W) PUT ('3'); WHEN (V) PUT ('4');  
OTHER PUT ('0ther'); END;

D.SELECT (C); WHEN ('A') PUT ('1'); WHEN ('B') PUT ('1'); WHEN ('C') PUT ('2'); WHEN (W) PUT ('3');  
WHEN (V) PUT ('4'); OTHER PUT ('0ther'); END;

**Correct:B**

12.Which of the following describes when a program is NOT FETCHABLE?

A.When the main program need not be recompiled to reflect the changes made in the called program

B.When the called program will be loaded from the library at execution time

C.When the called program is part of the main program in the load module

D.When two main programs referring to the called program at the same time cannot have different versions of the called program

**Correct:C**

13.Which is the impact, if any, of LIKE in the following code? DCL 1 XY, 2 A CHAR(4), 2 B BIN  
FIXED(31); DCL 1 YZ LIKE XY;

- A.XY.A is always the same as YZ.A.
- B.YZ is exactly the same structure as XY but with its own storage.
- C.YZ is based on the structure XY.
- D.There is no impact, because LIKE is a syntax error.

**Correct:B**

14.What is the most appropriate data type for a variable that is being used to represent numeric data in a printable form and at the same time can be used to perform arithmetic?

- A.BIN FIXED
- B.DEC FIXED
- C.CHAR
- D.PICTURE

**Correct:D**

15.What is the most appropriate declaration for the variable A? A = 'ABCDEF';

- A.DCL A BIN FIXED(15);
- B.DCL A CHAR(6);
- C.DCL A DEC FIXED (15,3);
- D.DCL A PIC '999999';

**Correct:B**

16.Which of the following would NOT access the third element of A? DCL 1 XY(5), 2 A(4) CHAR(4);

- A.XY(1,3).A
- B.XY.A(1,3)
- C.XY(1).A(3)
- D.XY(3).A(1)

**Correct:D**

17.Given the following code, what can be said about the scope of the variables in procedure P? P: PROCEDURE; B: BEGIN; DCL K FIXED BIN (15); END B; D: DO; DCL S CHAR (10); END D; END P;

- A.Variable S is known in the entire procedure.
- B.Variable K is known in the entire procedure.
- C.Variable S is not known in block B.
- D.Variable K is known in group D.

**Correct:A**

18.What will be output by the following program? TEST: PROC OPTIONS(MAIN); DCL A CONTROLLED FIXED BIN(31); ALLOC A; ALLOC A; CALL SUB(A); PUT SKIP LIST( ALLOCN(A) ); SUB: PROC( B ); DCL B CONTROLLED FIXED BIN(31); FREE B; ALLOC B; ALLOC B; FREE B; ALLOC B; END; END;

- A.2
- B.3
- C.4
- D.5

**Correct:B**

19.What is the value of A after executing the following code? DCL A CHAR(6) INIT ('ABCDEF'); DCL B CHAR(10) INIT ('0123456789'); A = SUBSTR(B,5,3);

- A.'456 '
- B.' 456'

C.'456DEF'

D.'ABC456'

Correct:A

20.What does the following code do, if anything? `RELEASE U;`

A.Release the memory used by the program U

B.Reloads the program U into the memory

C.Closes the file U

D.Nothing because there is a syntax error.

Correct:A

[www.Pass4itSure.com](http://www.Pass4itSure.com)

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

### One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



### Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.