



AAPC-CPC^{Q&As}

Certified Professional Coder (CPC) Exam

Pass AAPC AAPC-CPC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/aapc-cpc.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by AAPC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When a patient has ESRD, which system is affected?

- A. Cardiovascular
- B. Neurologic
- C. Respiratory
- D. Genitourinary

Correct Answer: D

QUESTION 2

Patient is diagnosed with dacryocystitis, which is the inflammation of?

- A. Cornea
- B. Fingernail
- C. Eardrum
- D. Lacrimal sac

Correct Answer: D

QUESTION 3

A 4-year-old, critically ill child is admitted to the PICU from the ED with respiratory failure due to an exacerbation of asthma not manageable in the ER. The PICU provider takes over the care of the patient and starts continuous bronchodilator therapy and pharmacologic support with cardiovascular monitoring and possible mechanical ventilation support.

What is the E/M code for this encounter?

- A. 99285
- B. 99475
- C. 99291
- D. 99471

Correct Answer: B

QUESTION 4



A 6-French sheath and catheter is placed into the coronary artery and is advanced to the left side of the heart into the ventricle. Ventriculography is performed using power injection of contrast agent. Pressures in the left heart are obtained. The coronary arteries are also selected and imaged.

What CPT?code is reported?

- A. 93460
- B. 93454
- C. 93456
- D. 93458

Correct Answer: D

QUESTION 5

A 60-year-old male suffering from degenerative disc disease at the L3-L4 and L5-S1 levels was placed under general anesthesia. Using an anterior approach, the L3-L4 disc space was exposed. Using blunt dissection, the disc space was cleaned. The disc space was then sized and trialed. Excellent placement and insertion of the artificial disc at L3-L4 was noted. The area was inspected and there was no compression of any nerve roots. Same procedure was performed on L5-S1 level. Peritoneum was then allowed to return to normal anatomic position and entire area was copiously irrigated. The wound was closed in a layered fashion. The patient tolerated the discectomy and arthroplasty well and was returned to recovery in good condition. What CPT?coding is reported for this procedure?

- A. 22857 x 2
- B. 22857, 22860
- C. 22857
- D. 22899

Correct Answer: B

QUESTION 6

View MR 099405 MR 099405

CC: Shortness of breath

HPI: 16-year-old female comes into the ED for shortness of breath for the last two days.

She is an asthmatic.

Current medications being used to treat symptoms is Advair, which is not working and breathing is getting worse. Does not feel that Advair has been helping. Patient tried Albuterol for persistent coughing, is not helping. Coughing 10-15

minutes at a time. Patient has used the Albuterol 3x in the last 16 hrs. ED physician admits her to observation status.

ROS: No fever, no headache. No purulent discharge from the eyes. No earache. No nasal discharge or sore throat. No swollen glands in the neck. No palpitations. Dyspnea and cough. Some chest pain. No nausea or vomiting. No



abdominal

pain, diarrhea, or constipation.

PMH: Asthma

SH: Lives with both parents.

FH: Family hx of asthma, paternal side

ALLERGIES: PCN-200 CAPS. Allergies have been reviewed with child's family and no changes reported.

PE: General appearance: normal, alert. Talks in sentences. Pink lips and cheeks. Oriented.

Well developed. Well nourished. Well hydrated.

Eyes: normal. External eye: no hyperemia of the conjunctiva. No discharge from the conjunctiva

Ears: general/bilateral. TM: normal. Nose: rhinorrhea. Pharynx/Oropharynx: normal. Neck:

normal.

Lymph nodes: normal.

Lungs: before Albuterol neb, mode air entry b/l. No rales, rhonchi or wheezes. After Albuterol neb. improvement of air entry b/l. Respiratory movements were normal. No intercostals inspiratory retraction was observed.

Cardiovascular system: normal. Heart rate and rhythm normal. Heart sounds normal. No murmurs were heard.

GI: abdomen normal with no tenderness or masses. Normal bowel sounds. No hepatosplenomegaly

Skin: normal warm and dry. Pink well perfused

Musculoskeletal system patient indicates lower to mid back pain when she lies down on her back and when she rolls over. No CVA tenderness.

Assessment: Asthma, acute exacerbation

Plan: Will keep her in observation overnight. Will administer oral steroids and breathing treatment. CXR ordered and to be taken in the morning.

What E/M code is reported?

A. 99221

B. 99284

C. 99285

D. 99222

Correct Answer: B

QUESTION 7



A patient with a history of chronic venous embolism in the inferior vena cava has a radiographic study to visualize any abnormalities. In outpatient surgery the physician accesses the subclavian vein and the catheter is advanced to the inferior vena cava for injection and imaging. The supervision and interpretation of the images is performed by the physician.

What codes are reported for this procedure?

- A. 36000, 75825-26
- B. 36010, 75827-26
- C. 36010, 75825-26
- D. 36000, 75827-26

Correct Answer: C

QUESTION 8

A patient with malignant lymphoma is administered the antineoplastic drug Rituximab 800 mg and then 100 mg of Benadryl. Which HCPCS Level II codes are reported for both drugs administered intravenously?

- A. J9312 x 80, J1200 x 2
- B. J9312, J1200
- C. J9312, Q0163
- D. J9312 x 80, 00163 x 2

Correct Answer: D

QUESTION 9

An elderly patient comes into the emergency department (ED) with shortness of breath. An ECG is performed. The final diagnosis at discharge is impending myocardial infarction.

According to ICD-10-CM guidelines, how is this reported?

- A. I20.0
- B. R06.02
- C. I20.0, R06.02
- D. I21.3, R06.02

Correct Answer: B

QUESTION 10



In rhinoplasty:

- A. The nose is reconstructed
- B. The brow is reconstructed
- C. The lips are reconstructed
- D. The chin is reconstructed

Correct Answer: A

QUESTION 11

Eric is buying his first life insurance policy from XYZ Life Insurance Company. The company requires Eric have a physical exam prior to issuance of the policy. Eric sees his primary care provider who completes the required documentation and forms provided by the insurance company.

How does the primary care provider report his services?

- A. 99499
- B. 99455
- C. 99456
- D. 99450

Correct Answer: D

QUESTION 12

A 5-year-old who has an allergy history experienced a possible reaction to peanuts. A quantitative, high-sensitive fluorescent enzyme immunoassay was used to measure specific IgE for recombinant peanut components. Results showed there was no reaction indicating the child has a peanut allergy.

What lab test is reported?

- A. 86001
- B. 86008
- C. 86003
- D. 86005

Correct Answer: B

QUESTION 13

A Medicare patient is scheduled for a screening colonoscopy. What code is reported for Medicare?



- A. G0106
- B. G0121
- C. 45378
- D. G0105

Correct Answer: D

QUESTION 14

A 60-year-old male has three-vessel disease and supraventricular tachycardia which has been refractory to other management. He previously had pacemaker placement and stenting of LAD coronary artery stenosis, which has failed to solve the problem. He will undergo CABG with autologous saphenous vein and an extensive modified MAZE procedure to treat the tachycardia.

He is brought to the cardiac OR and placed in the supine position on the OR table. He is prepped and draped, and adequate endotracheal anesthesia is assured. A median sternotomy incision is made and cardiopulmonary bypass is initiated. The endoscope is used to harvest an adequate length of saphenous vein from his left leg. This is uneventful and bleeding is easily controlled. The vein graft is prepared and cut to the appropriate lengths for anastomosis. Two bypasses are performed: one to the circumflex and another to the obtuse marginal. The left internal mammary is then freed up and it is anastomosed to the ramus, the first diagonal, and the LAD. An extensive maze procedure is then performed and the patient is weaned from bypass. At this point, the sternum is closed with wires and the skin is reapproximated with staples. The patient tolerated the procedure without difficulty and was taken to the PACU.

Choose the procedure codes for this surgery.

- A. 33533, 33257, 33519, 33508
- B. 33535, 33259, 33519, 33508
- C. 33533, 33257-51, 33519-51, 33508-51
- D. 33535, 33259 51, 33519-51, 33508-51

Correct Answer: A

QUESTION 15

The procedure is performed at an outpatient radiology department. From a left femoral access, the catheter is placed in the abdominal aorta and is then selectively placed in the celiac trunk and manipulated up into the common hepatic artery for an abdominal angiography. Dye is injected, and imaging is obtained. The provider performs the supervision and interpretation.

What CPT?codes are reported?

- A. 36246, 75716-26
- B. 36246, 75726-26
- C. 36246, 75635-26



D. 36246, 75741-26

Correct Answer: B

[Latest AAPC-CPC Dumps](#)

[AAPC-CPC VCE Dumps](#)

[AAPC-CPC Exam
Questions](#)