



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/b2c-commerce-architect.html>

2024 Latest pass4itsure B2C-COMMERCE-ARCHITECT PDF and VCE dumps

Download

# B2C-COMMERCE-ARCHITECT<sup>Q&As</sup>

Salesforce Certified B2C Commerce Architect

## Pass Salesforce B2C-COMMERCE-ARCHITECT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/b2c-commerce-architect.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





## QUESTION 1

An Order Management System (OMS) handles orders from multiple brand specific sites, as part of the processing, the OMS sends the processing detail to be added at notes to the orders in B2C Commerce. These processing details are captured temporarily in custom objects, and are later processed by a batch Job that:

1.

Processes the custom object to extract theorderid and note data.

2.

Tries to load the order.

3.

If the order is not found, it deletes the custom object and moves on.

4.

If the order is found, it updates notes In the Order, upon successful update of this order, it deletes the custom object.

There is an Issue reported that the job is constantly failing and custom objects are growing in number. On investigating the production look the message below is being logged on each failure:

```
Processing of custom object 1xoskncjdw687769 failed for order 500000001 and has an associated
replacement order 100000001. Exception details:
com.demandware.core.quota.QuotaLimitExceededException: Limit for quota 'object.OrderPO.relation.notes'
exceeded. Limit is 1000, actual is 1001. at
com.demandware.core.quota.QuotaExceededException.throwLimitExceed(QuotaExceededException.java:21) at
com.demandware.core.quota.QuotaImpl.handleHardLimitViolation(QuotaImpl.java:333) at
```

What are three solution TheArchitect can take to fix this issue without losing meaningful data? Choose 3 answers

A. Take the backup of the Order as XML and delete the Order to ensure on the next job run, the custom objects are getting processed.

B. Using BM site import/export, soften the warn to make sure that neither order notes are lost and custom object is processed.

C. Take the backup of the custom object and delete the custom object to ensure onthe next job run the custom objects are getting processed.

D. Engage B2C Commerce Support Team to soften the quota limit for '\\object.OrderPO.relation.notes\\'

E. Take the backup of the Order as XML and delete the notes from Order to ensure on the next job run the custom objects are getting processed.

Correct Answer: BDE



## QUESTION 2

The following promotions are configured with no exclusivity (can be combined with any other promotion) in a -1month campaign:

1.

Free correct- in -store shipping

2.

20% accessories products discount, applies for all customers

3.

\$5 off coupon based discount, sent to a selected group of customers

The combination of above promotions allows customers to get 16 socks for free in store. This was unintended, and the Client is considering disabling the coupon. The Client is concerned about a potential spike in the number of Call Center

calls from customers who had the coupon code added to their baskets before it was disabled. As basket lifetime is set to 30 days for all customers, this can continue for the full length of the campaign.

What solution should the Architect suggest to keep the Call Center calls to a minimum?

- A. Disable the coupon code. Clear the production cache from the Business Manager to clear existing baskets.
- B. Disable the coupon code. Email all the customers to not use the coupon code in their baskets.
- C. Disable the coupon code. Restart the production instance from control Center to clear existing baskets.
- D. Disable the coupon code. Reduce the basket lifetime in Business Manager to expire some of the existing baskets

Correct Answer: D

## QUESTION 3

An Architect is configuring a data replication schedule.

Which task(s) can be removed in order to reduce replication times?

- A. Campaign
- B. Static content
- C. Storefront URLs
- D. Search Indexes

Correct Answer: D



#### QUESTION 4

During a technical review, the Client raises a need to display product pricing on the Product Detail Page (PDP) with discounted values per promotion. The Client notes customers complained of bad user experiences in the past when they would add a product to the basket from the cached PDP and then see a higher price when they started checkout as the promotion had expired.

What should the Architect suggest be implemented for this given that performance should be minimally impact?

- A. Remove caching of the product page during the promotion.
- B. Adjust the PDP to have a low caching period during the promotion.
- C. Modify the page to vary the cache by price and promotion.
- D. Create a separate template or view based on the promotion.

Correct Answer: C

#### QUESTION 5

A client has a single site with multiple domains, locales, and languages. After launch, there is a need for the client to perform offline maintenance. The client would like to show the same maintenance page for each locale. Which version of aliases,Json file below will accomplish this task?

- A. 

```
{
  "nto.net": "www.ntonet.net",
  "nto.eu": "www.nton.eu",
  "nto.event.eu": "www.nton.eu"
}
```
- B. 

```
{
  "www.nton.eu": "www.nton.eu"
}
```
- C. 

```
{
  "nton.eu": "www.nton.eu",
  "nton.at": "www.nton.at",
  "nton.de": "www.nton.de"
}
```
- D. 

```
{
  "nton.eu": "www.nton.eu",
  "nton.at": "www.nton.eu",
  "nton.de": "www.nton.eu"
}
```

A. Option A

B. Option B



C. Option C

D. Option D

Correct Answer: D

---

### QUESTION 6

The Client is Crowding and decided to migrate its ecommerce website to B2C Commerce. The Client provided the Architect with the f metrics for its existing website over the past 12 months and forecasted into the next year:

<b>Average visits per hour</b>	500
<b>Peak visits per hour</b>	1000
<b>Average page views per hour</b>	10000
<b>Peak page views per hour</b>	20000
<b>Average orders per hour</b>	100
<b>Peak orders per hour</b>	250
<b>Average items per order</b>	2.1
<b>Average order value</b>	300 USD
<b>Expected growth percentage</b>	300

Noting these historical metrics and the forecasted growth of 300%, which load test targets meet best practices for testing the new B2C Commerce site?

- A. 15000 visits per hour, 300000 page views per hour, and 3750 orders per hour
- B. 150000 visits per hour, 3000000 page views per hour, and 37500 orders per hour
- C. 1500 visits per hour, 30000 page views per hour, and 375 orders per hour
- D. 3000 visits per hour, 60000 page views per hour, and 750 orders per hour

Correct Answer: C

---

### QUESTION 7

A B2C Commerce developer has recently completed a tax service link cartridge integration into a new SHU site. During review, the Architect notices the basket calculation hook is being run multiple times during a single tax call. What is the reason for the duplicate calculations being run?

- A. The tax cat is being called multiple times.
- B. The LINK cartridge is included multiple times in the cartridge path.
- C. There are multiple hook.js files referring to the same hook.
- D. The checkout is designed to recursively refer to the same hook.



Correct Answer: A

---

### QUESTION 8

The client provided these business requirements:

1.

The B2C Commerce storefront will integrate with the client's Order Management System (OMS).

2.

The storefront will provide real-time order export of successfully pieced orders. The OMS supports both web service export and SFTP batch order export, but the client has expressed concern about the availability of the OMS. Which two solutions satisfy the requirements and address the OMS reliability concern? Choose 2 answers

- A. Implement a live export of orders during checkout via web service, marking the processed order as exported when the AM returns successfully.
- B. Implement a batch export of orders to SFTP, excluding exported orders. This runs as a scheduled job with a high-frequency run rate and marks processed orders as exported upon success.
- C. Implement a batch export of orders via web service, excluding exported orders. This runs as a scheduled job with an hourly run rate and marks processed orders as exported upon success.
- D. Implement a live export of orders during checkout via SFTP, marking the processed order as exported when it has completed successfully.

Correct Answer: AB

---

### QUESTION 9

During a review of the most recent release notes, the Architect finds that Salesforce has deprecated an API that is used throughout the site. After reviewing the deprecated API usage in Business Manager, the Architect narrows down the usage of that API to a particular LINK integration cartridge. The cartridge was integrated when the site was first launched and is heavily customized for the Client.

What is the recommended way for the Architect to remove the deprecated API so the LINK integration continues to work without interruptions, and lowest level of effort?

- A. The Architect should update all the deprecated API calls in the already integrated LINK cartridge and test thoroughly.
- B. The Architect does not need to do anything at this time, the API will continue to work with no issues for the foreseeable future.
- C. The Architect should check to see if the LINK cartridge has been updated already, integrate it, apply the customizations, and test thoroughly.
- D. The Architect should contact the company that created the LINK cartridge to fix the issue and provide the client with updated code.



Correct Answer: C

---

### QUESTION 10

The storefront integrates with a REST based Address verification service (AVS) that uses token based security. The sequence of calls in the API documentation for this AVS looks like the following

1.  
Client authentication call, which contains the merchantId and secret in a GET request and returns a token in the response.

2.  
Address verification call, which contains the token and the address to verify in a POST request.

Once the token is obtained, it is valid for hours and it is not needed to request a new one for subsequent address verification calls, the AVS charges for every request made no matter if it is client authentication call or address verification call.

Which three strategies could be applied to allow for efficient use of the service without compromising security? Choose 3 answers

- A. Apply page caching to the client authentication controller that is used with AJAX.
- B. Obtain the token from local storage of the browser and update it once it expires.
- C. Obtain the token from a custom cache before making the client authentication call.
- D. Use HTTPService caching for the client authentication call.
- E. Use a job to store and update the token in a custom object that is used from the storefront code

Correct Answer: ACD

---

### QUESTION 11

A Retailer has a single storefront site and a Product Management System (PIM). The PIM is generating the master catalog and storefront categorization catalog every day and it is uploading them to SFTP. How should the Architect configure the import job flows following the best practices?

- A. 1st flow is global to download the files from SFTP. 2nd flow is global to import the master catalog. 3rd flow is global to import the storefront catalog.
- B. 1st flow is global to download the files from SFTP. 2nd flow is global to import the storefront catalog. 3rd flow is global to import the master catalog.
- C. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to import the master catalog. 3rd flow is global to import the storefront catalog.
- D. 1st flow is assigned to the site to download the files from SFTP. 2nd flow is assigned to the site to import the



storefront catalog 3rd flow It global to Import themaster catalog.

Correct Answer: A

---

#### QUESTION 12

The Client plans to deploy a new payment provider and Order Management System on its existing B2C Commerce website. They have asked an Architect to advise which environment it should use to conduct load testing of its new integrations.

Which environment should be used as the ideal environment for this kind of load test?

- A. The Development Instance of a rental Realm.
- B. The Development Instance of the existing Realm.
- C. The Production instance of the existing Realm.
- D. The Production Instance of a rental Realm.

Correct Answer: D

---

#### QUESTION 13

During code review, the Architect found that there is a service call on every visit of the product detail woe (PDP).

What best practices should the Architect ensure are followed for the service configuration? Choose 2 answers

- A. Circuit breaker is enabled.
- B. Service timeout is set.
- C. Service mock up call is configured.
- D. Service logging is disabled.

Correct Answer: AB

---

#### QUESTION 14

An Architect has been asked by the Business to integrate a newpayment LINK cartridge. As part of the integration, the Architect has created four new services to access various endpoints in the integration. How can the Architect move the new services to Production when the integration is ready for launch?

- A. The new services will be moved to Production with a Data Replication.
- B. The new services will be moved to production with a Site Import.





- C. The new services must be manually exported from staging and Imported into Production.
- D. The new services will be moved to Production with a Code Replication.

Correct Answer: C

---

#### QUESTION 15

During implementation, the team found that there is a notification controller exposed for an external service that marks the order as paid when notification is received. The notification URL is sent to the service together with the payment request and contains only the URL with orderID as the parameter.

What should the Architect recommend to the team in order to prevent the unauthorized usage of the controller to mark the orders as paid?

- A. Add a customer number in the callback URL and match the customer number against the one stored on the order.
- B. Add HTTPS restriction to the controller start node.
- C. Add an order token in the callback URL and match the token against the one stored on the order.
- D. Add a session attribute and validate it on the callback.

Correct Answer: C

[B2C-COMMERCE-ARCHITECT VCE Dumps](#)

[B2C-COMMERCE-ARCHITECT Study Guide](#)

[B2C-COMMERCE-ARCHITECT Exam Questions](#)