



C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is Compose for etcd used to store?

- A. Messaging data
- B. Key/value pair data
- C. Data in JSON documents
- D. Data in a relational schema

Correct Answer: B

QUESTION 2

What is the limit to the number of catalog assets in Watson Studio?

- A. 10,000
- B. 500,000
- C. Unlimited
- D. 1,000,000

Correct Answer: C

QUESTION 3

What response type needs to be used in the exposed IBM Cloud Function REST API if it uses path parameters?

- A. Text
- B. JSON
- C. HTTP
- D. JavaScript

Correct Answer: B

QUESTION 4

Which statement describes an IBM Cloud bare metal server?

- A. It is a dedicated single-tenant server
- B. It can only run non-virtualized workloads



- C. It cannot be customized after it is provisioned
- D. It is provisioned with preset compute options

Correct Answer: B

QUESTION 5

In IBM Cloud Kubernetes Service, what is used to declare all of the components of an application and its dependencies?

- A. Module
- B. Node
- C. Replica
- D. Deployment

Correct Answer: D

QUESTION 6

Which two methods are considered safe under HTTP specification for RESTful APIs?

- A. GET
- B. PUT
- C. HEAD
- D. POST
- E. PATCH

Correct Answer: AC

QUESTION 7

Which statement is true when selecting a microservices runtime platform?

- A. A DevOps capability is not necessary, as microservices are inherently independent and loosely coupled
- B. Infrastructure as a Service (IaaS) platforms abstract and remove operating system dependencies.
- C. A microservices oriented Platform as a Service (PaaS) enforces that all microservices are scaled together.
- D. An ideal Platform as a Service (PaaS) provides the necessary capabilities and building blocks to associate metadata, policies, and correlate inter-service calls.

Correct Answer: A



QUESTION 8

What is the purpose of using pull requests to manage changes to a git repository?

- A. It supports code review and enhances collaboration.
- B. It is a faster way to update a repository than a direct push.
- C. It prevents developers from making different changes to the same file.
- D. It keeps change sets small so that they can be completed and tested quickly.

Correct Answer: A

QUESTION 9

At the completion of creating a new custom Watson Visual Recognition model, which value is received that will be used to run new images against the model?

- A. api_id
- B. api_key
- C. classifier_id
- D. classifier_key

Correct Answer: C

QUESTION 10

Which cf command scales an IBM Cloud Foundry application horizontally?

- A. \$ cf scale myApp
- B. \$ cf scale myApp - i 5
- C. \$ cf scale myApp - m 1G
- D. \$ cf scale myApp - k 512M

Correct Answer: B

QUESTION 11

Which statement describes the immutability of data on blockchain?

- A. Data can only be modified by an administrator



- B. It is not possible to modify business data through transactions
- C. No participant can tamper with a transaction after it has been recorded to the ledger.
- D. All data is encrypted using a one-way hashing algorithm. Therefore, changing stored data is impossible.

Correct Answer: B

QUESTION 12

Which Docker component specifies interfaces that programs can use to talk to the daemon and instruct it what to do?

- A. Images
- B. Engine
- C. Registry
- D. Services

Correct Answer: A

QUESTION 13

Which external social identity provider can be used with the App ID service?

- A. Yahoo userIDs
- B. Twitter userIDs
- C. Facebook userIDs
- D. Social Fixer userIDs

Correct Answer: D

QUESTION 14

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment . Using the Delivery Pipeline, two Deploy stages were created, one called "DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed with the following error:

"The route myapp.mybluemix.net is already in use"

Which command in the Deploy script for the DeployToProd stage can fix the error?



A. Option

```
cf push "${CF_APP}"
```

B. Option

```
cf push "${CF_APP}" --no-manifest
```

C. Option

```
cf push "${CF_APP}" -h my-prod-app
```

D. Option

```
cf push "${CF_APP}" --random-route
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 15

In IBM Cloud Kubernetes Service, what must be done to protect against failure of an availability zone?

- A. Set up a multi zone cluster
- B. Set up another cluster in the zone
- C. Set up a new pod in a new node in the zone
- D. Set up a load balancer to the multiple pods

Correct Answer: A

[C1000-007 VCE Dumps](#)

[C1000-007 Practice Test](#)

[C1000-007 Exam Questions](#)