



C2040-423^{Q&As}

IBM WebSphere Portal 8.5 Solution Development

Pass IBM C2040-423 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2040-423.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Sam wants to create a portlet that uses a custom portlet mode that is not defined in the JSR 286 specification.

After implementing the correct methods, what additional step must he do to use a custom portlet mode?

- A. Add the custom portlet mode to the portlet deployment descriptor.
- B. Add a resource bundle to the portlet that has the name of the custom portlet mode.
- C. Configure the portlet after installation to map the custom portlet mode to the server- defined portlet mode.
- D. Enable the specific custom portlet mode at the container level by setting the correct property in the resource environment provider.

Correct Answer: A

QUESTION 2

Kathy wants to override a dynamic content spot configuration to her custom theme. What will be the best way to achieve this without using XMLAccess?

- A. Make the configuration change in the resource environment provider in the IBM WebSphere Integrated Solutions Console.
- B. Download the theme. html file from WebDAV, make changes there, and upload it back to WebDAV.
- C. Set the theme metadata parameter key with the appropriate key/value pair in WebDAV.
- D. Enable the theme. custom.metadata attribute with the value true in the WebSphere Integrated Solutions Console.

Correct Answer: D

If you are accessing federated documents through the personalization editor, click `wp.federated.documents.pzn.vaultselection.enabled`. To enable credential vaults slots, set the value to true, or, to disable credential vault slots, set the value to

false. By default, the value is true.

If you are accessing federated documents through the rich text editor in Web Content Manager, click `wp.federated.documents.wcm.vaultselection.enabled`. To enable credential vaults slots, set the value to true, or, to disable credential vault

slots, set the value to false.

By default, the value is true.

QUESTION 3

Which two options are valid uses of the XML Configuration interface? (Choose two.)



- A. Install a portlet.
- B. Clone a skin module.
- C. Delete a shared library.
- D. Back up an IBM WebSphere Portal server configuration.
- E. Export all property files from a WebSphere Portal server.

Correct Answer: DE

QUESTION 4

Given the following module configuration, what value for the Resource Environment provider key my. module, acti ConfigService would make this module available?