



C2090-645^{Q&As}

IBM Cognos 10 BI Multidimensional Author

Pass IBM C2090-645 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2090-645.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Consumers want a report to compare the revenue and quantity sold for all product lines in a selected quarter, to the same quarter for the previous year. They also want to see the total for periods, up to and including the quarter selected.

| Revenue | 2007 Q 1 | 2007 Q 1 Quantity Sold | Year-to-Period Totals | 2006 Q 1 | 2006 Q 1 Quantity Sold | Previous Year- to-Period Totals |
|-----------------------------|----------------|------------------------------|--------------------------|----------------|------------------------------|------------------------------------|
| Camping Equipment | 145,500,143.05 | 2813697 | 145,500,143.06 | 115,850,547.01 | 2103163 | 115,850,547.01 |
| Personal Accessories | 183,948,790.24 | 3331872 | 183,948,790.24 | 131,719,858.12 | 2399328 | 131,719,858.12 |
| Outdoor Protection | 1,877,666.79 | 297715 | 1,877,666.79 | 2,401,247.98 | 401247 | 2,401,247.98 |
| Golf Equipment | 80,528,789.54 | 434472 | 80,528,789.54 | 57,612,872.82 | 339867 | 57,612,872.82 |
| Mountaineering Equipment | 59,768,978.05 | 1505126 | 59,768,978.06 | 36,539,741.14 | 851182 | 36,539,741.14 |

Which of the following dimensional functions could the report author use to create this report?

- A. Ancestor, currentMember, lead, total
- B. OpeningPeriod, order, quarter, FirstSibling
- C. Cousin, tuple, closingPeriod, aggregate
- D. ParallelPeriod, tuple, periodsToDate, aggregate

Correct Answer: D

QUESTION 2

What kind of authoring style uses the filter function?

- A. Relational
- B. Conformed
- C. Dimensional
- D. DMR

Correct Answer: C

QUESTION 3

A data source has a Time hierarchy, a Products hierarchy, and a Retailers hierarchy. What are the preferred techniques the report author would use to focus reports for this type of a data source?




- A. Dimensional functions and slicers
- B. Use Members directly
- C. Ancestors and descendants
- D. Detail filters and summary filters

Correct Answer: A

QUESTION 4

The dialog box shown appears when a report is run.



What should the report author do to correct the situation?

- A. Ask the modeler to rename the hierarchy to `\"[sales_and_marketing].[Products].[Products].[Products]\"`, and to republish the package.
- B. Modify the expression to change the `\"currentMember\"` function to `\"currentLevel\"`.
- C. Modify the expression to change the `\"currentMember\"` function to `\"currentHierarchy\"`.
- D. Modify the expression to `\"currentMember([sales_and_marketing].[Products].[Products])\"`.

Correct Answer: D

**QUESTION 5**

When must a report author use the caption function?

- A. As the first parameter of the roleValue function.
- B. To return the display name for the specified business key.
- C. To see the string display name for the specified element.
- D. To pass the returned value to a drill-through target report, this expects a matching string as a parameter value.

Correct Answer: D

QUESTION 6

The report author creates a source report that contains values from "Products" on which the report consumer will drill through for details. The report author has created a target report which expects a member from the source.

Is this a supported drill-through combination?

- A. Yes, this value-to-member drill-through is a supported combination.
- B. No, this value-to-member drill-through is not a supported combination.
- C. No, this member-to-value drill-through is not a supported combination.
- D. Yes, this member-to-value drill-through is a supported combination.

Correct Answer: B

QUESTION 7

The report author uses the filter function to focus data in a report, but the results are unexpected. What did the report author overlook when filtering the data?

- A. Relational detail
- B. Products hierarchy
- C. Report context
- D. Root levels

Correct Answer: C

QUESTION 8

What is a key difference between the total function and the aggregate function?



- A. The aggregate function can only summarize within a set, and the total function can accept separate members.
- B. The aggregate function is dimensional, and the total function is relational.
- C. The aggregate function will summarize only the current Measure, and the total function will summarize any specified measure.
- D. The aggregate function follows the rollup rules of the measure defined in the data source, and the total function adds the total of the specified measure.

Correct Answer: D

QUESTION 9

The following expression is used in a crosstab report: filter([sales_and_marketing].[Product brand].[Product brand].[Product brand type],[Revenue]