

# 100% Money Back Guarantee

**Vendor:** IBM

**Exam Code:** C2140-834

**Exam Name:** Object Oriented Analysis and Design - Part 2 (Design)

**Version:** Demo

### QUESTION 1

Which statement is true about elements within the subsystem and public visibility?

- A. Only the subset of elements that define the subsystems API should have public visibility.
- B. Only the subsystem proxy class should have public visibility.
- C. No elements inside the subsystem should have public visibility.
- D. Only the elements that reference external classes should have public visibility.

**Correct Answer:** C

### QUESTION 2

What are the two types of dependency that can be used from a subsystem? (Choose two.)

- A. <<uses>> dependency to a subsystem interface
- B. an <<import>> dependency to a package containing used classes
- C. a <<manifest>> relationship to a node in the Deployment model
- D. a <<realize>> relationship to one or more collaboration occurrences

**Correct Answer:** AB

### QUESTION 3

Which task is performed during use-case realization refinement?

- A. identify participating classes
- B. allocate responsibilities among classes
- C. model messages between classes
- D. model associated class relationships

**Correct Answer:** D

### QUESTION 4

Which statement is true about design subsystems?

- A. They partially encapsulate behavior.
- B. They represent an independent capability with clear interfaces.
- C. They model a single implementation variant.
- D. They can only contain design classes.

**Correct Answer:** B

### QUESTION 5

Given the following configuration: Package A, which contains class aClass is in the presentation layer. Package B, which contains a class bClass and an interface bInterface is in the business layer. Package C, which contains cClass is in the data layer. Which is a poor practice?

- A. aClass calls a method in bClass.
- B. aClass has an attribute of type cClass.
- C. aClass realizes bInterface.
- D. bClass realizes bInterface.

**Correct Answer:** B

### QUESTION 6

Which process document describes design mechanisms, any mappings between design mechanisms, and the details regarding their use?

- A. Software Architecture Document
- B. Design Guidelines
- C. Vision Document
- D. Software Development Plan

**Correct Answer:** C

**QUESTION 7**

In the state of a state machine, a behavior can be defined \_\_\_\_\_.

- A. before reaching a state
- B. upon reaching a state
- C. upon leaving a state
- D. inside a state

**Correct Answer:** BCD

**QUESTION 8**

What is a gate?

- A. a parameter that represents a message that crosses the boundary of an interaction or interaction fragment
- B. a defined protocol for accessing the internals of a subsystem
- C. a decision point in a state machine that has more than two alternatives
- D. a set of checkpoints each subsystem design must satisfy before it can be assigned for implementation

**Correct Answer:** A

**QUESTION 9**

When identifying design elements, a simple analysis class will map to a(n)\_\_\_\_\_.

- A. active class
- B. interface
- C. design class
- D. subsystem

**Correct Answer:** C

**QUESTION 10**

In which OOAD activity is the distribution mechanism identified?

- A. Identify Design Elements
- B. Identify Design Mechanisms
- C. Class Design
- D. Architectural Analysis

**Correct Answer:** B

**QUESTION 11**

Click on the exhibit button. In the diagram, what is E?

- A. fork
- B. initial state
- C. decision
- D. transition
- E. final state

- F. event
- G. state
- H. guard condition

**Correct Answer:** H

**QUESTION 12**

Identify Design Elements is part of which workflow detail?

- A. Define a Candidate Architecture
- B. Design Components
- C. Perform Architectural
- D. Refine the Architecture

**Correct Answer:** D

**QUESTION 13**

Click on the exhibit button. In the diagram, what is H?

- A. fork
- B. initial state
- C. decision
- D. transition
- E. final state
- F. event
- G. state
- H. guard condition

**Correct Answer:** A

**QUESTION 14**

What is the relationship between operation and method?

- A. The terms are synonymous.
- B. An operation describes how a method is implemented.
- C. A method describes how an operation is implemented.
- D. There is no relationship.

**Correct Answer:** C

**QUESTION 15**

Why would you use subsystem interfaces rather than subsystem instances on sequence diagrams?

- A. to make it easier to model subsystems during Subsystem Design
- B. to make use-case realizations easier to change
- C. to ease sequence diagram maintenance when message signatures change
- D. to reduce the number of classes needed to implement the subsystem

**Correct Answer:** B

**QUESTION 16**

Which is an input artifact to the Identify Design Elements activity?

- A. Deployment Model
- B. Implementation Model
- C. Reference Architecture

D. Software Architecture Document

**Correct Answer:** D

**QUESTION 17**

What is an important consideration when allocating processes to nodes?

- A. minimizing network traffic
- B. minimizing power consumption
- C. utilizing all available nodes
- D. physical distance between nodes

**Correct Answer:** A

**QUESTION 18**

Which type of mechanism is a connector on a deployment diagram?

- A. backup
- B. communication
- C. transaction
- D. computation

**Correct Answer:** B

**QUESTION 19**

A design mechanism \_\_\_\_\_.

- A. captures the key aspects of a solution in a way that is implementation-independent
- B. specifies the exact implementation of the mechanism and is bound to a certain technology, implementation language, or vendor
- C. is the same as a design pattern
- D. assumes some details of the implementation environment, but is not tied to a specific implementation

**Correct Answer:** D

**QUESTION 20**

When identifying interfaces during the Identify Design Elements activity, which statement is true?

- A. Classes should not realize an interface.
- B. Each subsystem realizes only one interface.
- C. Interfaces should be identified before subsystems are created.
- D. Interfaces should be packaged separately from the elements that realize them.

**Correct Answer:** D

**QUESTION 21**

Additional subsystems can be discovered during Use Case Design by noting \_\_\_\_\_.

- A. common subflows between objects on several sequence diagrams
- B. similar objects on several sequence diagrams
- C. a consistent series of state transitions for multiple classes involved in a use-case realization
- D. the same design classes involved in more than one use-case realization

**Correct Answer:** A

**QUESTION 22**

Which activities are performed during Use Case Design?

- A. converting analysis classes into design classes and design subsystems
- B. describing persistence-related behavior
- C. describing object interactions that implement interface operations
- D. simplifying sequence diagrams using design classes

**Correct Answer:** B

**QUESTION 23**

On a sequence diagram, what is used to represent a specific subsystem?

- A. an interface that the subsystem realizes
- B. a subsystem proxy
- C. a subsystem component
- D. a subsystem class

**Correct Answer:** C

**QUESTION 24**

Which UML elements are used to describe the physical architecture of a system?

- A. classes and relationships
- B. objects and messages
- C. subsystems and dependencies
- D. nodes and connectors

**Correct Answer:** D

**QUESTION 25**

Which artifact is used to describe use-case realizations?

- A. textual use-case descriptions
- B. communication diagrams
- C. state charts
- D. activity diagrams

**Correct Answer:** B

**QUESTION 26**

What defines a subsystems responsibilities?

- A. its internal class behavior
- B. the operations of the interfaces it implements
- C. the use-case realizations in which the subsystem appears
- D. the operations on a class contained within the subsystem

**Correct Answer:** B

**QUESTION 27**

Which is a design mechanism?

- A. Persistency
- B. ObjectStore Object-oriented Database
- C. Distribution
- D. Remote Method Invocation

**Correct Answer:** D

**QUESTION 28**

To begin identifying design mechanisms, you start by categorizing analysis mechanisms. What are three steps in the process of Categorizing Analysis Mechanisms? (Choose three.)

- A. identify characteristic profiles for each analysis mechanism
- B. identify the clients of each analysis mechanism
- C. assign a vendor implementation to each analysis mechanism
- D. group clients according to their use of characteristic profiles

**Correct Answer:** ABD

**QUESTION 29**

In Subsystem Design, what happens in the step, Distribute Subsystem Responsibilities?

- A. The subsystems responsibilities are allocated to its internal design elements.
- B. Each subsystem is checked to ensure it has a consistent set of responsibilities and inconsistent responsibilities are reassigned to other subsystems.
- C. Libraries and external APIs are identified to realize the subsystem behavior.
- D. Distribution mechanisms are detailed for exposing subsystem interfaces.

**Correct Answer:** A

**QUESTION 30**

Which entity has a well-defined boundary and identity that encapsulates state and behavior?

- A. class
- B. object
- C. component
- D. package

**Correct Answer:** B

**QUESTION 31**

What is the purpose of the Identify Design Mechanisms activity?

- A. to refine the analysis mechanisms and specify the exact implementation of the mechanism
- B. to provide a conceptual set of services that is used by analysis objects
- C. to refine analysis mechanisms into design mechanisms, based on the constraints imposed by the implementation environment
- D. to define design placeholders in the architecture so the architecting effort remains focused and is less likely to become sidetracked

**Correct Answer:** C

**QUESTION 32**

In a dependency, through what reference does the client class gain visibility to the supplier?

- A. local reference
- B. parameter reference
- C. global reference
- D. field reference

**Correct Answer:** ABC

**QUESTION 33**

In which Analysis and Design activity are subsystems mapped to analysis classes?

- A. Architectural Analysis

- B. Identify Design Elements
- C. Identify Subsystems
- D. Incorporate Existing Design Elements

**Correct Answer:** B

**QUESTION 34**

Which design element is used to represent a concurrent object?

- A. active class
- B. capsule
- C. design class
- D. event

**Correct Answer:** A

**QUESTION 35**

The Describe Distribution activity is where the processes defined in the Describe the Run-time Architecture activity are allocated to \_\_\_\_\_.

- A. physical nodes
- B. components
- C. classes
- D. activities

**Correct Answer:** A

**QUESTION 36**

During Subsystem Design, how many interaction diagrams (sequence or communication) should be created?

- A. at least one interaction diagram per interface operation
- B. one interaction diagram per interface realization
- C. at least one interaction diagram for each use of an external interface
- D. one interaction diagram for each realizing class

**Correct Answer:** A

**QUESTION 37**

A directed graph of nodes connected by transitions is a \_\_\_\_\_ diagram.

- A. communication
- B. sequence
- C. component
- D. state machine

**Correct Answer:** D

**QUESTION 38**

Click on the exhibit button. . In the diagram, what is F?

- A. fork
- B. initial state
- C. decision
- D. transition
- E. final state
- F. event



- G. state
- H. guard condition

**Correct Answer: F**

**QUESTION 39**

Use Case Design is part of which workflow detail?

- A. Design Use Cases
- B. Analyze Behavior
- C. Design Components
- D. Design Classes and Subsystems

**Correct Answer: C**

**QUESTION 40**

When does an analysis class map directly to a design class?

- A. when the analysis class uses the <entity> stereotype
- B. when the analysis class represents a single logical abstraction
- C. when the modeling tool supports transformation of Analysis Models to Design
- D. when an analyst has strong design skills

**Correct Answer: B**

**QUESTION 41**

What is a design subsystems primary purpose?

- A. provides configuration management and model organization
- B. encapsulates behavior
- C. packages similar design classes together
- D. represents external systems

**Correct Answer: B**

**QUESTION 42**

What is the purpose of subsystem design?

- A. finalizes the details of each interface implemented by the subsystems in an application
- B. breaks the system up into subsystems in order to allocate subsystems to development teams
- C. defines the behaviors specified in the subsystem's interfaces in terms of collaborations of contained design elements
- D. defines on which tier each subsystem will be implemented and the communication mechanisms used between them

**Correct Answer: C**

**QUESTION 43**

Click on the exhibit button. . In the diagram, what are C1 and C2?

- A. forks
- B. initial states
- C. decisions
- D. transitions
- E. final states
- F. events
- G. states

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

# Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.