



C2180-410^{Q&As}

IBM MQ V8.0, System Administration

Pass IBM C2180-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c2180-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

There is a requirement to create a development queue manager on AIX with authorization checks disabled.

How can a system administrator do this?

- A. Set environment variable MQSNOAUT=yes before creating the queue manager.
- B. Set SecurityPolicy=none on Service stanza in qm.ini file then start the queue manager.
- C. Start the queue manager with the MQSNOAUT environment variable set to "YES".
- D. Create the queue manager and then run the setmqaut command with the ?emove all attribute.

Correct Answer: A

QUESTION 2

A system administrator is planning to enable events when queue manager objects are created, changed or deleted.

Which events should the system administrator enable?

- A. Logger
- B. Performance
- C. Configuration
- D. Queue Manager

Correct Answer: C

QUESTION 3

An application puts a batch of messages onto a local queue for processing multiple times during the day. The system administrator needs to determine the size of the messages put to the queue. What type of monitoring does the system administrator need to enable and which value needs to be reviewed by the system administrator that indicates the size of the messages put?

- A. Enable queue accounting on the queue and review the PutBytes value.
- B. Enable queue statistics on the queue and review the PutMaxBytes value
- C. Enable queue statistics on the queue manager and review the MaxMsgLength.
- D. Configure application event monitoring on the queue and review the MaxMsgLength.

Correct Answer: C

**QUESTION 4**

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility (SMF).
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility (SMF) for the z/OS platform.

Correct Answer: C

QUESTION 5

A system administrator is planning to use IBM MQ V8.0 to process transactions requiring media and restart recovery. How can the system administrator implement this requirement?

- A. Create a queue manager with linear logging.
- B. Create a queue manager with circular logging
- C. Create a queue manager with the default options.
- D. Ensure that all queues for the application have the default persistence attribute enabled.

Correct Answer: B

QUESTION 6

In a network topology, a queue manager will have multiple clients connecting to a single server- connection channel by using a TCP client-connection channel. The channel must be configured so that an idle client does not stay connected. To support this topology, the system administrator should:

- A. set the KAINTE attribute on the client-connection channel.
- B. set the MRTMR attribute on the client-connection channel.
- C. set the HBINT attribute on the server-connection channel.
- D. set the DISCONT attribute on the server-connection channel.

Correct Answer: C

QUESTION 7



A system administrator was asked by an application team to find out when their queue manager running on IBM i System was started.

Which Command Language (CL) command should the system administrator run?

- A. DSPMQM
- B. DSPMQMQ
- C. DSPMQMSTS
- D. DSPMQMCSVR

Correct Answer: C

QUESTION 8

A system administrator has been given a task to install IBM MQ V8.0 on an AIX system which already has WebSphere MQ V7.5 on it. The system administrator wants to set a specific installation name for the second copy. How can the system administrator do this?

- A. Issue command `crtmqm -n`
- B. Issue command `setmqinst -n`
- C. Issue command `crtmqinst -n`
- D. Specify the installation name during the install when prompted.

Correct Answer: C

QUESTION 9

A user reports that the message was put to queue QUEUE1, but an application receives MQRC_NO_MSG_AVAILABLE when it tries to get the message.

Which command can the system administrator use to check both the current depth of QUEUE1 and whether there are uncommitted messages?

- A. `DISPLAY QUEUE (QUEUE1) ALL`
- B. `DISPLAY THREAD (*) TYPE (INDOUBT)`
- C. `DISPLAY QSTATUS (QUEUE1) TYPE (QUEUE) ALL`
- D. `DISPLAY QSTATUS (QUEUE1) TYPE (HANDLE) ALL`

Correct Answer: B

QUESTION 10



A new local queue named ACCOUNTQ has been created on queue manager QMA to be used by a client application. The application user is `appusr\` who will be required to browse and destructively read messages, and to query queue attributes. The MQ server runs on an AIX host.

Which command does a system administrator need to run?

A. setmqaut

Correct Answer: B

QUESTION 11

A system administrator needs to tune a SVRCONN channel for performance. Currently, the channel shared conversation attribute, SHARECNV, has the default value.

To ensure performance enhancement, including the V8.0 distributed server performance improvement, what value does the system administrator need to set the SHARECNV attribute to?

A. 0

B. 1

C. 20

D. 9999999999

Correct Answer: C

QUESTION 12

IBM MQ will be installed into a multi-instance queue manager environment. After defining the shared file system, the system administrator created the queue manager QMA on the first server. How can the system administrator create the second queue manager in order for it to be the standby instance?

A. Change the STANDBY option in the queue manager object to PERMITTED.

B. Use dspmqinf on the first server and addmqinf on the second server.

C. Use crtmqm with the option that allows the queue manager to be created as the standby.

D. Use crtmqm to create the queue manager on the second server and copy /var/mqm from the first server.

Correct Answer: A

[Latest C2180-410 Dumps](#)

[C2180-410 Practice Test](#)

[C2180-410 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.