



# C9010-030<sup>Q&As</sup>

IBM i Administration V1

**Pass IBM C9010-030 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c9010-030.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator has been directed to configure DDM using TCP/IP between two systems: "SYSTEM1" and "SYSTEM2". Both systems are in the site DNS. Applications on both systems require DDM access to files on the other system. The administrator has made sure that the Remote Database Directory has the \*LOCAL entry configured correctly on both systems.

What is additionally required so the communications will function correctly between the systems?

- A. Add a Remote Database Directory entry for the other system
- B. Add a host table entry for QDDMSERVER using address "LOOPBACK on each system
- C. Add a host table entry for the local system in its hosts table
- D. Change the "DDM Request Access" setting in the network attributes to QDDMSERVER

Correct Answer: A

---

**QUESTION 2**

An IBM i guest LPAR is hosted by another IBM i LPAR. The administrator wants to save the virtual storage spaces.

Which command is used to save the virtual storage spaces?

- A. SAVNWSSTG
- B. SAVDLO
- C. SAVUB \*NONSYS
- D. SAV

Correct Answer: D

---

**QUESTION 3**

Which statement is correct about installing system firmware on a single image system that has no HMC?

- A. The updates are concurrent when PowerVM Enterprise Edition is installed.
- B. The updates are always disruptive.
- C. The updates are concurrent when the firmware version stays the same.
- D. The updates are disruptive only when PowerVM Express is installed.



Correct Answer: B

---

#### QUESTION 4

An administrator is recovering a single image system after a crash. The administrator has placed the latest SAVSYS into the external SAS TS2900 LTO tape drive and performed a D-Mode IPL.

Why is the system failing to find the SAVSYS media?

- A. The TS2900 is an alternate installation device and requires an I\_BASE\_01 DVD in the alternate IPL device.
- B. The TS2900 requires Alternate IPL Enablement feature to boot the SAVSYS.
- C. The I\_BASE\_01 DVD must be loaded up to SST before a SAS tape device is recognized.
- D. The TS2900 is an alternate IPL device but not an alternate installation device.

Correct Answer: D

---

#### QUESTION 5

What is an advantage of creating and using customized distribution media from the GO LICPGM menu to install licensed programs on multiple systems in a network?

- A. Object conversion for "ALLUSR is not needed when installed on a different partition.
- B. This can be done with no interruption to users and jobs on the system.
- C. Performing a post-save of a system after upgrading the OS is no longer necessary.
- D. All installed PTFs are already included with the selected licensed programs.

Correct Answer: D

---

#### QUESTION 6

Specific Network Server Storage Spaces (NWSSTG) are being saved in order to be moved from one system to another. Both systems are running IBM i 7.2 The target system has never hosted any other type of system. What is required to successfully prepare the target system for the restore of the Network Storage Spaces from the system currently hosting the IPS?

- A. Run the INZNWSCFG command to initialize the target system for reloading the Network Server Description and the Network Server Storage Spaces
- B. Restore the Network Server Description, then restore the corresponding Network Server Storage Spaces
- C. Use the CRTNWSSTG command to create a small network storage space to set up the directory structure, then run the RST command to restore the storage spaces from the source system
- D. Run the RST DIR(QFPNWSSTG) OBJ(\*ALL) to restore the Network storage space description and spaces



Correct Answer: B

---

#### QUESTION 7

An administrator needs to secure a physical file that will have an exclusive lock by an application job. Which object-level security will allow adding and removing private authorities without causing downtime for the application?

- A. Private Authority
- B. Primary Group
- C. Owner
- D. Authorization list

Correct Answer: D

---

#### QUESTION 8

Which PTF type contains newly released PTFs that resolve severe issues that can impact IBM i operations?

- A. Immediate
- B. Cumulative
- C. HIPER
- D. Prerequisite

Correct Answer: C

---

#### QUESTION 9

An administrator on a POWER8 machine needs to create a second partition. It has only one physical Ethernet adapter. How can the administrator provide Ethernet connectivity to the second partition after creating a Virtual Ethernet adapter in both the Server partition and the Client partition1?

- A. In PowerVM, assign a Link Aggregation connection to the virtual partition via the Virtual Ethernet adapter.
- B. On the Server partition, set up a Bridge between the physical adapter and the Ethernet Server adapter.
- C. On the Client partition, bridge the Virtual Ethernet segment to a Line Description.
- D. On the Client partition, create a virtual bridge using the server adapter address and specifying a Bridge ID. On the Server partition, create a virtual bridge using the client adapter address and specifying the same Bridge ID.

Correct Answer: B

---

#### QUESTION 10



An administrator is installing a release upgrade using the automatic process. The LIC, base OS, and all licensed program products have installed except for 5770-SS1 option 3 (Extended Base Directory Support). What is necessary to complete the process and install 5770-SS1 option 3 assuming the system is still in a restricted state?

- A. Use the WRKPRB command and check for and correct any problems. Restart the install using the F8 key.
- B. Use the RSTLICPGM command specifying "SERVICE for the device type and choose 5770-SS1 option 3 from the list.
- C. Check QSYSOPR for a 5770-SS1 option 3 install messages Reply C\ to continue.
- D. Rom the GO LICPGM menu, select the option to Install Licensed Programs. Install 5770-SS1 option 3lo

Correct Answer: D

---

#### QUESTION 11

After performing a full system restore, an administrator reviews the system and determines that some \*CMD, \*PGM, \*SRVPGM, \*SQLPKG, and \*MODULE objects are missing from certain libraries. Which system value could cause the problem?

- A. Verify object on restore (GVFYOBJRST)
- B. Force conversion on restore (QFRCCVNRST)
- C. Allow user domain objects in libraries (QALWUSRDMN)
- D. Restore conversion (QRSTCVN)

Correct Answer: B

---

#### QUESTION 12

A system is configured with U.S. English as the primary language and Spanish as a secondary language. Where is the language specified when setting up a new user profile for a Spanish speaking user?

- A. The Language ID parameter in the user profile
- B. The Locale parameter in the user profile
- C. This user\'s QLANGID environment variable
- D. The Country ID parameter in the user profile

Correct Answer: C

---

#### QUESTION 13

Which product gives MacBook users 5250 emulation and allows for native spooled file copy to the laptop?

- A. IBM i Access for Windows using Wine on OS X



- B. IBM i Access for Windows running in a virtual machine running on OS X
- C. IBM i Access for OS X
- D. IBM i Access Client Solutions

Correct Answer: D

---

#### QUESTION 14

Which step is required before an upgrade to IBM i 7.2 from another supported version?

- A. Install the Technology Refresh PTF prior to the Cumulative and HIPER fix packages
- B. Install the 7.2 cumulative and group PTFs
- C. Ensure the system is ready for PTFs with an IPL to the "A" side
- D. Permanently apply all of the PTFs from the prior version of IBM i

Correct Answer: D

---

#### QUESTION 15

An administrator has noticed that the number of security audit journal receivers on the system is getting unmanageable.

How can the administrator adjust the journal to still capture and retain the required journal entries but generate fewer receivers?

- A. Change the security journal to delete journal receivers.
- B. Change the current journal receiver to a higher threshold value.
- C. Create a new security journal specifying the number of receivers to use.
- D. Create a new journal receiver setting the threshold to a higher value.

Correct Answer: B

[C9010-030 VCE Dumps](#)

[C9010-030 Practice Test](#)

[C9010-030 Brindumps](#)