



C_BW4HANA_27^{Q&As}

SAP Certified Application Associate - Reporting Modeling and Data Acquisition with SAP BW/4HANA 2.x

Pass SAP C_BW4HANA_27 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_bw4hana_27.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following methods supports the SAP HANA data virtualization approach with ODBC technology?

- A. SAP HANA smart data access
- B. SAP HANA smart data integration
- C. SAP Landscape Transformation Replication Server
- D. SAP Data Services

Correct Answer: A

QUESTION 2

Which objects can be affected by the key date in a BW query? Note: There are 2 correct answers to this question.

- A. Hierarchies
- B. Attributes
- C. Text variables
- D. Key figures

Correct Answer: AB

QUESTION 3

What must you do first if you need to define help cells for formulas in the cell editor?

- A. Define two formulas in a structure.
- B. Define two structures in a query.
- C. Define two selections in a structure.
- D. Reuse a structure in a second query.

Correct Answer: B

QUESTION 4

Which actions can you perform with an SAP HANA calculation view that has the DIMENSION data category assigned?

Note: There are 2 correct answers to this question.



- A. Join serveral tables.
- B. Define text joins.
- C. Persist master data.
- D. Aggregate measures.

Correct Answer: AB

QUESTION 5

What must you do to define an Inventory InfoProvider in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Select the All Characteristics are Key model property.
- B. Select the Unique Data Records model property.
- C. Assign at least one non-cumulative key figure.
- D. Assign at least one cumulative key figure.
- E. Select the Inventory model property.

Correct Answer: ADE

QUESTION 6

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.
- C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- D. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.

Correct Answer: A

QUESTION 7

What happens when you execute the Trigger Delta Merge operation for a given data target?

- A. The data from the delta queue is extracted and merged into the data target.
- B. The delta between the new data and the already loaded data is removed.



- C. Data is transferred from the delta store to the main store.
- D. The before and after images of the delta queues are merged.

Correct Answer: C

QUESTION 8

Which SAP BW/4HANA objects can keep persistent data? Note: There are 2 correct answers to this question.

- A. Key figure InfoObjects
- B. InfoSource
- C. Characteristics InfoObjects
- D. DataStore object (advanced)

Correct Answer: CD

QUESTION 9

What can you create within the SAP BW data flow object? Note: There are 2 correct answers to this question.

- A. InfoAreas
- B. Key figures
- C. InfoProviders
- D. Transformations

Correct Answer: CD

QUESTION 10

You need to combine master data (right table) and transactional data (left table) using a referential join. How will this referential join behave?

- A. It is executed as an inner join when NO fields from the right table are requested.
- B. It always returns all fields from the right table as a result data set.
- C. It is executed as an inner join when a description mapping is defined between the left table and the u right table.
- D. It returns a result data set if the left table has a corresponding entry on the right table.

Correct Answer: D

**QUESTION 11**

Which condition must you ensure if you want to replicate data based on a view with SAP Landscape Transformation Replication Server?

- A. View-based data result sets must be kept persistent first until data replication can take place.
- B. An SAP HANA source system must be defined to consume the view.
- C. Each table of the view requires a defined trigger to enable data replication.
- D. One table as part of the view has to be defined as primary table and is used to trigger data replication.

Correct Answer: B

QUESTION 12

Which variables types allow filter values to be determined based on the user's authorizations? Note: There are 2 correct answers to this question.

- A. Characteristic value variable
- B. Formula variable
- C. Hierarchy node variable
- D. Hierarchy variable

Correct Answer: AC

QUESTION 13

You loaded a 5 MB table from a source system to SAP BW/4HAN

- A. How do you explain that the size of the table is reduced to 1 MB?
- B. The target is defined as column store and a delta merge job was executed.
- C. The target is defined as row store and a delta merge job was executed.
- D. The target is defined as row store without delta merge execution.
- E. The target is defined as column store without delta merge execution.

Correct Answer: A

QUESTION 14

You identified a variable that is based on time characteristic OCALMONTH and returns the current quarter. Which offset do you need to retrieve the corresponding quarter of the previous year?



A. -12

B. -4

C. -1

D. -3

Correct Answer: A

QUESTION 15

You define a temporal condition for a temporal join in a calculation view. Which column data types are supported?

Note: There are 3 correct answers to this question.

A. Integer

B. Date

C. Decimal

D. Boolean

E. Timestamp

Correct Answer: ACE

[Latest C_BW4HANA_27 Dumps](#)

[C_BW4HANA_27 Practice Test](#)

[C_BW4HANA_27 Braindumps](#)