



C_TPLM30_66^{Q&As}

SAP Certified Application Associate - Enterprise Asset Management
(Maintenance & Repair) with SAP ERP 6.0 EHP6

Pass SAP C_TPLM30_66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/c_tplm30_66.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In order costing configuration, for what is the allocation structure used?

- A. To provide a method of consolidating costs in the Plant Maintenance Information System
- B. To allocate costs to a hierarchy of maintenance technical objects
- C. To determine the cost elements that are allowed in the plant maintenance order
- D. To determine the settlement receiving elements for costs debited to the order

Correct Answer: D

QUESTION 2

How can you maintain a distribution rule? (Choose two)

- A. Manually, prior to the first settlement
- B. Automatically, according to value categories in the order
- C. Manually, after the business completion for the order
- D. Automatically, based on a combination of Customizing and object master data

Correct Answer: AD

QUESTION 3

Your customer executes deadline monitoring (transaction IP30).

What happens after you insert additional call dates using the manual call function?

- A. The system restarts the maintenance plan.
- B. The system retains the normal scheduled call dates.
- C. The system fixes the next scheduled call date.
- D. The system reschedules all previous scheduled call dates.

Correct Answer: B

QUESTION 4

Your customer needs a maintenance order type for use with Test Equipment Management in a maintenance plan.

Which Customizing setting must you make for the order type?



- A. Assign an inspection lot to order type only.
- B. Create an order type for Test Equipment Management.
- C. Assign an inspection type to an order type with plant assignment.
- D. Create a plant for inspection lots.

Correct Answer: C

QUESTION 5

Which of the following components is included in SAP Solution Manager?

- A. SAP NetWeaver Business Warehouse
- B. Master data management
- C. Service Desk
- D. SAP NetWeaver Enterprise Search

Correct Answer: C

QUESTION 6

What step activates the Warranty subscreen as part of the equipment master data record?

- A. Setting the Master Warranty indicator in the equipment master data
- B. Setting the Use-in-Equipment indicator in the Master Warranty transaction
- C. Adding the Warranty subscreen in View Profiles for Technical Objects
- D. Adding the Warranty subscreen in the Object Information view of the equipment master data record

Correct Answer: C

QUESTION 7

You customize an order type to release orders immediately upon creation, and you assign the order type to a maintenance item.

How can a user override the automatic release of the order without creating a new order type?

- A. Select a maintenance planner group and set the Do Not Release Immediately indicator.
- B. Set the Do Not Release Immediately indicator in the task list header.
- C. Set the Do Not Release Immediately indicator in planning data for the maintenance item.



D. Select a maintenance activity type and set the Do Not Release Immediately indicator.

Correct Answer: C

QUESTION 8

Which account assignment category can you specify in a settlement profile?

- A. Maintenance planning plant
- B. Functional location
- C. Equipment
- D. Material

Correct Answer: D

QUESTION 9

Which of the following steps are required to create a measuring point for performance-based preventive maintenance? (Choose two)

- A. Specify the annual estimated usage for the measuring point.
- B. Activate the Measurement Reading Transfer indicator.
- C. Define a valuation code group.
- D. Create the measuring point as a counter.

Correct Answer: AD

QUESTION 10

Which of the following information can the shift report display? (Choose three)

- A. Planned and actual costs for shifts
- B. Digital signatures for approval of a shift report
- C. Maintenance plans and task lists
- D. Maintenance orders and notifications
- E. Measurement documents and goods movements

Correct Answer: BDE

**QUESTION 11**

What does the scheduling period determine in the maintenance plan scheduling parameters?

- A. The duration for which the system generates maintenance orders immediately
- B. The duration for which the system generates planned or call dates during scheduling
- C. The duration for which the system generates maintenance notifications immediately
- D. The validity period of the maintenance plan

Correct Answer: B

QUESTION 12

What are the prerequisites for creating a capacity requirement in a maintenance order operation? (Choose two)

- A. The performing work center must have available capacity data.
- B. The performing work center must have a control key with the Determine Capacity Requirements indicator set.
- C. The numeric value for Work in the order operation must be greater than 0.
- D. The operation must have a control key with the Determine Capacity Requirements indicator set.

Correct Answer: CD

QUESTION 13

What are the prerequisites for the calculation of planned costs in an order? (Choose three)

- A. The order operations must have a control key with the Costing indicator set in Customizing.
- B. The user must save the order or execute the Determine costs function.
- C. The cost elements must be assigned to the order type in Customizing.
- D. A costing variant for planned costs must be assigned to the order type in Customizing for order types.
- E. The costing indicator must be set in Customizing for order types.

Correct Answer: ABD

QUESTION 14

Your customer uses the dynamic availability check for stock material.

Where does the system check material availability for an operation?

- A. In all plants where material inventory exists



- B. Only in the plant where the material has been reserved
- C. Only in the plant where the material is flagged with the special stock indicator for maintenance stock
- D. In all plants where the material is managed with serial numbers

Correct Answer: B

QUESTION 15

Which of the following always produces up-to-the-minute costing information for maintenance orders?

- A. A standard analysis from the Plant Maintenance Information System (PMIS)
- B. A standard query in SAP NetWeaver Business Warehouse
- C. A maintenance order list
- D. A shift report based on shift notes

Correct Answer: C

[C_TPLM30_66 Practice Test](#)

[C_TPLM30_66 Study Guide](#)

[C_TPLM30_66 Braindumps](#)