CAT-340^{Q&As}

CA IdentityMinder r12.x Professional Exam

Pass CA CAT-340 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/cat-340.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CA Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which ETAUTIL control statement is used to set the same attribute values for a set of objects?

A. MASSCHANGE

B. EXPLORE

C. UPDATE

D. DELETE

Correct Answer: A

QUESTION 2

In an email template, what is the purpose of the tag?

A. Inserts a static text variable

B. Embeds JavaScript into a template

C. Presents event context information

D. Indicates that the template is invalid

Correct Answer: B

QUESTION 3

Which issue might be resolved by turning off Event Correlation System (ECS) logging above the INFO level?

A. Out of Memory errors

B. Poor Provisioning Server performance

C. Failure of the ExportAll.xml snapshot definition

D. Failure of the Java Connector Server (Java CS) service to start after a system restart

Correct Answer: B

QUESTION 4

Forward Inc. is an international logistics company with headquarters in the United Kingdom. You need to decide how best to implement CA IdentityMinder for this company. You have ascertained that the solution will need to support approximately 500,000 accounts. Which installation type should you use?

A. Basic

B. Intermediate

C. Large Enterprise

D. Demonstration/compact

Correct Answer: B

QUESTION 5

You are implementing CA IdentityMinder at Forward Inc., an international logistics company with headquarters in the United Kingdom. At Forward Inc., a single managed endpoint containing every person does not exist. However all users are contained in a payroll database, which can become the source of the global users for the provisioning directory. In this context, the payroll database is known as a:

A. corporate store.

B. primary endpoint.

C. secondary endpoint.

D. operational database.

Correct Answer: B

QUESTION 6

During the installation, CA Identity Minder creates several database schemas. Later, to provide scalability, you can create a separate database to replace any one of these, Use the CreateDatabase script to set up a new:

A. Auditing database instance.

B. Workflow database instance.

C. Object Store database instance.

D. Task persistence database instance.

Correct Answer: B

QUESTION 7

You need to import a large number of managed users to the CA Identity Minder User Store simultaneously. Having explored the various options, the Bulk Loader method seems the best option. However, which limitation do you need to be aware of before you begin?

A. It may use large amounts of memory.

B. It cannotbe mapped to a workflow process.

C. It does not support the execution of identity policies.

D. It bypasses audit and security mechanisms provided by the Task Server.

Correct Answer: A

QUESTION 8

When you configure the Report Server, which guideline should you follow?

A. Always restart the environment after you configure reporting.

B. Set all systems involved in reportingto the same time zone and time.

C. To avoid port conflicts with JBoss, change the default port numbers in the CRConfig.xml file.

D. Configure the connection with the Provisioning Server before you configure the connection with the Snapshot Database.

Correct Answer: B

QUESTION 9

Which event context information object method returns the name of the person who submitted the task that generated an event?

A. getOrgName()

B. getEventName()

C. getAdminName()

D. getPrimaryObjectName()

Correct Answer: C

QUESTION 10

You are using CA SiteMJnder and CA IdentityMinder in an integrated environment. To configure directory mapping in the CA SiteMinder Policy Server, which steps do you need to perform? (Choose three)

A. Create a Table element for each attribute.

B. Add a response attribute named sm_userdn for the SMJJSERNAME attribute.

C. Add the authentication directory to the CA IdentityMinder environment domain.

D. Use the Reference element for a secondary table to define its relationship to the primary table.

E. In the CA IdentityMinder environment realm, map the authorization directory to the authentication directory.

Correct Answer: BCE