



DEA-5TT1^{Q&As}

Associate - Networking Exam

Pass EMC DEA-5TT1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/dea-5tt1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How many total addresses for network, broadcast, and host are provided with the subnet mask 255.255.255.240?

- A. 8
- B. 16
- C. 24
- D. 48

Correct Answer: B

QUESTION 2

Which field of the 802.3 frame is used by network interface cards to synchronize their receivers?

- A. Start frame delimiter
- B. Preamble
- C. Cyclic redundancy check
- D. Frame check sequence

Correct Answer: B

QUESTION 3

A network administrator has a stack of four Dell EMC Networking S4800 Series switches. Each stack unit is configured with a different priority. Which switch will be elected as the management device?

- A. Switch with priority 0
- B. Switch with priority 1
- C. Switch with priority 14
- D. Switch with priority 21

Correct Answer: B

QUESTION 4

Which option is used to configure Network Address Translation (NAT) to provide one-to-one mapping between local and global addresses?

- A. Outside source static



- B. Overload
- C. Inside source static
- D. PAT

Correct Answer: C

QUESTION 5

What is the default route preference value for a Border Gateway Protocol (BGP) internal route?

- A. 40
- B. 110
- C. 200
- D. 253

Correct Answer: C

Reference: https://downloads.dell.com/manuals/all-products/esuprt_ser_stor_net/esuprt_networking/networking-n2128px-on_Administrator-Guide_en-us.pdf page 1528.

QUESTION 6

What accurately describes IPv6 addressing?

- A. IPv6 addresses are denoted by eight groups of four hexadecimal numbers.
- B. IPv6 uses 128 hexadecimal numbers instead of the 32 hexadecimal numbers used by IPv4.
- C. IPv6 is used to converse IP addresses and utilize private addresses.
- D. IPv6 uses broadcast addresses for neighbor discovery.

Correct Answer: A

Reference: https://en.wikipedia.org/wiki/IPv6_address#:~:text=An%20IPv6%20address%20is%20represented,0000%3A8a2e%3A0370%3A7334

QUESTION 7

What accurately describes OSPF?

- A. Interior gateway link-state protocol
- B. Exterior gateway distance-vector protocol
- C. Interior gateway distance-vector protocol



D. Interior gateway path-vector protocol

Correct Answer: A

QUESTION 8

Which IPv6 scope is used for private addressing on a local network?

- A. Global
- B. Area wide
- C. Unique local
- D. APIPA

Correct Answer: C

QUESTION 9

A network administrator wants to use a subnet that will only have two host addresses. Which subnet mask meets this requirement?

- A. 255.255.255.248
- B. 255.255.255.252
- C. 255.255.255.254
- D. 255.255.255.256

Correct Answer: B

QUESTION 10

What is the Organizationally Unique Identifier (OUI) in the MAC address 00:C4:4F:23:AF:4A?

- A. 00:C4:4F
- B. 00:C4:4F:23
- C. 23:AF:4A
- D. 4F:23:AF:4A

Correct Answer: A

QUESTION 11



Which component translates data, signaling, and protocols to facilitate the data flow between the end device and the network?

- A. Switch
- B. Transceiver
- C. NIC
- D. Port

Correct Answer: B

QUESTION 12


A network administrator created three VLANs on an Ethernet switch. How many broadcast domains are created by the switch?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: C

QUESTION 13

Refer to the exhibit.



Switch A and Switch B are connected to each other. Both switches use interfaces Gi1/0/1 and Gi1/0/2. Switch A has a Spanning Tree priority of 8192 and Switch B has the default priority. Which interface becomes the root port?

- A. Switch A Gi1/0/1
- B. Switch A Gi1/0/2
- C. Switch B Gi1/0/1
- D. Switch B Gi1/0/2

Correct Answer: A

QUESTION 14

On which OSI layers do standard ACL filters operate?

- A. 2 and 3
- B. 2 and 7
- C. 3 and 4
- D. 4 and 7

Correct Answer: C



QUESTION 15

When configuring a switch, which CLI mode only supports limited show commands?

- A. EXEC
- B. Maintenance
- C. Configuration
- D. EXEC Privilege

Correct Answer: A

Reference: https://www.dell.com/support/manuals/us/en/04/powerededge-fx2/dell%20fn%20ioa%20config_9.8.0.0_public_v1/cli-modes?guid=guid-aeb7d44d-2413-4da8-b8b9-2f8a26bad435&lang=en-us

[Latest DEA-5TT1 Dumps](#)

[DEA-5TT1 VCE Dumps](#)

[DEA-5TT1 Braindumps](#)