



DES-1121^{Q&As}

Specialist - Implementation Engineer PowerMax and VMAX Family
Solutions Version 1.0

Pass EMC DES-1121 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1121.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What is the maximum number of bricks that can be configured on a PowerMac 8000 system bay?

- A. 2
- B. 4
- C. 6
- D. 8

Correct Answer: A

QUESTION 2

What takes place during an SRDF Establish operation?

- A. Changes made to the R1 are propagated to the R2. Changes made to the R2 are discarded
- B. Enables access to both the R1 and R2 devices on the hosts
- C. Changes made to the R2 are propagated to the R1 Changes made to the R1 are discarded.
- D. Resumes normal SRDF mirroring and host access

Correct Answer: B

QUESTION 3

What would the RDF device and Link states be after an SRDF Update operation?

- A. R1=WD Link=RW. R2=RW
- B. R1=RW Link=NR. R2=RW
- C. R1=WD Link=NR R2=RW
- D. R1=RW Link=RW; R2=WD

Correct Answer: D

QUESTION 4

A systems administrator plans to use Non-Disruptive Migration (NDM) to migrate data from a VMAX array running Engenuity 5876 to a PowerMax running PowerMaxOS 5978 Which NDM mode will be used?

- A. Metro-based



- B. Adaptive Copy
- C. Asynchronous
- D. Pass-through

Correct Answer: A

<https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/h17133-non-disruptive-migration-best-practices-and-operational-guide.pdf>

QUESTION 5

Which SYMCLI command can be used to create a new TDEV and assign it to a Storage Group in one step?

- A. symdev
- B. symmsg
- C. symcfg
- D. symaccess

Correct Answer: D

QUESTION 6

SRDF/A has been enabled between two PowerMax arrays in Multi-Session Consistency mode. An extended loss of all RDF links occurs. What will the RDF pair states be after link connectivity is restored?

- A. Partitioned
- B. Failed Over
- C. Split
- D. Suspended

Correct Answer: A

QUESTION 7

What is the maximum number of supported cascaded Storage Group levels in PowerMax and VMAX Family arrays?

- A. 1
- B. 4
- C. 16
- D. 64



Correct Answer: D

QUESTION 8

What will prevent a LUN from being assigned to a second Storage Group?

- A. Both Storage Groups have a service level assigned
- B. A LUN can only be assigned to one Storage Group
- C. Storage Groups are already participating in a Masking View
- D. One of the Storage Groups is a child group

Correct Answer: B

QUESTION 9

Which product(s) support(s) only 7+1 in RAID 5 configurations?

- A. VMAX3
- B. VMAX All Flash and PowerMax 8000
- C. VMAX All Flash and PowerMax 2000
- D. VMAX All Flash

Correct Answer: D

QUESTION 10


DRAG DROP

An SRDF/Metro pair was created with vWitness After a network outage, the administrator discovers that the SRDF pair is in an ActiveBias state What is the correct sequence of events to bring the SRDF pair into an ActiveActive state?

Select and Place:

| | |
|---|--------|
| Suspend the SRDF/Metro pair | STEP 1 |
| Verify that the Bias is set to the correct site | STEP 2 |
| Establish the SRDF/Metro and select the "Witness" option | STEP 3 |
| Ensure vWitness is in an Alive state for both the source and target systems | STEP 4 |

Correct Answer:

**QUESTION 11**

Which PowerMax software packages include NorvDisruptive Migration?

- A. FX and Pro
- B. Essentials and Pro
- C. F and FX
- D. F and Essentials

Correct Answer: A

QUESTION 12

An administrator is using Unisphere for PowerMax Workload Planner to assess the performance and compliance of a PowerMax Storage Group (SG) How does the Planner calculate if the Storage Group workload is stable?

- A. Both calculated values are within a 10-15% threshold of the SL-defined response time
- B. Both calculated values are within the SL-defined response time
- C. One of the calculated values remains within the SL-defined response time
- D. One of the calculated values is within 10-20% of the SL-defined response time

Correct Answer: D

QUESTION 13

Which command is used to change the CPU resource distribution for SRDF modes?

- A. symqos
- B. symconfigure
- C. symrdf



D. symcfg

Correct Answer: D

QUESTION 14

What is the minimum required memory and minimum required disk space to manage a maximum volume count of 64000 and 10 arrays when installing Unisphere for PowerMax?

- A. 8 GB of available memory and 100 GB of available disk
- B. 12 GB of available memory and 120 GB of available disk
- C. 16 GB of available memory and 160 GB of available disk
- D. 24 GB of available memory and 180 GB of available disk

Correct Answer: B

QUESTION 15

In PowerMax VMAX All Flash and VMAX3 which thin provisioning component can be changed with SYMCLI or Unisphere?

- A. Storage Resource Pool
- B. Disk Group
- C. Storage Group
- D. Virtual Provisioning Pool

Correct Answer: A

[Latest DES-1121 Dumps](#)

[DES-1121 VCE Dumps](#)

[DES-1121 Braindumps](#)