DES-6332^{Q&As}

Specialist - Systems Administrator - VxRail Appliance Exam

Pass EMC DES-6332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/des-6332.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An environment has two VxRail clusters with separate vCenters. Logging in to either vCenter, there is only one cluster visible.

What deployment method was used in this scenario?

A. each uses an internal vCenter with Enhanced Link Mode

B. each uses an internal vCenter without Enhanced Link Mode

C. both share a single vSphere standard switch object

D. both share a single vSphere distributed switch object

Correct Answer: B

QUESTION 2

VxRail 4.5.200 has been deployed with the VxRail deployed vCenter. What is the name of the vCenter datacenter for the newly deployed VxRail cluster?

A. `Marvin-Datacenter\\'

B. `VxRail-Datacenter\\'

C. `VxRail-Virtual-SAN\\'

D. Datacenter name used during deployment

Correct Answer: D

QUESTION 3

In the vSphere Client, where can an administrator view the health status of the VxRail disks?

A. Cluster > Configure > vSAN > Disks

B. Cluster > Monitor > vSAN > Physical Disks

C. Host > Monitor > Physical View

D. Host > Monitor > vSAN > Disks

Correct Answer: B

QUESTION 4

A VxRail has been configured with the VxRail-deployed vCenter Server option. Which service VMs can be optionally

hosted on the VxRail cluster?

A. VxRail Manager, vCenter Server, and Platform Services Controller

B. VxRail Manager and Secure Remote Services/VE

C. vCenter Server, Platform Services Controller, and Secure Remote Services/VE

D. vRealize Log Insight and Secure Remote Services/VE

Correct Answer: C

QUESTION 5

A company is planning to deploy VxRail and implement big data analytics solution with these requirements:

Supports both all-flash and all NVMe nodes Supports in-memory intensive database applications Configurable with 4 Intel Xeon scalable processor

Which VxRail model is recommended based on the deployment requirements?

A. S Series

B. G Series

C. D Series

D. P Series

Correct Answer: D

QUESTION 6

What authorization method is used for VxRail API calls?

A. API Keys

B. OAuth

C. OpenID Connect

D. HTTP Basic

Correct Answer: D

QUESTION 7

As a VxRail administrator, you discover that one of the nodes in your cluster has a hardware issue. Dell EMC support will be arriving to replace the node. You have a vCenter Standard license on this vCenter.

You need to place the node into maintenance mode, and migrate the data prior to replacement. Which migration option should you use?

A. DRS will automatically handle the migration

B. Ensure data accessibility from other hosts

C. Evacuate all data to other hosts

D. No data evacuation

Correct Answer: C

QUESTION 8

An environment has two VxRail clusters with the following hardware configuration:

Cluster-A is using FTT = 2 and FTM = Erasure Coding Cluster-B is using FTT = 2 and FTM = Mirroring

A 100 GB VM is planned to be vMotioned from Cluster-A to Cluster-B.

How much more vSAN capacity is consumed in Cluster-B than in Cluster-A?

A. 0 GB; consumption is unchanged

B. 100 GB

C. 150 GB

D. 167 GB

Correct Answer: D

QUESTION 9

A VxRail administrator is adding a new node to an existing VxRail Cluster. The node has been racked, cabled, and powered on. However, the node is not discovered in the vSphere Client. Which log file should be analyzed to diagnose the issue?

A. mystic.log

B. lcm.log

C. marvin.log

D. loudmouth.log

Correct Answer: D

QUESTION 10

A VxRail deployment has eight nodes. The VxRail administrator does not find any compatible datastores when trying to create a storage policy with FTT=2 and FTM=Erasure Coding.

What is the likely reason?

A. vSAN datastore used capacity is above 80%

B. Erasure coding is only supported on all-flash systems

C. vSAN capacity reserve has been enabled

D. Fault domains have not been configured yet

Correct Answer: C

QUESTION 11

A VxRail administrator is concerned that the NDC is a single point of failure on your VxRail nodes.

What can be done to increase redundancy in this scenario?

A. Spread network traffic across other nodes in the cluster

B. Spread network traffic across NDC and PCIe adapter ports

C. Spread network traffic across two NDC

D. Spread network traffic across two ports on a PCIe adapter

Correct Answer: B

QUESTION 12

What is the Deduplication algorithm used by vSAN?

A. SHA-256

B. SHA-1

C. SHA-512

D. SHA-2

Correct Answer: B

QUESTION 13

As a VxRail administrator you have been asked to configure vSAN fault domains. After selecting the VxRail cluster, where would you navigate to in vCenter to accomplish this task?

A. Configure > vSAN > Configuration Assist > Fault Domains and Stretched Cluster

B. Configure > vSAN > General > Fault Domains and Stretched Cluster

C. Configure > vSAN > Disk Management > Fault Domains and Stretched Cluster

D. Configure > Fault Domains and Stretched Cluster

Correct Answer: B

QUESTION 14

Which software component is used to collect real-time log activity for VxRail?

A. Platform Services Controller

B. vRealize Log Insight

C. vCenter

D. VxRail Manager

Correct Answer: B

QUESTION 15

An administrator wants to locate the PSNT for a specific VxRail node in order to contact support.

Where in the vSphere Client can this information be located?

A. Hosts and Clusters > Host > Configure > Advanced System Settings

B. Hosts and Clusters > Host > Monitor > VxRail > Physical View

C. Menu > VxRail

D. Menu > Administration

Correct Answer: B

[DES-6332 PDF Dumps](#)   [DES-6332 VCE Dumps](#)   [DES-6332 Practice Test](#)