
Exam : **E20-070**

Title : EMC technology

foundations-san

Version: DEMO


- 1. What is PowerPath?
- A. Array based software that intelligently manages I/O to the array
- B. Array based software that supports active-active and active-passive arrays
- C. Host based software that notifies the application when a path failure occurs
- D. Host based software that provides path failover and load balancing. Answer: D
- 2. Which GUI interface is used to build Symmetrix configurations or BIN files?
- A. Fabric manager
- B. Navisphere
- C. SymmSeek
- D. SymmWin *Answer:* D
- 3. What are two valid types of zoning in a SAN?
- A. Flexible Zoning and Invariant Zoning
- B. Hard Zoning and Soft Zoning
- C. SNIA Zoning and Vendor-Unique Zoning
- D. Serial and Parallel zoning

Answer: B

- 4. When can PowerPath configuration, management and tuning be performed?
- A. During maintenance windows
- B. Offline
- C. Online
- D. When the system is not used for production

Answer: C

- 5. Which CLARiiON component is used for staging and prefetching data?
- A. nv ram



- D. Zoning Answer: D
- 10. Which RAID type uses a single drive to maintain parity?
- A. RAID 1
- B. RAID 1/0
- C. RAID 3
- D. RAID 5 Answer: C
- 11. When is a write to the CLARiiON considered complete with write cache enabled?
- A. After five sequential writes are received by the first SP
- B. After the write is cached in the receiving SPs memory
- C. After the write is committed to disk
- D. After the write is committed to the peer SPs cache memory

Answer: D

- 12. What is a feature of PowerPath?
- A. Automated path failover with no path recovery
- B. Manual path failover
- C. Proactive path testing
- D. Static load balancing

Answer: C

- 13. What software options exist for managing a M-Series fabric?
- A. Connectrix Manager and ControlCenter
- B. Connectrix Manager and WebTools
- C. Device Manager and ControlCenter
- D. EWS and WebTools

Answer: A

- 14. How is cache memory allocated in a CLARiiON CX series array? A. Pages B. Partition C. Segments D. Tracks Answer: A 15. What components are used to daisy chain DMX-3 storage bays? A. Disk directors B. Disk adapters C. Link Control Cards D. Midplane Answer: C 16. A fabric contains a single host HBA requiring connectivity to storage ports on several storage arrays. Which parameter can impose a limit on this design? A. Fan-in ratio for each storage array port B. Fan-in ratio for the HBA C. Fan-out ratio for each storage array port D. Fan-out ratio for the HBA Answer: B 17. What is a functionality of the PowerPath filter driver? A. Notifies the application after each I/O is delivered B. Redirects I/O to the next available path based on the load balancing policy C. Redirects I/O to the shortest path to the logical volume D. Uses a random path in the volume path set to service the I/O request
- 18. What is a PowerPath storage class?

Answer: B

- A. A grouping of applications using the same channels
- B. A license that is required to manage a storage array
- C. A storage array that PowerPath supports
- D. A tiered license for the host class that PowerPath supports Answer: C
- 19. Which IT issue does VisualSRM help resolve?
- A. Manual and error-prone storage provisioning adds complexity
- B. Multiple products required to coordinate backup tasks on many hosts adds complexity
- C. Need to identify dormant files that are no longer accessed for better storage utilization
- D. Visualization of entire storage path from filesystem to array drive is required *Answer*: C
- 20. Which additional information is provided by the VisualSAN SNIA Agent which is not provided by the Navisphere Agent?
- A. Automatic Host and HBA association
- B. Detailed HBA property information
- C. Path visualization from Host to Storage Unit
- D. Storage provisioning (host to array)

MN

Answer: B

Trying our product!

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:





Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.