

# E20-351<sup>Q&As</sup>

Storage Attached Network (SAN) Speacilalist Exam

# Pass EMC E20-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/e20-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





## **QUESTION 1**

When installing EMC PowerPath on a Solaris host, which command will initiate the install?

- A. install
- B. pkgadd
- C. ppinstall
- D. rpm

Correct Answer: B

#### **QUESTION 2**

Which type of back-end architecture does the MDS 9216 series switch use?

- A. Crossbar
- B. Direct connect
- C. Loop
- D. S-bar
- Correct Answer: C

# **QUESTION 3**

Which tools can be used to disable Telnet access to an M-Series switch?

- A. Connectrix Manager, Connectrix Manager Basic
- B. EMC Control Center, Connectrix Manager
- C. HyperTerminal, Connectrix Manager
- D. Web Tools, Connectrix Manager
- Correct Answer: A

# **QUESTION 4**

Which connection is used to group nodes from physically different fabrics together in a BSeries environment?

- A. iSAN
- B. LSAN



- C. MSAN
- D. VSAN

Correct Answer: B

#### **QUESTION 5**

What describes the non-blocking architecture deployed in M-Series switches?

- A. Allows data movement across the bus through CMM and finally to MPC for delivery
- B. Allows fencing of memory partitions into bit-buckets for data delivery
- C. Allows frames to be sent to destination ports based on the receiving ports availability
- D. Allows memory segmentation across the s/bar platform permitting data redirection basedon ASIC availability

Correct Answer: C

## **QUESTION 6**

ACME Corporation wishes to deploy iSCSI for its storage network architecture. The company intends to segment the host to storage communication within its core layer-2 switch for performance and security reasons. What is the layer-2 switch technology that allows for this?

- A. Ethernet segmentation
- B. Ethernet trunking
- C. Virtual local area networks (VLAN)
- D. Virtual storage area networks (VSAN)

Correct Answer: C

#### **QUESTION 7**

On which platform can you install SAN Advisor?

A. AIX

- B. HP-UX
- C. Solaris
- D. Windows

Correct Answer: D



# **QUESTION 8**

Which non-secure protocol could be used to accomplish uploading/downloading of data files and images (for example, firmware) to IP and FC switches?

- A. SFTP
- B. SSH
- C. TELNET
- D. TFTP

Correct Answer: D

#### **QUESTION 9**

Which information will be displayed when viewing the Node List from Connectrix Manager?

- A. Port Number, FCID
- B. Port Number, Zone
- C. Port Speed, FCID
- D. Port Speed, Zone
- Correct Answer: A

#### **QUESTION 10**

What identifies information exchanged during a port login?

- A. Arbitrated loop physical address
- B. Host address, frame size and port name
- C. Host address, physical address
- D. WWN, link speed
- Correct Answer: B

# **QUESTION 11**

Click the Exhibit button. Which type of port would these links register as? \*\*Exhibit Mising\*\*

A. E\_Port

B. F\_Port



- C. FL\_Port
- D. G\_Port

Correct Answer: A

#### **QUESTION 12**

FashionStar Inc. is implementing an SRDF over IP solution. It wants to merge two existing fabrics in order to complete this solution. Which technology should FashionStar use?

A. FCIP

B. iFCP

C. iSATA

D. iSCSI

Correct Answer: A

# **QUESTION 13**

Which service in Connectrix Manager automatically load balances traffic across FICON links, maximizes bandwidth, and reduces the number of ports required for cascaded links, thereby reducing the cost of the SAN?

- A. Advanced SAN Routing
- **B. FICON Management Server**
- C. Group Configuration Management
- D. Open Trunking

Correct Answer: D

# **QUESTION 14**

A customer has a SAN made up of one DMX, one MDS 9506, and 20 Solaris hosts. They will be installing Control Center in the environment. In order to use Control Center to perform masking operations on the DMX, which agents must be present in the Control Center environment?

- A. FCC Agent, SDM Agent
- B. FCC Agent, Storage Agent for Symmetrix
- C. SDM Agent, Storage Agent for Symmetrix
- D. Sun Agent, Storage Agent for Symmetrix

#### Correct Answer: C



# **QUESTION 15**

Which bits contain the Port Field in a Fabric Channel address?

- A. First set of 8 bits
- B. Fourth set of 8 bits
- C. Second set of 8 bits
- D. Third set of 8 bits
- Correct Answer: D

Latest E20-351 Dumps

E20-351 VCE Dumps

E20-351 Practice Test