



E20-405^{Q&As}

EMC Content Management Server Programming(CMSP)

Pass EMC E20-405 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-405.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When querying the dm_queue view to read a user's active workflow tasks, what information is contained in the router_id field?

- A. current Activities
- B. current Workitems
- C. current Workflow Instances
- D. current Workflow Templates

Correct Answer: C

QUESTION 2

User "docuser" has READ permission in an ACL. Which method from the IDfACL interface must be used to revoke the permission to "docuser"?

- A. revoke("docuser", IDfACL.DF_PERMIT_READ)
- B. grant("docuser", IDfACL.DF_PERMIT_NONE, null)
- C. revokePermit("docuser", IDfACL.DF_PERMIT_READ)
- D. removePermit("docuser", IDfACL.DF_PERMIT_READ)

Correct Answer: B

QUESTION 3

You want to get an object, but there is more than one object that meets the qualification. What should you do?

- A. iterate through the results of the getFolderByPath() method
- B. use the getObjectByQualification() method with a qualifier that includes all of the objects
- C. use a query and iterate through the resulting collection
- D. use the getObjectPaths() and iterate through the resulting enumeration

Correct Answer: C

QUESTION 4

Which entry is mandatory for the dfc.properties file?

- A. dfc.data.dir



- B. dfc.user.dir
- C. dfc.checkout.dir
- D. dfc.registry.mode

Correct Answer: A

QUESTION 5

Who can always use the IDfWorkflow.addPackage() method in a workflow?

- A. workflow creator user
- B. workflow supervisor user
- C. any user member of the workflow creator user\'s group
- D. any user member of the workflow supervisor user\'s group

Correct Answer: B

QUESTION 6

Where is connection pooling set?

- A. dmcl.ini
- B. server.ini
- C. dfc.properties
- D. dbor.properties

Correct Answer: A

QUESTION 7

Which statement is true about the includeContent(boolean includeContent) method of the IDfXMLQuery interface?

- A. If set to true, content will be included within an XML element.
- B. The content will always be returned within a element.
- C. The query does not have to include r_object_id if the content is to be included.
- D. If set to true, the resulting XML file will contain a link to the location of the content in therepository.

Correct Answer: A

**QUESTION 8**

Which statement is true about the collection returned by `IDfSysObject.getVersions()`

- A. It has a fixed number of fields in the result set that cannot be extended.
- B. It must be closed after the code has processed the list of versions returned.
- C. It only returns versions with symbolic labels.
- D. It does not have to be closed because it did not result from `IDfQuery.execute()`.

Correct Answer: B

QUESTION 9

How would you deploy a TBO Interface package?

- A. copy the jar file to `$DOCUMENTUM/dba/java_methods`
- B. create a new module using Application Builder
- C. copy the package to the DFC client machines
- D. register the package using `DBORManage` utility

Correct Answer: C

QUESTION 10

What happens when you fail to close open query collections in a DFC application?

- A. Performance for other users will be impaired.
- B. Eventually, no more queries can be executed.
- C. Garbage collection will release appropriate resources.
- D. The session will disconnect.

Correct Answer: B

QUESTION 11

Given the following repositories that are projecting to the following Connection Brokers:

What is the output for the code, assuming you are using a session established to Docbase C from host2?

- A. null
- B. Docbase C



C. Docbase B Docbase C

D. Docbase A Docbase B Docbase C

Correct Answer: C

QUESTION 12

What do the following statements do?

A. create an IDfPermit object that grants READ permissions to the topsecret group

B. create an IDfPermit object that grants READ permissions to the topsecret role

C. create an IDfPermit object that grants READ permissions to the topsecret application

D. create an IDfPermit object that requires users to be a member of the topsecret group

Correct Answer: D

QUESTION 13

How would you package the dependent external JARs of a dynamically deployed business object?

A. copy the external JARs to the DFC client machine where the business object runs

B. add the external JARs to the business object JAR file

C. import the external JARs using Documentum Application Builder

D. copy the external JARs to DOCUMENTUM/dba/java_methods

Correct Answer: C

QUESTION 14

What is a purpose of the IDfProperties interface?

A. manipulating the dmcl.ini file

B. adding additional parameters to IDfOperation tasks

C. manipulating configuration files stored in the repository

D. adding an alternative interface to manipulate a document's properties

Correct Answer: B

QUESTION 15



The log4j.properties file allows changing the logging severity according to the _____.

- A. name of the connected repository
- B. text of the messages themselves
- C. user privileges in the connected repository
- D. Java package containing the source code

Correct Answer: D

[Latest E20-405 Dumps](#)

[E20-405 PDF Dumps](#)

[E20-405 Study Guide](#)