



# E20-885<sup>Q&As</sup>

VNX Solutions Expert Exam for Implementation Engineers

## Pass EMC E20-885 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e20-885.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click on the calculator icon in the upper-left hand corner.

There are 100 GB in updates to the transaction logs for an SQL server over an eight-hour business day. How many I/O per second are required to support the workload?

- A. 455
- B. 657
- C. 546
- D. 776

Correct Answer: A

---

**QUESTION 2**

Which type of RecoverPoint/SE Image Access allows the hosts to have direct access to the replica volumes, but pauses the distribution of snapshots from the journal to storage?

- A. Logged Access (physical)
- B. Virtual Access
- C. Direct Access
- D. Marking Access

Correct Answer: A

---

**QUESTION 3**

A customer placed their application data on a thin LUN created from an existing pool. The thin LUN is reaching capacity and cannot be expanded due to capacity constraints on the pool.

What is the best way for the customer to reclaim some of the capacity on the thin LUN?

- A. Compress the thin LUN
- B. Defragment the thin LUN
- C. Migrate the data to a new LUN on a new pool
- D. Migrate the data to a new LUN on the same pool

Correct Answer: A

---

**QUESTION 4**

A VNX customer has a production read-intensive Oracle environment that requires immediate access for end-user reporting. Which EMC replication application meets the customer's business requirement?

- A. SnapView Snapshots
- B. MirrorView/S
- C. Replication Manager
- D. MirrorView/A

Correct Answer: A

---

**QUESTION 5**

A client has an EMC VNX configured with four storage ports, four 15-drive DAEs (disk array enclosures) and a total of forty drives (20 NL-SAS and 20 SAS drives). The client is using RAID 5 (4+1) RAID groups with a traditional LUN configuration.

What is the recommended SAS LCC port configuration for optimal performance?

- A. Distribute drives evenly across all ports
- B. Distribute drives on all odd ports
- C. Distribute drives on all even ports
- D. Distribute drives on a single port

Correct Answer: A

---

**QUESTION 6**

You plan to migrate from an EMC CLARiiON to an EMC VNX. The VNX will present CIFS shares to several Windows application hosts.

What tool would you use to test the performance metrics of the CIFS shares on the new VNX prior to the migration?

- A. Iometer
- B. Perfmon
- C. Analyzer
- D. Wireshark

Correct Answer: A

---

**QUESTION 7**



What do primary and standby Control Stations use to monitor each other?

- A. nasmcd
- B. shared quorum disk
- C. nbsnas
- D. nasdb

Correct Answer: B

---

#### QUESTION 8

An EMC VNX is enabled for FAST Cache using four 200 GB Flash drives. Ten additional Flash drives are available for SQL databases. Which SQL database object would be best suited to utilize these drives?

- A. Database components such as tempDB
- B. Heavily used log volumes
- C. Databases on LUNs with read caching enabled
- D. Databases with large, sequential I/O

Correct Answer: A

---

#### QUESTION 9

Exchange 2010 is installed on a virtual machine using VMDK files. Replication Manager is being used to take snapshots of the virtual machine files and back them up to disk. After a few weeks, the Exchange server backups stop functioning. What is the most likely reason for this failure?


- A. Replication Manager agent service has stopped
- B. Replication Manager can only snapshot powered off VMs
- C. Replication Manager is not compatible with VMFS version 5
- D. Replication Manager agent is installed on each DAG server

Correct Answer: A

---

#### QUESTION 10

Refer to the exhibit.



You are deploying an EMC RecoverPoint/SE.

Which callout in the exhibit corresponds to the RecoverPoint Appliance (RPA) WAN port?

A. A

B. B


C. C

D. D

Correct Answer: A

## QUESTION 11

Refer to the exhibit.



You are deploying an EMC RecoverPoint/SE.

Which callout in the exhibit corresponds to the port you would use for Remote Management Connectivity?



A. A

B. B


C. C

D. D

Correct Answer: B

**QUESTION 12**

Refer to the exhibit.



You are implementing a new VNX and you are considering whether or not to use FAST Cache. You decide to test the effect on response times with and without FAST Cache.

At what point in the graph is FAST Cache turned OFF?

A. D

B. C

C. B

D. E



Correct Answer: A

---

### QUESTION 13

A customer would like to have FAST Cache enabled on their VNX with MCx. They are concerned about performance degradation during this event.

What should you tell the customer regarding the performance impact at the moment when FAST Cache is enabled?

- A. Enabling FAST Cache can be done at any time during the day without any performance degradation.
- B. Enabling FAST Cache should be done at a low I/O moment to minimize performance impact.
- C. Manually disable Read Cache, enable FAST Cache and re-enable Read Cache to minimize performance impact.
- D. Manually disable Write Cache, enable FAST Cache and re-enable Write Cache to minimize performance impact.

Correct Answer: A

---

### QUESTION 14

You are connecting two RecoverPoint/SE clusters together. Both are using vRPAs. Which connectivity method is allowed?

- A. IP
- B. iSCSI
- C. FC
- D. FCoE

Correct Answer: A

---

### QUESTION 15

A customer has two EMC VNX configured to replicate between sites. Each VNX has dual Control Stations. The primary Control Station at the source site fails at 6 p.m. and reboots. At 8

A. m., the customer completes DR testing and observes that CIFS replication does not failover to the target site VNX. Why does CIFS replication not failover to the target VNX during the DR test?

- B. Control stations should be set up using IP aliasing.
- C. Control stations should be set up using IP Jumbo Frames.
- D. Control stations have different software revisions.
- E. Control stations have different duplex settings.

Correct Answer: A

---



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/e20-885.html>

2024 Latest pass4itsure E20-885 PDF and VCE dumps Download

---

[E20-885 PDF Dumps](#)

[E20-885 VCE Dumps](#)

[E20-885 Study Guide](#)