



# E22-285<sup>Q&As</sup>

VxRail Appliance 4.x Deployment and Implementation Exam

**Pass EMC E22-285 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/e22-285.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company has a simple, 3 node VxRail cluster. The VxRail is running version 3.5 and utilizes a vSphere Enterprise Plus license. The company has asked for a VxRail software upgrade.

What are the steps for the upgrade?

- A. Log in to VxRail Manager, select "Internet Upgrade", then follow the prompts.
- B. Log in to support.emc.com and download the upgrade packages. Next, open VxRail Manager, select "Off-line Upgrade", then follow the prompts.
- C. Contact Dell EMC support to request the upgrade to the VxRail cluster.
- D. Place all four nodes into maintenance mode. Next, log in to VxRail Manager, select "Internet Upgrade", then follow the prompts.

Correct Answer: A

---

**QUESTION 2**

What is the recommended way to power up VxRail E, V, P, and S Series nodes?

- A. Ensure the System Health indicator blinks amber for 10 minutes after power on
- B. Use the power button on the rear panel to power on each node
- C. Wait at least 30 seconds between powering up each node
- D. Use the iDRAC interface to power on each node

Correct Answer: A

---

**QUESTION 3**

When validating the VxRail health just after the VxRail initial configuration, there is a red exclamation mark on the MARVIN-Virtual-SAN-Cluster and the reported health alarm is `Component metadata health\`. A "Retest" action in the health service panel is performed and all the nodes in the cluster show health status as failed with the invalid state. Investigation does not reveal any hardware issues with the disks in use by

vSAN.

What action should be taken next?

- A. Wait 24 hours, then click the "Retest" button again
- B. Apply the vSphere ESXi600-201611001 patch, then click the "Retest" button again
- C. Evacuate and destroy the disk/disk group that contains the component(s) reporting errors and clear the alarm



D. Reapply the MARVIN storage policy to the VxRail internal virtual machines

Correct Answer: D

---

#### QUESTION 4

In a 24 node Stretched Cluster VxRail deployment, what is the acceptable Round Trip Time (RTT) latency between sites?

A. Primary to witness site RTT latency: 10 ms Secondary to witness site RTT latency: 10 ms Primary to secondary site RTT latency: 10 ms

B. Primary to witness site RTT latency: 50 ms Secondary to witness site RTT latency: 50 ms Primary to secondary site RTT latency: 6 ms

C. Primary to witness site RTT latency: 75 ms Secondary to witness site RTT latency: 75 ms Primary to secondary site RTT latency: 1 ms

D. Primary to witness site RTT latency: 75 ms Secondary to witness site RTT latency: 150 ms Primary to secondary site RTT latency: 5 ms

Correct Answer: A

---

#### QUESTION 5

What accurately describes VxRail scale-out rules?

A. Only the first 3 cluster nodes must be identical

B. Mixing hybrid and all-flash nodes is permitted when scaling greater than 32 nodes with an RPQ

C. All G series models in a cluster must be identical

D. Only the first 4 cluster nodes must be identical

Correct Answer: C

---

#### QUESTION 6

Where can the latest VxRail Pre-Installation Site Checklist be obtained for a new deployment?

A. Service offering index

B. VxRail Master Knowledge Base article

C. SolVe

D. EMC Support VxRail

Correct Answer: D

---

**QUESTION 7**

During a node add procedure the new node cannot be discovered. A ping to the IPv6 address is responding.

What could be the cause of this issue?

- A. Only one network interface is up on the new node
- B. vSAN VLAN is not configured correctly
- C. Management VLAN ID is not set on the vmk0 interface
- D. Loudmouth process is not running

Correct Answer: A

---

**QUESTION 8**

When adding a VxRail node the validation fails. What could be the cause of this problem?

- A. IPv6 multicasting is not enabled
- B. Only one network interface online
- C. Time on the node was not set correctly
- D. DNS record was not created

Correct Answer: B

---

**QUESTION 9**

During VxRail initial deployment the build fails. Support requests that logs be downloaded manually. Which logs should be collected?

- A. /var/log/vmware-installer
- B. All files and folders under /var/log/vmware
- C. /var/log/vmware/marvin/tomcat/logs/marvin.log only
- D. /var/log/mystic/web.log

Correct Answer: D

---

**QUESTION 10**

After initial installation the vSAN health check is reporting issues. Which action needs to be taken to correct the vSAN health check error?



- A. Upgrade to the latest version of VxRail.
- B. Upgrade to the latest driver version.
- C. Reset error message to green.
- D. Update HCL database and run health check.

Correct Answer: B

---

#### QUESTION 11

A VxRail deployment has just been completed, and the performance service is enabled, but the vSAN performance statistics are not available for the cluster or virtual machines.

What is the reason for this situation?

- A. vSAN performance hot-fix has not been applied
- B. Monitoring policy has not been created
- C. Performance service has not been manually enabled
- D. Data has not been populated

Correct Answer: B

---

#### QUESTION 12

A company is in the process of configuring their Top of Rack (ToR) switches as a single rack that replicates to a secondary data center with vSphere Replication. What is a consideration for this configuration?

- A. IPv6 and IPv4 multi-cast should be layer-3 routed between data centers
- B. IPv6 and IPv4 multi-cast should span the entire network in each data center
- C. IPv6 and IPv4 multi-cast traffic does not need to leave the ToR switches
- D. IPv6 and IPv4 multi-cast traffic should span layer-2 between data centers

Correct Answer: B

---

#### QUESTION 13

A company intends to deploy VxRail for their heavy database workloads. Which type of VxRail nodes should be recommended?

- A. E Series
- B. P Series



C. V Series

D. S Series

Correct Answer: B

---

#### QUESTION 14

Which VxRail Pre-Installation Site Checklist worksheet is auto-populated?

A. Network Basics

B. Switch Config Actuals

C. VxRail Network Configuration

D. Begin Here

Correct Answer: B

---

#### QUESTION 15

Which software is included with VxRail and provides continuous replication of virtual machines deployed on a VxRail appliance?

A. VMware VM Snapshots

B. Dell EMC RecoverPoint for VMs

C. VMware vSphereData Protection

D. Dell EMC RecoverPoint CRR

Correct Answer: B

[E22-285 Practice Test](#)

[E22-285 Study Guide](#)

[E22-285 Exam Questions](#)