

Exam : EE0-513

Title : F5 BIG-IP GTM v9.x

Version : DEMO

www.Pass4itSure.com

1. When initially configuring the GTM System using the config tool, which two parameters can be set? (Choose two.)

- A. System hostname
- B. IP Address of management port
- C. IP Address of the external VLAN
- D. Default route for management port
- E. Port lockdown of management port

Answer: BD

2. If the config tool is complete, which three access methods are available by default for GTM administration and configuration on 520/540 platforms? (Choose three.)

- A. network access via http
- B. network access via https
- C. network access via telnet
- D. direct access via serial port
- E. direct access via keyboard and monitor

Answer: BDE

3. What must be sent to the license server to generate a new license?

- A. the system's dossier
- B. the system's base license
- C. the system's serial number
- D. the system's purchase order number

Answer:A

4. After licensing the GTM System, what must be performed to complete activation?

- A. reboot of system
- B. manual restart of gtmd
- C. manual restart of tmm

D. enter the command bigstart restart

Answer:A

5. Which two daemons only run once the entire license process has been completed? (Choose two.)

A. zrd

B. tmm

C. ntpd

D. gtmd

Answer:AD

6. Which three parameters can be specified within the Setup Utility? (Choose three.)

A. password of the "root" user

B. IP address of an NTP server

C. IP address of an initial Wide-IP

D. IP address restrictions for ssh access

E. all necessary administrative IP addresses (including floating addresses)

Answer:ADE

7. When users are created, which three access levels can be granted through the GTM Configuration Utility? (Choose three.)

A. Root

B. Guest

C. Operator

D. Administrator

E. CLI + Web Read Only

Answer: BCD

8. Which statement about root DNS servers is true?

A. Root servers have databases of all registered DNS servers.

B. Root servers have databases of the DNS servers for top-level domains.

C. Root servers have databases of DNS servers for each geographical area. They direct requests to appropriate LDNS servers.

D. Root servers have databases of commonly accessed sites. They also cache entries for additional servers as requests are made.

Answer: B

www.Pass4itSure.com

Trying our product !

- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



Submit A Ticket

One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.