



EW0-100^{Q&As}

Extreme Networks Associate (ENA)

Pass Extreme Networks EW0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ew0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Extreme Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When setting up OSPF area 5.5.5.5 as a stub the _____ option is used so that internal routers will not receive Type-3 and Type-4 LSAs in their LSDBs.

Correct Answer: nosummary

QUESTION 2

What effect does the hierarchical model of OSPF have on network traffic?

- A. LSAs are not forwarded outside of their areas.
- B. Only routers in area 0.0.0.0 must run the SPF algorithm.
- C. Virtual links are needed for OSPF routing to function.
- D. ABRs consolidate all LSAs into one LSDB.

Correct Answer: A

QUESTION 3

ExtremeWare will auto-complete a command with the following keystroke:

- A. Space bar
- B. Escape key
- C. Tab key
- D. None of these

Correct Answer: C

QUESTION 4

OSPF area 20.20.20.20 connects to OSPF area 2.2.2.2. The network has been running for a week without issues. While examining the LSDB of an internal router in area 20.20.20.20, the network administrator sees that there are no Type-2

LSAs for area 2.2.2.2 listed. The network administrator asks your opinion about this.

What do you say?

- A. Type-2 LSAs are not forwarded outside of their area.
- B. Type-2 LSAs are not seen because Type-4 LSAs are enabled.
- C. Type-5 LSAs include the necessary Type-2 LSA information.



D. None of these.

Correct Answer: A

QUESTION 5

QoS policy is applied _____ in an Extreme switch.

A. per port

B. per queue, per port

C. per queue

D. None of these.

Correct Answer: B

QUESTION 6

Exhibit:

```
-----
sysName:          Summit5iTx
sysLocation:
sysContact:       support@extremenetworks.com, +1 888 257 3000
System MAC:       00:01:30:97:F1:00

License:          Full L3 + Security.
System Mode:      802.1Q EtherType is 8100 (Hex).  CPU Tx-Priority=High
Recovery Mode:    none
Random Early Drop Probability: 0
DLCS:             disabled
Current time:     Thu Feb 28 15:37:30 2002
Timezone:         [Auto DST Enabled] GMT Offset: 0 minutes, DST is not in effect.
Boot time:        Thu Feb 28 14:07:06 2002
Next reboot:      None scheduled
Timed upload:     None scheduled
Timed download:   None scheduled
Temperature:      Normal. All fans are operational.
Power supply:     PSU-A OK, PSU-B failed

Software image selected:      secondary
Software image booted:       secondary
Primary Software version:    6.1.9b11
Secondary software version:  6.1.7b9

Configuration selected:      primary
Configuration booted:        primary
Primary configuration:        Empty
Secondary configuration:      Empty
```

Select the options that would allow you to change the active ExtremeWare version to 6.1.9b11 upon reboot.

A. use image primary

B. download config primary

C. use config primary

D. download image primary



Correct Answer: A

QUESTION 7

In order for proxy ARP to work correctly the router interface must receive a valid ARP request.

- A. True
- B. False

Correct Answer: A

QUESTION 8

An OSPF ASBR advertises a default route (AS-external type 2) into a single area OSPF network with a cost of 100. If all links have a cost of 10, what is the cost of the default route in a router a single hop away from the ASBR?

Correct Answer: 100

QUESTION 9

Which ExtremeWare feature permits ESRP to increase the number of protected VLANs by placing them under the control of a master VLAN?

- A. ESRP groups
- B. ESRP domains
- C. ESRP host attach
- D. None of these.

Correct Answer: B

QUESTION 10

ESRP must be configured for IP multinetting to work correctly.

- A. True
- B. False

Correct Answer: B

QUESTION 11

Which command should be used to set the OSPF router ID to 192.168.0.1?



- A. config routerid ospf 192.168.0.1
- B. config ospf routerid 192.168.0.1
- C. config ospf 192.168.0.1 routerid
- D. config 192.168.0.1 ospf routerid.

Correct Answer: B

QUESTION 12

What is the minimum ExtremeWare software version that supports the Summit48i?

- A. ExtremeWare 4.x
- B. ExtremeWare 5.x
- C. ExtremeWare 6.x
- D. None of the above

Correct Answer: C

QUESTION 13

How will you change the CLI prompt from the default display to NA-CHI-B6-F2-001?

- A. config snmp syslocation NA-CHI-B6-F2-001
- B. config snmp sysname NA-CHI-B6-F2-001
- C. config cli prompt NA-CHI-B6-F2-001
- D. config cli display NA-CHI-B6-F2-001

Correct Answer: B

QUESTION 14

What is the default 802.1Q ethertype used by Extreme Networks switches?

- A. 0x8000
- B. 0x8100
- C. 0x9000
- D. 0x9100

Correct Answer: B



QUESTION 15

How would you change the password for John Doe's management account?

- A. Enter config jdoe and then enter the new password twice.
- B. Enter config jdoe user account and then enter the new password twice.
- C. Enter config user account jdoe and then enter the new password twice.
- D. Enter config account jdoe and then enter the new password twice.

Correct Answer: D

[EW0-100 VCE Dumps](#)

[EW0-100 Study Guide](#)

[EW0-100 Braindumps](#)