



# FPGEE<sup>Q&As</sup>

Foreign Pharmacy Graduate Equivalency Examination

## Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/fpgee.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NABP  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Indication of thiabendazole is:

- A. Cestodes
- B. Status epilepticus
- C. Strongylogdies stercoralis
- D. Ancylostoma duodenale
- E. Ventricular fibrillation

Correct Answer: C

---

### QUESTION 2

Correct statement regarding the mechanism of action of Vancomycin may include:

- A. Inhibit release of tRNA bound to peptyl site after peptide bond formation
- B. Inhibit peptide bond formation between acylaminoacids bound to the peptyl and acceptor site
- C. Inhibit stage II of cell wall synthesis preventing polymerization of the linear peptideoglycan
- D. Inhibit DNA gyrase in the bacteria
- E. Bind to ergosterol from pores resulting in linkage of cellular

Correct Answer: C

---

### QUESTION 3

Which of the following vitamins is depleted in the blood by smoke?

- A. Vitamin C
- B. Vitamin B
- C. Vitamin E
- D. Vitamin D
- E. Vitamin A

Correct Answer: A

---

### QUESTION 4



Gonorrhea, a sexually transmitted disease may be treated by which of the following agents?

I- Cefixime II- Ceftriaxone III- Ciprofloxacin

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. All are correct

Correct Answer: E

---

#### QUESTION 5

Mechanism of action of flunisolide is:

- A. Inhibits DNA gyrase
- B. Inhibits phosphodiesterase
- C. Inhibits phospholipase A2
- D. beta-2 agonist
- E. Competitively inhibits H2 receptors

Correct Answer: C

---

#### QUESTION 6

Use of estrogen in osteoporosis:

I- Estrogen enhance calcium retention and retard bone loss II- Estrogen is useful in treat osteoporosis associated to menopause III- Estrogen is not effective at increasing bone mass that has already been lost.

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. All are correct

Correct Answer: E

---



### QUESTION 7

Identify the correct pathway of blood flow from the small intestine to the liver:

- A. haemorrhoidal vein - portal vein.
- B. mesenteric vein - portal vein.
- C. haemorrhoidal vein - inferior vena cava.
- D. mesenteric vein - hepatic artery.
- E. gastric vein - hepatic vein.

Correct Answer: B

---

### QUESTION 8

Which of the following is the most important vitamin in pregnancy?

- A. Cyanocobalamin
- B. Folic acid
- C. Pantothenic acid
- D. Pyridoxine
- E. Niacin

Correct Answer: A

---

### QUESTION 9

In an adequately powered, randomized controlled trial conducted over 3 years, a specific serious side effect (i.e. reduction in leukocytes) with conventional therapy is seen in 0.5% of the study sample. In patients who receive a newly discovered drug, only 0.45% experience the same side effect. Based on these results, the minimum number of patients that would have to receive the new drug for 3 years to statistically demonstrate the prevention of one episode of this side effect in at least one patient is:

- A. 15.
- B. 20.
- C. 150.
- D. 200.



E. 2000.

Correct Answer: E

---

#### QUESTION 10

Mechanism of action of vincristine is:

- A. Inhibits organification of iodine by thyroid gland
- B. Increases peripheral tissues sensitivity to insulin
- C. Reduces peripheral insulin resistance
- D. Inhibits Na-K-2Cl transporter
- E. Mitotic spindle poison

Correct Answer: E

---

#### QUESTION 11

Correct statements regarding aminoglycosides may include:

I- Has a half-life of 12hours II- The effect continue remain after all drug is eliminated III- The relation plasma concentration and half-life is not clear

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. All are correct

Correct Answer: D

---

#### QUESTION 12

Erythromycin:

- I. is effective against gram-positive cocci.
- II. is a macrolide antibiotic.
- III.



can increase gastrointestinal tract motility.

- A.
- I only
- B.
- III only
- C.
- I and II only
- D.
- II and III only
- E.
- I, II and III

Correct Answer: E

---

#### QUESTION 13

Hydrolysis of fixed oils may yields:

- A. Saturated + Unsaturated acids
- B. Glycerol + Fatty acids
- C. Glucose + Fatty acids
- D. Fatty acids + Triglycerides
- E. None of the above

Correct Answer: A

---

#### QUESTION 14

What would be the preferred route of metabolism of succinyl choline?

- A. Ester hydrolysis
- B. N-oxidation
- C. Glucuronide conjugation
- D. A and B



E. All of the above

Correct Answer: C

---

#### QUESTION 15

Drug that inhibits xanthine oxidase and affect the metabolism of 6-mercaptopurine:

A. Sulfipyrazone

B. Allopurinol

C. Penicillamine

D. Purinethol

E. Celecoxib

Correct Answer: B

[Latest FPGEE Dumps](#)

[FPGEE VCE Dumps](#)

[FPGEE Practice Test](#)